

List of All Chemicals

P Nepeta racemosa (Lamiaceae)

Common name(s)

Catmint

How used

Medicinal

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part	Low PPM	High PPM	StdDev	*Reference
(E)-2-HEXENAL	Shoot	--	3.0	0.26	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
Activities (2)					
Antiseptic					
Pesticide					
(E)-3-HEXENAL	Shoot	--	8.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
(Z)-3-HEXENOL	Shoot	--	2.0	1.32	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
(Z)-3-HEXENOL	Shoot	--	2.0	1.32	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
(Z)-BETA-OCIMENE	Shoot	--	33.0	-0.3	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
(Z)-BETA-OCIMENE	Shoot	--	33.0	-0.3	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
(Z)-GERANYL-ACETONE	Shoot	--	11.0	0.71	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
(Z)-GERANYL-ACETONE	Shoot	--	11.0	0.71	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
1,8-CINEOLE	Shoot	--	1150.0	-0.12	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
Activities (67)					
(-)-Chronotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
(-)-Inotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Acaricide LC100=6 uM					
Allelopathic					
Allergenic					
Anesthetic					
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antiacetylcholinesterase IC50=41 ug/ml					
Antiallergic	J. Food Hyg. Soc. Jap. 33(6): 569.				
Antibacterial 50 ppm					
Antibronchitic					
Anticariogenic					
Anticatarrh	Martindale's 29th				
Anticholinesterase IC50=50-70					
Antifatigue					
Antihalitosis	American Health, 12(4): 17, 1993.				
Antiinflammatory					

Antilaryngitic	
Antinociceptive	
Antipharyngitic	
Antiplaque	
Antirheumatic	
Antirhinitic	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antisinusitic	
Antispasmodic	
Antistaphylococcic 50 ppm	
Antitussive	
Antiulcer	
CNS-Stimulant	
Candidicide	
Carcinogenic	Zbovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. <i>Compendium of Safety Data Sheets for Research and Industrial Chemicals.</i> VCH Publishers, New York. 3560-4253.
Choleretic	
Convulsant	
Counterirritant	Martindale's 29th
Cytochrome-P450-Inducer	
Decongestant	
Degranulant 0.3 ul/ml	
Dentifrice	Martindale's 29th
Edemagenic inj	
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
FLavor FEMA 1-200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Gastroprotective	
Gram(+)icide	
Gram(-)icide	
Hepatotonic	
Herbicide IC50=78 uM	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.
Hypotensive	
Inflammatory inj	
Insectifuge	
Irritant	Rinzler, C. A. 1990. <i>The Complete Book of Herbs, Spices and Condiments. Facts on File</i> , New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. <i>Herbal Medicine - A Guide for Health-care Professionals.</i> The Pharmaceutical Press, London. 296pp.
Nematicide	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture.</i> Plenum Press, New York. 445 pp.
Neurotoxic	
P450-Inducer	
Pediculicide 2.3 x pyrethrin	
Perfume	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Rubefacient	Martindale's 29th
Secretogogue	
Sedative	
Spasmogenic	
Surfactant	
Testosterone-Hydroxylase-Inducer	
Transdermal	
Trichomonicide LD100=1,000 ug/ml	

1,8-CINEOLE Shoot -- 1150.0 -0.12 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

Activities (67)

(-)Chronotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. <i>Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D),</i> 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
(-)Inotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. <i>Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D),</i> 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Acaricide LC100=6 uM	
Allelopathic	
Allergenic	

Anergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antiacetylcholinesterase IC50=41 ug/ml	
Antiallergic	J. Food Hyg. Soc. Jap. 33(6): 569.
Antibacterial 50 ppm	
Antibronchitic	
Anticariogenic	
Anticatarrh	Martindale's 29th
Anticholinesterase IC50=50-70	
Antifatigue	
Antihalitosis	American Health, 12(4): 17, 1993.
Antiinflammatory	
Antilaryngitic	
Antinociceptive	
Antipharyngitic	
Antiplaque	
Antirheumatic	
Antirhinitic	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antisinusitic	
Antispasmodic	
Antistaphylococcic 50 ppm	
Antitussive	
Antiulcer	
CNS-Stimulant	
Candidicide	
Carcinogenic	Zbovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. <i>Compendium of Safety Data Sheets for Research and Industrial Chemicals.</i> VCH Publishers, New York. 3560-4253.
Choleretic	
Convulsant	
Counterirritant	Martindale's 29th
Cytochrome-P450- Inducer	
Decongestant	
Degranulant 0.3 ul/ml	
Dentifrice	Martindale's 29th
Edemagenic inj	
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
FLavor FEMA 1-200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Gastroprotective	
Gram(+)icide	
Gram(-)icide	
Hepatotoxic	
Herbicide IC50=78 uM	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.
Hypotensive	
Inflammatory inj	
Insectifuge	
Irritant	Rinzler, C. A. 1990. <i>The Complete Book of Herbs, Spices and Condiments. Facts on File</i> , New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. <i>Herbal Medicine - A Guide for Health-care Professionals.</i> The Pharmaceutical Press, London. 296pp.
Nematicide	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture.</i> Plenum Press, New York. 445 pp.
Neurotoxic	
P450-Inducer	
Pediculicide 2.3 x pyrethrin	
Perfume	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Rubefacient	Martindale's 29th
Secretogogue	
Sedative	
Spasmogenic	
Surfactant	
Testosterone- Hydroxylase-Inducer	

Transdermal
Trichomonicide
LD100=1,000 ug/ml

1-OCTEN-E-OL	Shoot	--	42.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
1-OCTEN-E-OL	Shoot	--	42.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
2-BUTANONE	Shoot	--	--		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
2-BUTANONE	Shoot	--	--		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
3-METHYL-CYCLOHEPTANONE	Shoot	--	--		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
4-ALPHA,ALPHA-7-ALPHA,7-ALPHABETA-NEPETALACTONE	Shoot	--	3455.0	-1.0	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
4-ALPHA,ALPHA-7-ALPHA,7-ALPHABETA-NEPETALACTONE	Shoot	--	6400.0	1.0	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
4-ALPHA,BETA-7-ALPHA,7-ALPHABETA-NEPETALACTONE	Shoot	--	140.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
4-ALPHA,BETA-7-ALPHA,7-ALPHABETA-NEPETALACTONE	Shoot	--	140.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
5-METHYL-3-HEPTANONE	Shoot	--	52.0	1.58	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
5-METHYL-3-HEPTANONE	Shoot	--	52.0	1.58	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
6-METHYL-3-HEPTANOL	Shoot	--	13.0	0.5	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
6-METHYL-3-HEPTANOL	Shoot	--	13.0	0.5	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
6-METHYL-5-HEPTEN-2-ONE	Shoot	--	6.0	-0.01	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
6-METHYL-5-HEPTEN-2-ONE	Shoot	--	6.0	-0.01	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
ACETOEUGENOL	Shoot	--	43.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
ACETOEUGENOL	Shoot	--	43.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
ACETONE	Shoot	--	2.0	-0.27	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.

Activities (3)

Allergenic
CNS-Depressant
Narcotic

Martindale's 29th
Martindale's 29th

ACETONE	Shoot	--	2.0	-0.27	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
---------	-------	----	-----	-------	---

Activities (3)

Allergenic
CNS-Depressant
Narcotic

Martindale's 29th
Martindale's 29th

ACETOPHENONE	Shoot	--	22.0	1.02	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
--------------	-------	----	------	------	---

Activities (6)

Antibacterial	
Fungicide	Tomas-Barberan, F., Iniesta-Sanmartin, E., Tomas-Lorente, F., and Rumbero, A. 1989. Antimicrobial Phenolic Compounds From Three Spanish Helichrysum Species. <i>Phytochemistry</i> . 29(4): 1093-1095. 1990.
Hypnotic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Perfumery FEMA <10,000	
Pesticide	
Soporific	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

ACETOPHENONE

Shoot -- 22.0 1.02 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

Activities (6)

Antibacterial	
Fungicide	Tomas-Barberan, F., Iniesta-Sanmartin, E., Tomas-Lorente, F., and Rumbero, A. 1989. Antimicrobial Phenolic Compounds From Three Spanish Helichrysum Species. <i>Phytochemistry</i> . 29(4): 1093-1095. 1990.
Hypnotic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Perfumery FEMA <10,000	
Pesticide	
Soporific	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

ALPHA-COPAENE

Shoot -- 11.0 -0.22 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

ALPHA-COPAENE

Shoot -- 11.0 -0.22 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

ALPHA-HUMULENE

Shoot -- 16.0 -0.27 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

Activities (2)

Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove (<i>Eugenia caryophyllata</i>) As Potential Anticarcinogenic Agents. <i>Journal of Natural Products</i> 55(7): 999-1003, 1992.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.

ALPHA-HUMULENE

Shoot -- 16.0 -0.27 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

Activities (2)

Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove (<i>Eugenia caryophyllata</i>) As Potential Anticarcinogenic Agents. <i>Journal of Natural Products</i> 55(7): 999-1003, 1992.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.

ALPHA-MUROLENE

Shoot -- 21.0 -0.11 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

ALPHA-MUROLENE

Shoot -- 21.0 -0.11 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

ALPHA-PHELLANDRENE

Shoot -- -- Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

Activities (11)

Antibacterial	Wright,C.W.(Ed)2002. <i>Medicinal&Aromatic Plants-Industrial Profiles</i> .Artemisia.344pp.Maffei,M.(Ed)2002. <i>Vetiveria</i> .The Genus <i>Vetiveria</i> .Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999. <i>Tea Tree</i> .The Genus <i>Melaleuca</i> .Harwood Acad.Pub.Amsterdam,Netherlands.
Antistaphylococcic	Wright,C.W.(Ed)2002. <i>Medicinal&Aromatic Plants-Industrial Profiles</i> .Artemisia.344pp.Maffei,M.(Ed)2002. <i>Vetiveria</i> .The Genus <i>Vetiveria</i> .Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999. <i>Tea Tree</i> .The Genus <i>Melaleuca</i> .Harwood Acad.Pub.Amsterdam,Netherlands.
Dermal	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Emetic	
FLavor FEMA 10-130	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Insectiphile	Pakistan Encyclopedia Planta Medica. 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Laxative	
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Pesticide	

ALPHA-PHELLANDRENE

Shoot -- 0.1 -0.31 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

Activities (11)

Antibacterial	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antistaphylococcic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Dermal	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Emetic	
FLavor FEMA 10-130	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Insectiphile	Pakistan Encyclopedia Planta Medica. 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Laxative	
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	

ALPHA-PINENE

Shoot -- 70.0 -0.14 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

Activities (28)

Allelochemical	
Allergenic	
Anti acne	
Antibacterial	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	500 mg/kg
Antipneumonic	
Antiseptic	
Antispasmodic	
Antistaphylococcic	
Antiviral	Economic & Medicinal Plant Research, 5: 195.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Coleoptophile	
Expectorant	Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.
FLavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide 0.82 uM/fly	
Insectifuge 50 ppm	
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, Londón. 791 pp.
P450-2B1-Inhibitor IC50=0.087 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Lawrence Review of Natural Products, Jun-90.
Spasmogenic	
Tranquilizer	Lawrence Review of Natural Products, Jun-90.
Transdermal	

ALPHA-PINENE

Shoot -- 10.0 -0.15 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

Activities (28)

Allelochemical	
Allergenic	
Antiacne	
Antibacterial	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	500 mg/kg
Antipneumonic	
Antiseptic	
Antispasmodic	
Antistaphylococcic	
Antiviral	Economic & Medicinal Plant Research, 5: 195.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Coleoptophile	
Expectorant	Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.
FLavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide 0.82 uM/fly	
Insectifuge 50 ppm	
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
P450-2B1-Inhibitor IC50=0.087 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Lawrence Review of Natural Products, Jun-90.
Spasmogenic	
Tranquilizer	Lawrence Review of Natural Products, Jun-90.
Transdermal	

ALPHA-TERPINENE

Shoot -- 13.0 -0.44 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

Activities (13)

ACE-Inhibitor 100 ug/ml (weak activity)	
Acaricide	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Antiacetylcholinesterase IC50=1.0 mM	
Antinitrosaminic	
Antispasmodic	
FLavor FEMA 1-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insecticide 0.86 uM/fly	
Insectifuge	
P450-2B1-Inhibitor IC50=0.76 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	

ALPHA-TERPINENE

Shoot -- 13.0 -0.44 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

Activities (13)

ACE-Inhibitor 100 ug/ml (weak activity)	
Acaricide	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Antiacylcholinesterase IC50=1.0 mM	
Antinitrosaminic	
Antispasmodic	
FLavor FEMA 1-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insecticide 0.86 uM/fly	
Insectifuge	
P450-2B1-Inhibitor IC50=0.76 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	

ALPHA-TERPINEOL

Shoot	--	55.0	-0.23	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
-------	----	------	-------	--

Activities (23)

ACE-Inhibitor 100 ug/ml (weak activity)	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacne	
Antibacterial MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticancer	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.
Anticariogenic MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antiinflammatory	
Antiproliferant	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Cicatrizant ED50=240 ug/g mus	
FLavor FEMA 5-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insecticide 1.29 uM/fly	
Interleukin-6-Inhibitor	
Mosquitofuge > Deet'	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Termicticide IC100=5 mg/g	
Transdermal	
Vulnerary ED50=240 ug/g mus	

ALPHA-TERPINEOL

Shoot	--	55.0	-0.23	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
-------	----	------	-------	--

Activities (23)

ACE-Inhibitor 100 ug/ml (weak activity)	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Aldose-Reductase-Inhibitor 100 ug/ml	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Allelopathic	
Antiacne	
Antibacterial MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticancer	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.
Anticariogenic MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antiinflammatory	
Antiproliferant	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Cicatrizant ED50=240 ug/g mus	
FLavor FEMA 5-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insecticide 1.29 uM/fly	
Interleukin-6-Inhibitor	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances, Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances, Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Termitticide IC100=5 mg/g	
Transdermal	
Vulnery ED50=240 ug/g mus	

ALPHA-TERPINYL-ACETATE	Shoot	--	310.0	-0.18	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
ALPHA-TERPINYL-ACETATE	Shoot	--	--	-0.28	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
AMYL-FURAN	Shoot	--	3.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
AMYL-FURAN	Shoot	--	3.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
BETA-BISABOLENE	Shoot	--	9.0	-0.56	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.

Activities (6)

Abortifacient	
Antirhinoviral IC50=1,800?	Denyer, C.V., Jackson, P., Loakes, D.M., Ellis, M.R., and Yound, D.A.B. Isolation of Antirhinoviral Sesquiterpenes From Ginger (<i>Zingiber officinale</i>). Journal of Natural Products, 57(5): 658-662, 1994.
Antigelcer IC57=100 mg/kg	Yamahara, J., et al. Stomachic principles in ginger. II. Pungent and anti-ulcer effects of low polar constituents isolated from ginger, the dried rhizoma of... <i>Yakugaku Zasshi</i> 112: 645-655 (1992).
Antiviral IC50=1,800?	Denyer, C.V., Jackson, P., Loakes, D.M., Ellis, M.R., and Yound, D.A.B. Isolation of Antirhinoviral Sesquiterpenes From Ginger (<i>Zingiber officinale</i>). Journal of Natural Products, 57(5): 658-662, 1994.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Stomachic	

BETA-BISABOLENE	Shoot	--	9.0	-0.56	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
-----------------	-------	----	-----	-------	--

Activities (6)

Abortifacient

Antirhinoviral
IC50=1,800?Denyer, C.V., Jackson, P., Loakes, D.M., Ellis, M.R., and Yound, D.A.B. Isolation of Antirhinoviral Sesquiterpenes From Ginger (*Zingiber officinale*). *Journal of Natural Products*, 57(5): 658-662, 1994.Antiulcer IC57=100
mg/kgYamahara, J., et al. Stomachic principles in ginger. II. Pungent and anti-ulcer effects of low polar constituents isolated from ginger, the dried rhizoma of... *Yakugaku Zasshi* 112: 645-655 (1992).Antiviral
IC50=1,800?Denyer, C.V., Jackson, P., Loakes, D.M., Ellis, M.R., and Yound, D.A.B. Isolation of Antirhinoviral Sesquiterpenes From Ginger (*Zingiber officinale*). *Journal of Natural Products*, 57(5): 658-662, 1994.

Perfumery

Stomachic

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

BETA-BOURBONENE	Shoot	--	50.0	0.01	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
BETA-BOURBONENE	Shoot	--	50.0	0.01	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
BETA-CARYOPHYLLENE	Shoot	--	240.0	0.08	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
BETA-CARYOPHYLLENE	Shoot	--	240.0	0.08	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
BETA-CUBEBENE	Shoot	--	2.0	-0.26	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
BETA-CUBEBENE	Shoot	--	2.0	-0.26	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
BETA-IONONE	Shoot	--	13.0	-0.5	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.

Activities (13)

Allergenic

Antibacterial MIC=200
ug/mlMuroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against *Streptococcus mutans*. *J. Agric. Food Chem.* 41: 1102-1105.Anticariogenic MIC=100
ug/mlMuroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against *Streptococcus mutans*. *J. Agric. Food Chem.* 41: 1102-1105.Antimelanomic IC50=140
uM/lAntitumor Yu, S.G., Anderson, P.J., and Elson, C.E. 1995. Efficacy of B-Ionone in the Chemoprevention of Rat Mammary Carcinogenesis. *J. Agric. Food Chem.* 43: 2144-2147.

Cancer-Preventive

Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Cytochrome-P450-Inducer

Fungicide

Hypocholesterolemic Yu, S.G., Anderson, P.J., and Elson, C.E. 1995. Efficacy of B-Ionone in the Chemoprevention of Rat Mammary Carcinogenesis. *J. Agric. Food Chem.* 43: 2144-2147.

Nematicide MLC=1 mg/ml

Shoyakugaku Zasshi, 44: 183.

P450-Inducer

Pesticide

Trichomonicide LD100=100
ug/ml

BETA-IONONE

Shoot -- 13.0 -0.5

Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.**Activities (13)**

Allergenic

Antibacterial MIC=200
ug/mlMuroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against *Streptococcus mutans*. *J. Agric. Food Chem.* 41: 1102-1105.Anticariogenic MIC=100
ug/mlMuroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against *Streptococcus mutans*. *J. Agric. Food Chem.* 41: 1102-1105.Antimelanomic IC50=140
uM/lAntitumor Yu, S.G., Anderson, P.J., and Elson, C.E. 1995. Efficacy of B-Ionone in the Chemoprevention of Rat Mammary Carcinogenesis. *J. Agric. Food Chem.* 43: 2144-2147.

Cancer-Preventive

Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Cytochrome-P450-Inducer

Fungicide

Hypocholesterolemic Yu, S.G., Anderson, P.J., and Elson, C.E. 1995. Efficacy of B-Ionone in the Chemoprevention of Rat Mammary Carcinogenesis. *J. Agric. Food Chem.* 43: 2144-2147.

Nematicide MLC=1 mg/ml

Shoyakugaku Zasshi, 44: 183.

P450-Inducer

Pesticide

Trichomonicide LD100=100
ug/ml

BETA-PINENE	Shoot	--	255.0	-0.1	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
-------------	-------	----	-------	------	---

Activities (13)

Allergenic	
Antiinflammatory	
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antispasmodic	
Candidicide	
FLavor FEMA 15-600	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebowitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Transdermal	

BETA-PINENE	Shoot	--	255.0	-0.1	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
-------------	-------	----	-------	------	---

Activities (13)

Allergenic	
Antiinflammatory	
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antispasmodic	
Candidicide	
FLavor FEMA 15-600	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebowitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Transdermal	

BICYCLO-[4.2.0]OCTA-1,3,5-TRIENE	Shoot	--	21.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
----------------------------------	-------	----	------	--	---

BICYCLO-[4.2.0]OCTA-1,3,5-TRIENE	Shoot	--	21.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
----------------------------------	-------	----	------	--	---

CALAMENENE	Shoot	--	85.0	2.19	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
------------	-------	----	------	------	---

CALAMENENE	Shoot	--	85.0	2.19	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
------------	-------	----	------	------	---

CAMPHENENE	Shoot	--	3.0	-0.13	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
------------	-------	----	-----	-------	---

Activities (9)

Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antioxidant	Jim Duke's personal files.
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Pesticide	
Spasmogenic	Fitoterapia No.59-1984.

CAMPHENENE	Shoot	--	3.0	-0.13	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
------------	-------	----	-----	-------	---

Activities (9)

Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antioxidant	Jim Duke's personal files.
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Pesticide	
Spasmogenic	Fitoterapia No.59-1984.

CAMPHOR	Shoot	--	2.0	-0.16	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
---------	-------	----	-----	-------	---

Activities (41)

Allelopathic	
Analgesic	
Anesthetic	
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Antidiarrheic 500 ug/ml	Wealth of India.
Antidysenteric 500 ug/ml	Wealth of India.
Antiemetic 100-200 mg man orl	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antifeedant IC50=5,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antifibrotic	Martindale's 28th
Antineuronalgic	Martindale's 28th
Antipruritic	Merck 11th Edition
Antiseptic	Merck 11th Edition
Antispasmodic ED50=0.075 mg/ml	Fitoterapia No.59-1984.
CNS-Stimulant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. <i>J. Pharm. Pharmacol.</i> 46: 14-18, 1994.
Convulsant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Cosmetic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Counterirritant	Martindale's 28th
Decongestant	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Deliriant	Merck 11th Edition
Ecbolic	
Emetic	
Epileptogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Expectorant	Martindale's 29th
Fungicide ED50=2.7 mM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=3.3-180 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Insect-Repellent	
Insectifuge	
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Occuloorirrant	
P450-2B1-Inhibitor IC50=7.89 uM	
Pesticide	
Respirainhibitor	Merck 11th Edition
Respirastimulant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Rubefacient	
Stimulant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Transdermal	
Verrucolytic	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Vibriocide 500 ug/ml	Wealth of India.

CAMPHOR Shoot -- 2.0 -0.16 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

Activities (41)

Allelopathic	
Analgesic	
Anesthetic	
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Antidiarrheic 500 ug/ml	Wealth of India.
Antidysenteric 500 ug/ml	Wealth of India.
Antiemetic 100-200 mg man orl	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antifeedant IC50=5,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antifibrotic	Martindale's 28th
Antineuronalgic	Martindale's 28th
Antipruritic	Merck 11th Edition
Antiseptic	Merck 11th Edition
Antispasmodic ED50=0.075 mg/ml	Fitoterapia No.59-1984.
CNS-Stimulant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. <i>J. Pharm. Pharmacol.</i> 46: 14-18, 1994.
Convulsant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benficial Nature. The Risk of Herbal Preparations. <i>Ann. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Cosmetic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Counterirritant	Martindale's 28th
Decongestant	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Deliriant	Merck 11th Edition
Ecbolic	
Emetic	
Epileptogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Expectorant	Martindale's 29th
Fungicide ED50=2.7 mM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=3.3-180 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Insect-Repellent	
Insectifuge	
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Occuloirritant	
P450-2B1-Inhibitor IC50=7.89 uM	
Pesticide	
Respirainhibitor	Merck 11th Edition
Respirastimulant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Rubefacient	
Stimulant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benficial Nature. The Risk of Herbal Preparations. <i>Ann. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Transdermal	
Verrucolytic	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Vibriocide 500 ug/ml	Wealth of India.

CARVACROL Shoot -- 170.0 -0.6 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

Activities (37)

Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antiatherosclerotic IC50=5.53 uM	
Antibacterial MIC 170-290	Chalchat, J.C. et Garry, R.P.*; Bastide, P., Fabre, F. et Malhuret, R. Correlation Composition Chimique/Activite Antimicrobienne: V - Contribution a la Comparaison de 2 Methodes de Determination Des Cm. Plantes medicinales et phytotherapie, 25: 184-193.
Antibacterial MIC=39-625	Russell, G. B., Phytochemical resources for crop protection, N. Z. J. Technol., 2, 1986, 127-134.
Anticholinesterase?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antidiuretic	Lawrence Review of Natural Products, Mar-92.
Antiinflammatory IC50=4 uM	
Antimelanomic IC50=120 uM/l	
Antioxidant	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antioxidant (LDL) IC50=5.53 uM	
Antiplaque MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, I., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, Bull Tokyo Dent. Coll., 31 (1), 1990, 17-21
Antiprostaglandin	
Antiradicular 600 x thymol	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antiseptic 1.5 x phenol	
Antispasmodic	
Antistaphylococcc	
Antistreptococcc	
Antitussive	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Candidicide MIC<0.1 ug/ml	
Candidicide 100- 150 ug/ml	
Carminative	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Cyclooxygenase- Inhibitor #NAME?	
Enterorelaxant	J. Aromatherapy 4: 22.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
FLavor FEMA 10- 125	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Nematicide MLC=1 mg/ml	
Pesticide	
Prostaglandin- Inhibitor	
Tracheorelaxant	
Trichomonicide LD100=150 ug/ml	
Vermifuge	

CARVACROL Shoot -- 170.0 -0.6 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.

Activities (37)

Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antiatherosclerotic IC50=5.53 uM	
Antibacterial MIC 170-290	Chalchat, J.C. et Garry, R.P.*., Bastide, P., Fabre, F. et Malhuret, R. Correlation Composition Chimique/Activite Antimicrobienne: V - Contribution a la Comparaison de 2 Methodes de Determination Des Cm. Plantes medicinales et phytotherapie, 25: 184-193.
Antibacterial MIC=39-625	Russell, G. B., Phytochemical resources for crop protection, N. Z. J. Technol., 2, 1986, 127-134.
Anticholinesterase?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antidiuretic	Lawrence Review of Natural Products, Mar-92.
Antiinflammatory IC50=4 uM	
Antimelanomic IC50=120 uM/l	
Antioxidant	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antioxidant (LDL) IC50=5.53 uM	
Antiplaque MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, I., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, Bull Tokyo Dent. Coll., 31 (1), 1990, 17-21
Antiprostaglandin	
Antiradicular 600 x thymol	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antiseptic 1.5 x phenol	
Antispasmodic	
Antistaphylococcc	
Antistreptococcc	
Antitussive	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Candidicide MIC<0.1 ug/ml	
Candidicide 100- 150 ug/ml	
Carminative	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Cyclooxygenase- Inhibitor #NAME?	
Enterorelaxant	J. Aromatherapy 4: 22.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
FLavor FEMA 10- 125	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Nematicide MLC=1 mg/ml	
Pesticide	
Prostaglandin- Inhibitor	
Tracheorelaxant	
Trichomonicide LD100=150 ug/ml	
Vermifuge	

CIS-SABINENE-HYDRATE	Shoot	--	3.0	-0.24	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
CIS-SABINENE-HYDRATE	Shoot	--	3.0	-0.24	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
CUMIN-ALCOHOL	Shoot	--	26.0	1.35	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.

Activities (1)

FLavor FEMA 0.5-35	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
--------------------	---

CUMIN-ALCOHOL	Shoot	--	26.0	1.35	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
---------------	-------	----	------	------	--

Activities (1)

FLavor FEMA 0.5-35	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
--------------------	---

CUMINALDEHYDE	Shoot	--	34.0	-0.13	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
---------------	-------	----	------	-------	---

Activities (10)

Antibacterial					
FLavor FEMA <1	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Fungicide	Singh*, G., Upadhyay, R.K. 1990. Fungitoxic Activity of Cumaldehyde, Main Constituent of the Cuminum cyminum Oil. Fitoterapia 62(1): 86, 1991.				
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Larvicide	Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.				
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Pesticide					
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Tyrosinase-Inhibitor ID50=0.05 mM					
Ulcerogenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				

CUMINALDEHYDE	Shoot	--	34.0	-0.13	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
---------------	-------	----	------	-------	---

Activities (10)

Antibacterial					
FLavor FEMA <1	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Fungicide	Singh*, G., Upadhyay, R.K. 1990. Fungitoxic Activity of Cumaldehyde, Main Constituent of the Cuminum cyminum Oil. Fitoterapia 62(1): 86, 1991.				
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Larvicide	Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.				
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Pesticide					
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Tyrosinase-Inhibitor ID50=0.05 mM					
Ulcerogenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				

CYCLOHEXANE	Shoot	--	--		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
-------------	-------	----	----	--	---

CYCLOHEXANE	Shoot	--	--		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
-------------	-------	----	----	--	---

DECANAL	Shoot	--	9.0	0.71	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
---------	-------	----	-----	------	---

DECANAL	Shoot	--	9.0	0.71	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
---------	-------	----	-----	------	---

DECANE	Shoot	--	2.0	0.71	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
--------	-------	----	-----	------	---

DECANE	Shoot	--	2.0	0.71	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
--------	-------	----	-----	------	---

DELTA-CADINENE	Shoot	--	80.0	0.35	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
----------------	-------	----	------	------	---

Activities (9)

Aldose-Reductase-Inhibitor					
Antiacne					
Antibacterial MIC800 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.				
Anticariogenic MIC800 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.				
Antistreptococcc					
Cytochrome-P450-Inducer					
P450-Inducer					
Pesticide					
Testosterone-Inducer					

DELTA-CADINENE	Shoot	--	80.0	0.35	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
----------------	-------	----	------	------	---

Activities (9)

Aldose-Reductase-Inhibitor

Antiacne

Antibacterial MIC800 ug/ml

Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. *J. Agric. Food Chem.* 41: 1102-1105.

Anticariogenic MIC800 ug/ml

Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. *J. Agric. Food Chem.* 41: 1102-1105.

Antistreptococcic

Cytochrome-P450-Inducer

P450-Inducer

Pesticide

Testosterone-Inducer

DICHLOROBENZENE	Shoot	--	15.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
DICHLOROBENZENE	Shoot	--	15.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
EO	Shoot	--	11000.0	0.07	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
EO	Shoot	--	11000.0	0.07	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
ETHANOL	Shoot	--	1.0	-0.46	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.

Activities (24)

Allergenic

Anesthetic 4,000 orl cat

Borchard, R. E., Barnes, C. D., and Eltherton, L. G. 1991. *Drug Dosage in Laboratory Animals: A Handbook*. (3rd Ed.) The Telford Press, Inc., P. O. Box 287, Caldwell NJ 07006.

Anesthetic 6,000 orl rat

Borchard, R. E., Barnes, C. D., and Eltherton, L. G. 1991. *Drug Dosage in Laboratory Animals: A Handbook*. (3rd Ed.) The Telford Press, Inc., P. O. Box 287, Caldwell NJ 07006.

Anhydrotic

Martindale's 29th

Antiatherosclerotic

Martindale's 28th

Antibacterial

Martindale's 28th

Antipruritic

Martindale's 28th

Antiseptic

Merck 11th Edition

CNS-Depressant

Martindale's 28th

Expectorant

Schulz, V., Hansel, R and Tyler, V.E. 1998. *Rational Phytotherapy - A Physician's Guide to Herbal Medicine*. 3rd ed. 1st English Edition. Translated by Terry C. Telger. Springer Verlag, Heidelberg. 306 pp.

Hepatotoxic

Martindale's 29th

Hypertensive >1 drink/day

Martindale's 29th

Hypnotic
Antidote=Naloxone

Martindale's 29th

Hypocalcemic 4,000 orl rat

Borchard, R. E., Barnes, C. D., and Eltherton, L. G. 1991. *Drug Dosage in Laboratory Animals: A Handbook*. (3rd Ed.) The Telford Press, Inc., P. O. Box 287, Caldwell NJ 07006.

Hypotensive 1 drink/day

Schulz, V., Hansel, R and Tyler, V.E. 1998. *Rational Phytotherapy - A Physician's Guide to Herbal Medicine*. 3rd ed. 1st English Edition. Translated by Terry C. Telger. Springer Verlag, Heidelberg. 306 pp.

Mucotropic

Merck 11th Edition

Neurolytic

Merck 11th Edition

Pesticide

Martindale's 29th

Rubefacient

Martindale's 29th

Sclerosant

Martindale's 29th

Surfactant

Schulz, V., Hansel, R and Tyler, V.E. 1998. *Rational Phytotherapy - A Physician's Guide to Herbal Medicine*. 3rd ed. 1st English Edition. Translated by Terry C. Telger. Springer Verlag, Heidelberg. 306 pp.

Teratogenic 6,000 orl dog

Borchard, R. E., Barnes, C. D., and Eltherton, L. G. 1991. *Drug Dosage in Laboratory Animals: A Handbook*. (3rd Ed.) The Telford Press, Inc., P. O. Box 287, Caldwell NJ 07006.

Tremorilytic

Martindale's 28th

Ulcerogenic 5 ml/kg (50%) orl rat

ETHANOL	Shoot	--	1.0	-0.46	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
---------	-------	----	-----	-------	--

Activities (24)

Allergenic					
Anesthetic 4,000 orl cat	Borchard, R. E., Barnes, C. D., and Eltherton, L. G. 1991. Drug Dosage in Laboratory Animals: A Handbook. (3rd Ed.) The Telford Press, Inc., P. O. Box 287, Caldwell NJ 07006.				
Anesthetic 6,000 orl rat	Borchard, R. E., Barnes, C. D., and Eltherton, L. G. 1991. Drug Dosage in Laboratory Animals: A Handbook. (3rd Ed.) The Telford Press, Inc., P. O. Box 287, Caldwell NJ 07006.				
Anhydrotic	Martindale's 29th				
Antiatherosclerotic					
Antibacterial	Martindale's 28th				
Antipruritic	Martindale's 28th				
Antiseptic	Merck 11th Edition				
CNS-Depressant	Martindale's 28th				
Expectorant	Schulz, V, Hansel, R and Tyler, VE. 1998. Rational Phytotherapy - A Physician's Guide to Herbal Medicine. 3rd ed. 1st English Edition. Translated by Terry C. Telger. Springer Verlag, Heidelberg. 306 pp.				
Hepatotoxic	Martindale's 29th				
Hypertensive >1 drink/day					
Hypnotic Antidote=Naloxone	Martindale's 29th				
Hypocalcemic 4,000 orl rat	Borchard, R. E., Barnes, C. D., and Eltherton, L. G. 1991. Drug Dosage in Laboratory Animals: A Handbook. (3rd Ed.) The Telford Press, Inc., P. O. Box 287, Caldwell NJ 07006.				
Hypotensive 1 drink/day					
Mucotropic	Schulz, V, Hansel, R and Tyler, VE. 1998. Rational Phytotherapy - A Physician's Guide to Herbal Medicine. 3rd ed. 1st English Edition. Translated by Terry C. Telger. Springer Verlag, Heidelberg. 306 pp.				
Neurolytic	Merck 11th Edition				
Pesticide					
Rubefacient	Martindale's 29th				
Sclerosant	Martindale's 29th				
Surfactant	Schulz, V, Hansel, R and Tyler, VE. 1998. Rational Phytotherapy - A Physician's Guide to Herbal Medicine. 3rd ed. 1st English Edition. Translated by Terry C. Telger. Springer Verlag, Heidelberg. 306 pp.				
Teratogenic 6,000 orl dog	Borchard, R. E., Barnes, C. D., and Eltherton, L. G. 1991. Drug Dosage in Laboratory Animals: A Handbook. (3rd Ed.) The Telford Press, Inc., P. O. Box 287, Caldwell NJ 07006.				
Tremorilytic	Martindale's 28th				
Ulcerogenic 5 ml/kg (50%) orl rat					

GAMMA-MUROLENE

Shoot -- 2.0 -0.24 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

GAMMA-MUROLENE

Shoot -- -- -0.51 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

GAMMA-TERPINENE

Shoot -- 44.0 -0.36 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

Activities (11)

ACE-Inhibitor 100 ug/ml (weak activity)

Acaricide

Aldose-Reductase-Inhibitor 100 ug/ml Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.

Antiacetylcholinesterase IC23=1.2 mM

Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.

Antifeedant

Jim Duke's personal files.

FFlavor FEMA 1-40

Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Insectifuge

Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.

Irritant

Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Perfumery

Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Pesticide

GAMMA-TERPINENE

Shoot -- 44.0 -0.36 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

Activities (11)

ACE-Inhibitor 100 ug/ml
(weak activity)

Acaricide

Aldose-Reductase-Inhibitor 100 ug/ml Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.

Antiacetylcholinesterase IC₅₀=1.2 mM

Antifeedant Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.

Antioxidant Jim Duke's personal files.

FFlavor FEMA 1-40

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Insectifuge Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.

Irritant

Zbovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Perfumery

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticide

GERANIOL	Shoot	--	70.0	-0.47	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
----------	-------	----	------	-------	--

Activities (35)

Allergenic	
Anthelmintic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antibacterial MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antibacterial MIC=64 ug/ml	
Antibacterial MBC=800 ug/ml	
Anticancer (Pancreas) IC50=265 uM	
Anticariogenic MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antimelanomic IC50=150 uM/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 7 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antiseptic MIC=64 ug/ml	
Antiseptic 400-800 ug/ml	
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (Flores Graminis, Graminis Flos) used in Aromatherapy. J. Ess. Oil Res., 2: 185-191, 1990.
Antitubercular MIC=64 ug/ml	
Antitumor	Yu, S.G., Anderson, P.J., and Elson, C.E. 1995. Efficacy of B-Ionone in the Chemoprevention of Rat Mammary Carcinogenesis. J. Agric. Food Chem. 43: 2144-2147.
Antitumor (Pancreas) IC50=265 uM	
Ascaricide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
CNS-Stimulant	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	
Embryotoxic	
Emetic 3 x ipecac	Lawrence Review of Natural Products, Sep-97.
Expectorant	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
FLavor FEMA 1-10	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide IC93=2 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC100-2,000 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge 50 ppm	
Insectiphile	Merck 11th Edition
Mycobactericide MIC=64 ug/ml	
Nematicide IC86=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Nematicide MLC=1,000 ug/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Sedative	
Trichomonicide LD100=300 ug/ml	

GERANIOL	Shoot	--	70.0	-0.47	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
----------	-------	----	------	-------	--

Activities (35)

Allergenic	
Anthelmintic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antibacterial MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antibacterial MIC=64 ug/ml	
Antibacterial MBC=800 ug/ml	
Anticancer (Pancreas) IC50=265 uM	
Anticariogenic MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antimelanomic IC50=150 uM/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 7 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antiseptic MIC=64 ug/ml	
Antiseptic 400-800 ug/ml	
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (Flores Graminis, Graminis Flos) used in Aromatherapy. J. Ess. Oil Res., 2: 185-191, 1990.
Antitubercular MIC=64 ug/ml	
Antitumor	Yu, S.G., Anderson, P.J., and Elson, C.E. 1995. Efficacy of B-Ionone in the Chemoprevention of Rat Mammary Carcinogenesis. J. Agric. Food Chem. 43: 2144-2147.
Antitumor (Pancreas) IC50=265 uM	
Ascaricide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
CNS-Stimulant	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	
Embryotoxic	
Emetic 3 x ipecac	Lawrence Review of Natural Products, Sep-97.
Expectorant	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
FLavor FEMA 1-10	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide IC93=2 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC100-2,000 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge 50 ppm	
Insectiphile	Merck 11th Edition
Mycobactericide MIC=64 ug/ml	
Nematicide IC86=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Nematicide MLC=1,000 ug/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Sedative	
Trichomonicide LD100=300 ug/ml	

GERANYL-ACETATE

Shoot	--	145.0	-0.21	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
-------	----	-------	-------	--

Activities (5)

Allergenic	
FLavor FEMA 1-20	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insectiphile	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Sedative	Jim Duke's personal files.

GERANYL-ACETATE

Shoot	--	145.0	-0.21	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
-------	----	-------	-------	--

Activities (5)

Allergenic

FLavor FEMA 1-20	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Insectiphile	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Sedative	Jim Duke's personal files.				

GERMACRENE-D

Shoot	--	100.0	-0.31	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
-------	----	-------	-------	---

Activities (2)

Pesticide

Pheromone

GERMACRENE-D

Shoot	--	100.0	-0.31	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
-------	----	-------	-------	---

Activities (2)

Pesticide

Pheromone

HEXAHYDROFARNESYL-ACETONE

Shoot	--	28.0	1.22	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
-------	----	------	------	---

HEXAHYDROFARNESYL-ACETONE

Shoot	--	28.0	1.22	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
-------	----	------	------	---

HEXANAL

Shoot	--	4.0	1.27	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
-------	----	-----	------	---

Activities (5)

Antibacterial MBC=800 ug/ml

Antisalmonella MIC=400 ug/ml

Antiseptic 400-800 ug/ml

FLavor FEMA <1-5

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticide

HEXANAL

Shoot	--	4.0	1.27	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
-------	----	-----	------	---

Activities (5)

Antibacterial MBC=800 ug/ml

Antisalmonella MIC=400 ug/ml

Antiseptic 400-800 ug/ml

FLavor FEMA <1-5

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticide

ISOAMYL-ACETATE

Shoot	--	19.0	1.58	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
-------	----	------	------	---

Activities (2)

Irritant

Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Perfumery
Fragrance

Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

ISOAMYL-ACETATE

Shoot	--	19.0	1.58	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
-------	----	------	------	---

Activities (2)

Irritant

Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Perfumery
Fragrance

Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

LAURIC-ACID

Shoot	--	8.0	-0.71	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
-------	----	-----	-------	---

Activities (7)

Antibacterial

Antioxidant IC₇₁=60

Antiviral

COX-1-Inhibitor IC₄₀=100COX-2-Inhibitor IC₂₀=100

Candidicide

Hypercholesterolemic

Spiller, G. A. 1996 (Spiller, G. A. Ed. 1996. CRC Handbook of Lipids in Human Nutrition. CRC Press. Boca Raton, FL. 233 pp.)

LAURIC-ACID

Shoot -- 8.0 -0.71 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.**Activities (7)**

Antibacterial

Antioxidant IC₇₁=60

Antiviral

COX-1-Inhibitor IC₄₀=100COX-2-Inhibitor IC₂₀=100

Candidicide

Hypercholesterolemic

Spiller, G. A. 1996 (Spiller, G. A. Ed. 1996. CRC Handbook of Lipids in Human Nutrition. CRC Press. Boca Raton, FL. 233 pp.)

LIMONENE

Shoot -- 90.0 -0.28 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

Activities (60)

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. & Physiol.</i> , 23, 1985, 383-8.
Acaricide LC100=8 uM	
Allelochemical	
Allergenic 1/20th carene	
Antiacetylcholinesterase IC22-26=1.2 mM	
Antiadenomic	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. & Physiol.</i> , 23, 1985, 383-8.
Antiasthmatic	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Anticancer	
Antiesophagitic	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	
Antilithic	
Antilymphomtic	
Antimetastatic (Stomach)	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiobesity	
Antiseptic	
Antispasmodic ED50=0.197 mg/ml	Fitoterapia No.59-1984.
Antitumor	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Pancreas)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiviral	
Apoptotic	
Bronchoprotectant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidstat	
Chemopreventive	
Cholesterolytic	
Detoxicant	
Enterococontractant	J. Aromatherapy 4: 22.
Expectorant	
FLavor	
Fungiphilic	J. Agric. Food Chem. 43: 2283.
Fungistat	
GST-Inducer	
Herbicide IC50=45 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Histaminic	
Immunomodulator	
Insecticide 0.37 uM/fly	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Interleukin-6-Inhibitor	
Irritant	
Lipolytic	
Myorelaxant 50 mg/kg	
NO-Genic	
Nematicide IC=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Ornithine-Decarboxylase-Inhibitor ~750 mg/kg (diet)	
Ozone-Scavenger	
P450-Inducer	
Peristaltic	
Pesticide	
Photosensitizer	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Transdermal	

Activities (60)

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. & Physiol.</i> , 23, 1985, 383-8.
Acaricide LC100=8 uM	
Allelochemical	
Allergenic 1/20th carene	
Antiacetylcholinesterase IC22-26=1.2 mM	
Antiadenomic	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. & Physiol.</i> , 23, 1985, 383-8.
Antiasthmatic	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Anticancer	
Antiesophagitic	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	
Antilithic	
Antilymphomtic	
Antimetastatic (Stomach)	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiobesity	
Antiseptic	
Antispasmodic ED50=0.197 mg/ml	Fitoterapia No.59-1984.
Antitumor	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Pancreas)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiviral	
Apoptotic	
Bronchoprotectant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidstat	
Chemopreventive	
Cholesterolytic	
Detoxicant	
Enterococontractant	J. Aromatherapy 4: 22.
Expectorant	
FLavor	
Fungiphilic	J. Agric. Food Chem. 43: 2283.
Fungistat	
GST-Inducer	
Herbicide IC50=45 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Histaminic	
Immunomodulator	
Insecticide 0.37 uM/fly	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Interleukin-6-Inhibitor	
Irritant	
Lipolytic	
Myorelaxant 50 mg/kg	
NO-Genic	
Nematicide IC=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Ornithine-Decarboxylase-Inhibitor ~750 mg/kg (diet)	
Ozone-Scavenger	
P450-Inducer	
Peristaltic	
Pesticide	
Photosensitizer	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164, I56, 176)
Transdermal	

LINALOL	Shoot	--	21.0	-0.22	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
LINALOL	Shoot	--	21.0	-0.22	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
METHYL-CYCLOHEPTANONE	Shoot	--	19.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
METHYL-CYCLOHEXYL-KETONE	Shoot	--	11.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
METHYL-CYCLOHEXYL-KETONE	Shoot	--	11.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
METHYL-HYDROCINNAMATE	Shoot	--	70.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
METHYL-HYDROCINNAMATE	Shoot	--	70.0		Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
METHYL-SALICYLATE	Shoot	--	6.0	-0.58	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.

Activities (21)

Allergenic	Martindale's 28th
Analgesic	
Anaphrodisiac	
Antiinflammatory	Planta Medica, 56(6): 660, 1990.
Antioxidant	
Antipyretic	
Antiradicular	O'Connell, M.J., Webster, N.R. 1989. Hyperoxia and salicylate metabolism in rats. J. Pharm. Pharmacol. 42: 205-206, 1990.
Antirheumatalgic	Martindale's 28th
Antiseptic	
Antitartar	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carminative	
Counterirritant	Merck 11th Edition
Dentifrice	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
FLavor FEMA 70-8,000	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Herpetifuge	
Insectifuge	Hardie, J., Isaacs, R., Pickett,* J.A., Wadhams, L.J., and Woodcock, C.M. 1994. Methyl Salicylate and (--)-(1R,5S)-Myrtenal are Plant-Derived Repellents for Black Bean Aphid, <i>Aphis Fabae</i> Scop. (Homoptera: Aphididae). J. of Chemical Ecology, 20(11):2847.
Insectiphile	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

METHYL-SALICYLATE	Shoot	--	6.0	-0.58	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
-------------------	-------	----	-----	-------	---

Activities (21)

Allergenic	Martindale's 28th
Analgesic	
Anaphrodisiac	
Antiinflammatory	Planta Medica, 56(6): 660, 1990.
Antioxidant	
Antipyretic	
Antiradicular	O'Connell, M.J., Webster, N.R. 1989. Hyperoxia and salicylate metabolism in rats. J. Pharm. Pharmacol. 42: 205-206, 1990.
Antirheumatalgic	Martindale's 28th
Antiseptic	
Antitartrar	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carminative	
Counterirritant	Merck 11th Edition
Dentifrice	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
FLavor FEMA 70-8,000	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Herpetifuge	
Insectifuge	Hardie, J., Isaacs, R., Pickett,* J.A., Wadhams, L.J., and Woodcock, C.M. 1994. Methyl Salicylate and (-)-(1R,5S)-Myrtenal are Plant-Derived Repellents for Black Bean Aphid, <i>Aphis Fabae</i> Scop. (Homoptera: Aphididae). J. of Chemical Ecology, 20(1):2847.
Insectiphile	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

MYRCENE

Shoot -- 24.0 -0.31 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

Activities (22)

ACE-Inhibitor 100 ug/ml	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Allergenic	
Analgesic	Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.
Antibacterial	
Anticonvulsant	
Antimutagenic	Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.
Antinitrosaminic	
Antinociceptive 10-20 mg/kg ipr mus	Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.
Antinociceptive 20-40 mg/kg scu mus	Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.
Antioxidant	Jim Duke's personal files.
Antispasmodic	Jim Duke's personal files.
Chemopreventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
FLavor FEMA 0.5-9	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypothermic	
Insectifuge	
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Myorelaxant 100-200 mg/kg	
P450-2B1-Inhibitor IC50=0.14 uM	
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	

MYRCENE

Shoot -- 24.0 -0.31 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

Activities (22)

ACE-Inhibitor 100 ug/ml	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Allergenic	
Analgesic	Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.
Antibacterial	
Anticonvulsant	
Antimutagenic	Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.
Antinitrosaminic	
Antinociceptive 10-20 mg/kg ipr mus	Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.
Antinociceptive 20-40 mg/kg scu mus	Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.
Antioxidant	Jim Duke's personal files.
Antispasmodic	Jim Duke's personal files.
Chemopreventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
FLavor FEMA 0.5-9	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypothermic	
Insectifuge	
Irritant	Zebowitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Myorelaxant 100-200 mg/kg	
P450-2B1-Inhibitor IC50=0.14 uM	
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	

MYRTENAL

Shoot	--	32.0	-0.28	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
-------	----	------	-------	--

Activities (5)

Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

MYRTENAL

Shoot	--	32.0	-0.28	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
-------	----	------	-------	--

Activities (5)

Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

MYRTENOL

Shoot	--	19.0	-0.22	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
-------	----	------	-------	--

Activities (2)

Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.

MYRTENOL

Shoot	--	19.0	-0.22	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
-------	----	------	-------	--

Activities (2)

Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.

NAPHTHALENE

Shoot -- 46.0 -0.71 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

Activities (1)

Cataractagenic	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
----------------	---

NAPHTHALENE

Shoot -- 46.0 -0.71 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

Activities (1)

Cataractagenic	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
----------------	---

NONANE

Shoot -- 7.0 0.71 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

NONANE

Shoot -- 7.0 0.71 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

NONANOIC-ACID

Shoot -- 34.0 1.86 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

Activities (2)

FLavor FEMA 1-15	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
------------------	---

Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
-----------	---

NONANOIC-ACID

Shoot -- 34.0 1.86 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

Activities (2)

FLavor FEMA 1-15	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
------------------	---

Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
-----------	---

OCTANE

Shoot -- -- Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

OCTANE

Shoot -- 0.1 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

P-CYMENE

Shoot -- 155.0 -0.38 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

Activities (16)

Analgesic	Martindale's 28th
-----------	-------------------

Antiacetylcholinesterase	
IC40=1.2 mM	

Antibacillary

Antibacterial

Antiflu

Antirheumatalgic

Martindale's 28th

Antiviral

FLavor FEMA 12-250

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Fungicide

Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Herbicide IC50=50 uM

Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Insectifuge

Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.

Irritant

Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Laxative

Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Pesticide

Sedative

Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Trichomonicide

LD100=50 ug/ml

P-CYMENE

Shoot -- 155.0 -0.38 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. J. Ess. Oil Res. 5: 215-7.

Activities (16)

Analgesic	Martindale's 28th
Antiacyetylcholinesterase IC40=1.2 mM	
Antibacillary	
Antibacterial	
Antiflu	
Antirheumatalgic	Martindale's 28th
Antiviral	
FLavor FEMA 12-250	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=50 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Laxative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Pesticide	
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Trichomonicide LD100=50 ug/ml	

PATCHOULANE	Shoot -- 265.0 1.78	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
PATCHOULANE	Shoot -- 265.0 1.78	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
PIPERITONE-OXIDE-I	Shoot -- 30.0 0.71	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
PIPERITONE-OXIDE-I	Shoot -- 30.0 0.71	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
PSEUDOLIMONENE	Shoot -- 28.0 0.71	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
PSEUDOLIMONENE	Shoot -- 28.0 0.71	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
PULEGONE	Shoot -- 48.0 -0.27	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.

Activities (28)

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, Oest. Biochem. & Physiol., 23, 1985, 383-8.
Antiacyetylcholinesterase IC50=0.9 mM	
Antiacyetylcholinesterase IC50=136 ug/ml	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, Oest. Biochem. & Physiol., 23, 1985, 383-8.
Antibacterial	Economou, D., and Nahrstedt, A. 1991. Chemical, Physiological, and Toxicological Aspects of the Essential Oil of Some Species of the Genus <i>Bystropogon</i> *. <i>Planta Medica</i> , 57: 347, 1991.
Anticholinesterase	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, Oest. Biochem. & Physiol., 23, 1985, 383-8.
Antihistaminic	Ortiz De Urbina, A.V., Martin, M.L., Montero, M.J., Carron, R., Sevilla, M.A., San Roman, L. 1989. Antihistaminic activity of pulegone on the guinea-pig ileum. <i>J. Pharm. Pharmacol.</i> 42: 295-296, 1990.
Antipyretic	
Avifuge	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Economou, D., and Nahrstedt, A. 1991. Chemical, Physiological, and Toxicological Aspects of the Essential Oil of Some Species of the Genus <i>Bystropogon</i> *. <i>Planta Medica</i> , 57: 347, 1991.
Cerebrotoxic orl man	J. Aromatherapy 4: 24.
Encephalopathic 80 mg/kg orl rat	Lawrence Review of Natural Products, Jan-92.
FFlavor FEMA 5-30	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Economou, D., and Nahrstedt, A. 1991. Chemical, Physiological, and Toxicological Aspects of the Essential Oil of Some Species of the Genus <i>Bystropogon</i> *. <i>Planta Medica</i> , 57: 347, 1991.
Glutathionalytic	Lawrence Review of Natural Products, Jan-92.
Hallucinogenic	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Hepatotoxic	Lewis, E.J. and Friedrich, E.C. 1989. The Essential Oil of Poliomimtha incana. <i>Planta Medica</i> 56(2): 224-226, 1990.
Herbicide IC50=1.5 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, Oest. Biochem. & Physiol., 23, 1985, 383-8.
Insectifuge	
Nephrotoxic	R.J. Hixtable (Huxtable, R.J. (as T. Max), 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Neurotoxic	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Pulifuge	
Pulmonotoxic	
Sedative	

PULEGONE	Shoot	--	--	-0.27	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
----------	-------	----	----	-------	--

Activities (28)

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. & Physiol.</i> , 23, 1985, 383-8.
Antiacetylcholinesterase IC50=0.9 mM	
Antiacetylcholinesterase IC50=136 ug/ml	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. & Physiol.</i> , 23, 1985, 383-8.
Antibacterial	Economou, D., and Nahrstedt, A. 1991. Chemical, Physiological, and Toxicological Aspects of the Essential Oil of Some Species of the Genus <i>Bystropogon</i> *. <i>Planta Medica</i> , 57: 347, 1991.
Anticholinesterase	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. & Physiol.</i> , 23, 1985, 383-8.
Antihistaminic	Ortiz De Urbina, A.V., Martin, M.L., Montero, M.J., Carron, R., Sevilla, M.A., San Roman, L. 1989. Antihistaminic activity of pulegone on the guinea-pig ileum. <i>J. Pharm. Pharmacol.</i> 42: 295-296, 1990.
Antipyretic	
Avifuge	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Economou, D., and Nahrstedt, A. 1991. Chemical, Physiological, and Toxicological Aspects of the Essential Oil of Some Species of the Genus <i>Bystropogon</i> *. <i>Planta Medica</i> , 57: 347, 1991.
Cerebrotoxic orl man	J. Aromatherapy 4: 24.
Encephalopathic 80 mg/kg orl rat	Lawrence Review of Natural Products, Jan-92.
FFlavor FEMA 5-30	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Economou, D., and Nahrstedt, A. 1991. Chemical, Physiological, and Toxicological Aspects of the Essential Oil of Some Species of the Genus <i>Bystropogon</i> *. <i>Planta Medica</i> , 57: 347, 1991.
Glutathionalytic	Lawrence Review of Natural Products, Jan-92.
Hallucinogenic	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Hepatotoxic	Lewis, E.J. and Friedrich, E.C. 1989. The Essential Oil of Poliomimtha incana. <i>Planta Medica</i> 56(2): 224-226, 1990.
Herbicide IC50=1.5 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. & Physiol.</i> , 23, 1985, 383-8.
Insectifuge	
Nephrotoxic	R.J. Hixtable (Huxtable, R.J. (as T. Max), 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Neurotoxic	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Pulifuge	
Pulmonotoxic	
Sedative	

SABINENE

Shoot -- 1.0 -0.29 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

Activities (5)

Antibacterial	
Antihelicobacter	
Antiseptic	
Antiulcer	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

SABINENE

Shoot -- 1.0 -0.29 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

Activities (5)

Antibacterial	
Antihelicobacter	
Antiseptic	
Antiulcer	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

SPATHULENOL

Shoot -- 170.0 0.54 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

SPATHULENOL

Shoot -- -- -0.44 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

T-CADINOL

Shoot -- 60.0 2.41 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

T-CADINOL

Shoot -- 60.0 2.41 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

TERPINEN-4-OL

Shoot -- 45.0 -0.15 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of *Nepeta racemosa* Lam. *J. Ess. Oil Res.* 5: 215-7.

Activities (23)

Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacetylcholinesterase IC21-24=1.2 mM	
Antiacne	
Antiallergic	
Antiasthmatic	Chin. J. Tuber. Respir. Dis., 4:203, 1982.
Antibacterial	
Antioxidant	
Antiseptic	Flav. & Frag. J. 9: 129.
Antispasmodic	
Antitussive	Chin. J. Tuber. Respir. Dis.
Antiulcer	
Bacteriostatic	Chin. J. Tuber. Respir. Dis.
Diuretic 0.1 ml/rat	
Fungicide	
Herbicide IC50=200 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=22 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	
Irritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Pesticide	
Renoirritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Spermicide ED100=0.015	
Vulnerary	Lawrence Review of Natural Products, Jan-91.

TERPINEN-4-OL

Shoot -- 45.0 -0.15 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.

Activities (23)

Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacetylcholinesterase IC21-24=1.2 mM	
Antiacne	
Antiallergic	
Antiasthmatic	Chin. J. Tuber. Respir. Dis., 4:203, 1982.
Antibacterial	
Antioxidant	
Antiseptic	Flav. & Frag. J. 9: 129.
Antispasmodic	
Antitussive	Chin. J. Tuber. Respir. Dis.
Antiulcer	
Bacteriostatic	Chin. J. Tuber. Respir. Dis.
Diuretic 0.1 ml/rat	
Fungicide	
Herbicide IC50=200 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=22 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	
Irritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Pesticide	
Renoirritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Spermicide ED100=0.015	
Vulnerary	Lawrence Review of Natural Products, Jan-91.

THYMOL

Shoot -- 305.0 -0.25 Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.

Activities (71)

Acaricide	
Allergenic	
Analgesic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Ancylostomicide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anesthetic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Ankylostomacide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anthelmintic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Antiaggregate IC50=0.75	Tramil, 42: 511.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antiarthritic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antiatherosclerotic IC50=4 uM	
Antibacterial MIC=50-400 ug/ml	
Antibronchitic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anticariogenic MIC=200-400 ug/ml	
Anticholinesterase	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antihalitosis	American Health, 12(4): 17, 1993.
Antiherpetic	Martindale's 28th
Antiinflammatory (=indomethacin)	
Antileptic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antimelanomic IC50=120 uM/l	
Antineuritic	
Antioxidant 100 ppm	Martindale's 28th
Antioxidant (LDL) IC50=4 uM	
Antiperiodontic MIC=50-200 ug/ml	
Antiplaque MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, I., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, Bull Tokyo Dent. Coll., 31 (1), 1990, 17-21
Antiradicular EC=60	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEOS: 153-8.
Antirheumatic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antisalmonella	
Antiseptic 20 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antispasmodic	
Antistaphylococccic	
Antistreptococccic MIC=200-400 ug/ml	
Antitrichinosic 5%	Madaus, G. 1976. Lehrbuch der Biologischen Hilfmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antitussive	Iwu, M.M. 1993. Handbook of African Medicinal Plants. CRC Press, Boca Raton, FL 435 pp.
Ataxigenic	Zebowitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Candidicide 100 ug/ml (>Nystatin)	
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Counterirritant	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Culicide LC50=36-49 mg/l	
Cyclooxygenase-Inhibitor (=indomethacin)	
Dentifrice	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Deodorant	Martindale's 28th
Dermatitigenic	
Enterorelaxant	J. Aromatherapy 4: 22.
Enterotoxic	Wichtl, M. 1984. Teedrogen. Ein Handbuch fur Apotheker und Arzte. Wissenschaftliche Verlagsgesellschaft mbH Stuttgart. 393 pp.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
FLavor FEMA 2-100	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Merck 11th Edition
Gastroirritant	Martindale's 29th
Gram(+)icide MIC=200-400 ug/ml	

Gram(-)icide MIC=50-200 ug/ml	
Insecticide LC50=36-49 mg/l	
Insecticide 0.22 uM/fly	
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Larvicide 10 ppm	Berenbaum, M. R., The natives knew, Chemtech, (May), 1990, 275-279.
Larvicide 58 ppm	
Larvicide LC50=36-49 mg/l	
Molluscicide	
Myorelaxant	J. Aromatherapy 4: 22.
Nematicide MLC=0.1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Sprout-Inhibitor	Duke, J.A.. Personal Communication.
Tracheorelaxant	
Trichomonicide LD100=25 ug/ml	
Urinary-Antiseptic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Varroacide	
Vermicide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.

THYMOL	Shoot	--	305.0	-0.25	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
--------	-------	----	-------	-------	---

Activities (71)

Acaricide	
Allergenic	
Analgesic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Ancylostomicide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anesthetic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Ankylostomacide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anthelmintic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Antiaggregant IC50=0.75	Tramil, 42: 511.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antiarthritic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antiatherosclerotic IC50=4 uM	
Antibacterial MIC=50-400 ug/ml	
Antibronchitic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anticariogenic MIC=200-400 ug/ml	
Anticholinesterase	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antihalitosis	American Health, 12(4): 17, 1993.
Antiherpetic	Martindale's 28th
Antiinflammatory (=indomethacin)	
Antileptic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antimelanomic IC50=120 uM/l	
Antineuritic	
Antioxidant 100 ppm	Martindale's 28th
Antioxidant (LDL) IC50=4 uM	
Antiperiodontic MIC=50-200 ug/ml	
Antiplaque MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, I., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, Bull Tokyo Dent. Coll., 31 (1), 1990, 17-21
Antiradicular EC=60	Jimenez,J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEOS: 153-8.
Antirheumatic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.

Antisalmonella	
Antiseptic 20 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antispasmodic	
Antistaphylococcic	
Antistreptococcic MIC=200-400 ug/ml	
Antitrichinotic 5%	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antitussive	Iwu, M.M. 1993. Handbook of African Medicinal Plants. CRC Press, Boca Raton, FL 435 pp.
Ataxigenic	Zeebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Candidicide 100 ug/ml (>Nystatin)	
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. <i>J. Pharm. Pharmacol.</i> 46: 14-18, 1994.
Counterirritant	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Culicide LC50=36-49 mg/l	
Cyclooxygenase-Inhibitor (=indomethacin)	
Dentifrice	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Deodorant	Martindale's 28th
Dermatitigenic	
Enterorelaxant	J. Aromatherapy 4: 22.
Enterotoxic	Wichtl, M. 1984. Teedrogen. Ein Handbuch fur Apotheker und Arzte. Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
FLavor FEMA 2-100	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Merck 11th Edition
Gastroirritant	Martindale's 29th
Gram(+)icide MIC=200-400 ug/ml	
Gram(-)icide MIC=50-200 ug/ml	
Insecticide LC50=36-49 mg/l	
Insecticide 0.22 uM/fly	
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Larvicide 10 ppm	Berenbaum, M. R., The natives knew, Chemtech, (May), 1990, 275-279.
Larvicide 58 ppm	
Larvicide LC50=36-49 mg/l	
Molluscicide	
Myorelaxant	J. Aromatherapy 4: 22.
Nematicide MLC=0.1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Zeebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Sprout-Inhibitor	Duke, J.A.. Personal Communication.
Tracheorelaxant	
Trichomonicide LD100=25 ug/ml	
Urinary-Antiseptic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Varroacide	
Vermicide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.

TRANS-LINALOL-OXIDE	Shoot	--	4.0	-0.38	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
TRANS-LINALOL-OXIDE	Shoot	--	4.0	-0.38	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
TRANS-PINOCARVEOL	Shoot	--	31.0	-0.2	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.

Activities (2)

Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Antiplasmoidal IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.

TRANS-PINOCARVEOL	Shoot	--	31.0	-0.2	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
Activities (2)					
Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
TRANS-SABINENE-HYDRATE	Shoot	--	22.0	-0.26	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
TRANS-SABINENE-HYDRATE	Shoot	--	22.0	-0.26	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
UNDECANE	Shoot	--	4.0	0.98	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.
UNDECANE	Shoot	--	4.0	0.98	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of <i>Nepeta racemosa</i> Lam. J. Ess. Oil Res. 5: 215-7.