

List of All Chemicals

P Origanum sipyleum (Lamiaceae)

Common name(s)

Guveyoto; Bayircayi

How used

Medicinal

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part <input type="button" value="All"/>	Low PPM	High PPM	StdDev	*Reference
(E)-BETA-OCIMENE	Shoot	--	17.0	-0.46	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
(E)-BETA-OCIMENE	Shoot	--	70.0	0.21	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
(E)-BETA-OCIMENE	Shoot	--	1.8	-0.66	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
(E)-BETA-OCIMENE	Shoot	--	70.0	0.21	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
(Z)-BETA-OCIMENE	Shoot	--	7.0	-0.42	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
(Z)-BETA-OCIMENE	Shoot	--	205.0	0.49	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
(Z)-BETA-OCIMENE	Shoot	--	15.0	-0.38	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
(Z)-BETA-OCIMENE	Shoot	--	205.0	0.49	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
1,8-CINEOLE	Shoot	--	220.0	-0.13	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (67)

(-)-Chronotropic 87 n/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
(-)-Inotropic 87 n/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Acaricide LC100=6 uM	
Allelopathic	
Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiacetylcholinesterase IC50=41 ug/ml	
Antiallergic	J. Food Hyg. Soc. Jap. 33(6): 569.
Antibacterial 50 ppm	
Antibronchitic	
Anticariogenic	
Anticatarrh	Martindale's 29th
Anticholinesterase IC50=50-70	
Antifatigue	
Antihalitosis	American Health, 12(4): 17, 1993.
Antiinflammatory	
Antilaryngitic	
Antinociceptive	
Antipharyngitic	
Antiplaque	
Antirheumatic	
Antirhinitic	

Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antisusititic	
Antispasmodic	
Antistaphylococcic 50 ppm	
Antitussive	
Antiulcer	
CNS-Stimulant	
Candidicide	
Carcinogenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Choleretic	
Convulsant	
Counterirritant	Martindale's 29th
Cytochrome-P450-Inducer	
Decongestant	
Degranulant 0.3 ul/ml	
Dentifrice	Martindale's 29th
Edemagenic inj	
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLAVOR FEMA 1-200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Gastroprotective	
Gram(+)-jicide	
Gram(-)-jicide	
Hepatotonic	
Herbicide IC50=78 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypotensive	
Inflammatory inj	
Insectifuge	
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Neurotoxic	
P450-Inducer	
Pediculicide 2.3 x pyrethrin	
Perfume	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Rubefacient	Martindale's 29th
Secretogogue	
Sedative	
Spasmogenic	
Surfactant	
Testosterone-Hydroxylase-Inducer	
Transdermal	
Trichomonicide LD100=1,000 ug/ml	

1,8-CINEOLE Shoot -- 265.0 -0.13 Baser, K.H.C., Ozek, T., Kurkcuglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (67)

(-)-Chronotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
(-)-Inotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Acaricide LC100=6 uM	
Allelopathic	
Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiacyetylcholinesterase IC50=41 ug/ml	
Antiallergic	J. Food Hyg. Soc. Jap. 33(6): 569.
Antibacterial 50 ppm	
Antibronchitic	

Anticariogenic	
Anticatarrh	Martindale's 29th
Anticholinesterase IC50=50-70	
Antifatigue	
Antihalitosis	American Health, 12(4): 17, 1993.
Antiinflammatory	
Antilaryngitic	
Antinociceptive	
Antipharyngitic	
Antiplateau	
Antirheumatic	
Antirhinitic	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antisinusitic	
Antispasmodic	
Antistaphylococcic 50 ppm	
Antitussive	
Antiulcer	
CNS-Stimulant	
Candidicide	
Carcinogenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Choleretic	
Convulsant	
Counterirritant	Martindale's 29th
Cytochrome-P450- Inducer	
Decongestant	
Degranulant 0.3 ul/ml	
Dentifrice	Martindale's 29th
Edemagenic inj	
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 1-200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Gastroprotective	
Gram(+)-icide	
Gram(-)-icide	
Hepatotonic	
Herbicide IC50=78 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypotensive	
Inflammatory inj	
Insectifuge	
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Neurotoxic	
P450-Inducer	
Pediculicide 2.3 x pyrethrin	
Perfume	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Rubefacient	Martindale's 29th
Secretogogue	
Sedative	
Spasmogenic	
Surfactant	
Testosterone- Hydroxylase-Inducer	
Transdermal	
Trichomonicide LD100=1,000 ug/ml	

1,8-CINEOLE Shoot -- 20.0 -0.14 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of *Origanum sipyleum* of Turkish Origin. *J. Ess. Oil Res.* 4: 139-142.

Activities (67)

(-)-Chronotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
(-)-Inotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Acaricide LC100=6 uM	
Allelopathic	
Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiacetylcholinesterase IC50=41 ug/ml	
Antiallergic	J. Food Hyg. Soc. Jap. 33(6): 569.
Antibacterial 50 ppm	
Antibronchitic	
Anticariogenic	
Anticatarrh	Martindale's 29th
Anticholinesterase IC50=50-70	
Antifatigue	
Antihalitotic	American Health, 12(4): 17, 1993.
Antiinflammatory	
Antilaryngitic	
Antinociceptive	
Antipharyngitic	
Antiplaque	
Antirheumatic	
Antirhinitic	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antisinusitic	
Antispasmodic	
Antistaphylococcic 50 ppm	
Antitussive	
Antiulcer	
CNS-Stimulant	
Candidicide	
Carcinogenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Choleretic	
Convulsant	
Counterirritant	Martindale's 29th
Cytochrome-P450-Inducer	
Decongestant	
Degranulant 0.3 ul/ml	
Dentifrice	Martindale's 29th
Edemagenic inj	
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 1-200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Gastroprotective	
Gram(+)-icide	
Gram(-)-icide	
Hepatotonic	
Herbicide IC50=78 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypotensive	
Inflammatory inj	
Insectifuge	
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Neurotoxic	
P450-Inducer	
Pediculicide 2.3 x pyrethrin	
Perfume	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticidæ
 Rubefacient
 Secretagogue
 Sedative
 Spasmogenic
 Surfactant
 Testosterone-Hydroxylase-Inducer
 Transdermal
 Trichomonicide
 LD100=1,000 ug/ml

Martindale's 29th

1,8-CINEOLE Shoot -- 265.0 -0.13 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (67)

(-)-Chronotropic 87 nl/ml Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

(-)-Inotropic 87 nl/ml Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Acaricide LC100=6 uM

Allelopathic

Allergenic

Anesthetic

Anthelmintic Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Antiacetylcholinesterase IC50=41 ug/ml

Antiallergic J. Food Hyg. Soc. Jap. 33(6): 569.

Antibacterial 50 ppm

Antibronchitic

Anticariogenic

Anticatarrh Martindale's 29th

Anticholinesterase IC50=50-70

Antifatigue

Antihalitosis American Health, 12(4): 17, 1993.

Antiinflammatory

Antilaryngitic

Antinociceptive

Antipharyngitic

Antiplateau

Antirheumatic

Antirhinitic

Antiseptic Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Antisinusitic

Antispasmodic

Antistaphylococcic 50 ppm

Antitussive

Antiulcer

CNS-Stimulant

Candidicide

Carcinogenic Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Choleretic

Convulsant

Counterirritant Martindale's 29th

Cytochrome-P450-Inducer

Decongestant

Degranulant 0.3 ul/ml

Dentifrice Martindale's 29th

Edemagenic inj

Expectorant Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

FLavor FEMA 1-200 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Fungicide

Gastroprotective

Gram(+)-icide

Gram(-)-icide

Hepatotonic

Herbicide IC50=78 uM Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Hypotensive					
Inflammatory inj					
Insectifuge					
Irritant					Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant					Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide					Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Neurotoxic					
P450-Inducer					
Pediculicide 2.3 x pyrethrin					
Perfume					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide					
Rubefacient					Martindale's 29th
Secretagogue					
Sedative					
Spasmogenic					
Surfactant					
Testosterone-Hydroxylase-Inducer					
Transdermal					
Trichomonicide LD100=1,000 ug/ml					

1-OCTEN-3-OL	Shoot	--	70.0	-0.33	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
1-OCTEN-3-OL	Shoot	--	80.0	-0.29	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
1-OCTEN-3-OL	Shoot	--	0.4	-0.64	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
1-OCTEN-3-OL	Shoot	--	70.0	-0.33	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
2,5-DIETHYL-FURAN	Shoot	--	0.2	-1.32	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
2,5-DIETHYL-FURAN	Shoot	--	3.0	1.09	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
2,5-DIETHYL-FURAN	Shoot	--	--		Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
2,5-DIETHYL-FURAN	Shoot	1.0	2.0	0.23	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
2-BUTENYLBENZENE	Shoot	--	13.0	1.7	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
2-BUTENYLBENZENE	Shoot	1.0	2.0	-0.71	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
2-BUTENYLBENZENE	Shoot	--	4.0	-0.27	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
2-BUTENYLBENZENE	Shoot	1.0	2.0	-0.71	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
2-HEXENAL	Shoot	--	7.0	-0.24	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
2-HEXENAL	Shoot	--	20.0	1.61	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
2-HEXENAL	Shoot	--	0.7	-1.14	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
2-HEXENAL	Shoot	--	7.0	-0.24	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
3-OCTANOL	Shoot	--	20.0	-0.26	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (2)					
FLavor FEMA	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
3-OCTANOL	Shoot	--	30.0	-0.24	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Activities (2)					
FLavor FEMA	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
3-OCTANOL	Shoot	--	20.0	-0.26	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Activities (2)					
FLavor FEMA	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
3-OCTANOL	Shoot	--	35.0	-0.22	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Activities (2)					
FLavor FEMA	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
4-OCTEN-3-ONE	Shoot	--	--	-0.79	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
4-OCTEN-3-ONE	Shoot	--	--		Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
4-OCTEN-3-ONE	Shoot	--	1.3	1.41	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
4-OCTEN-3-ONE	Shoot	--	0.1	-0.62	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
ACETONE	Shoot	1.0	2.0	-0.27	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Activities (3)					
Allergenic					
CNS-Depressant	Martindale's 29th				
Narcotic	Martindale's 29th				
ACETONE	Shoot	1.0	2.0	-0.27	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Activities (3)					
Allergenic					
CNS-Depressant	Martindale's 29th				
Narcotic	Martindale's 29th				
ACETONE	Shoot	--	0.7	-0.48	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Activities (3)					
Allergenic					
CNS-Depressant	Martindale's 29th				
Narcotic	Martindale's 29th				
ACETONE	Shoot	--	0.7	-0.48	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Activities (3)					
Allergenic					
CNS-Depressant	Martindale's 29th				
Narcotic	Martindale's 29th				

ALPHA-CUBEBENE	Shoot	--	85.0	1.72	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
ALPHA-CUBEBENE	Shoot	--	85.0	1.72	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
ALPHA-CUBEBENE	Shoot	--	25.0	0.09	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
ALPHA-CUBEBENE	Shoot	--	85.0	1.72	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
ALPHA-FARNESENE	Shoot	--	2.0	-1.14	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
ALPHA-FARNESENE	Shoot	--	60.0	0.4	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
ALPHA-FARNESENE	Shoot	--	3.0	-1.12	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
ALPHA-FARNESENE	Shoot	--	60.0	0.4	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
ALPHA-PATCHOULENE	Shoot	--	65.0	0.76	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
ALPHA-PATCHOULENE	Shoot	--	20.0	-1.72	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
ALPHA-PATCHOULENE	Shoot	--	60.0	0.48	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
ALPHA-PATCHOULENE	Shoot	--	60.0	0.48	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
ALPHA-PINENE	Shoot	--	325.0	-0.12	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (28)

Allelochemic	
Allergenic	
Antiacne	
Antibacterial	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory 500 mg/kg	
Antipneumonic	
Antiseptic	
Antispasmodic	
Antistaphylococcic	
Antiviral	Economic & Medicinal Plant Research, 5: 195.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Coleoptophile	
Expectorant	Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.
FLavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide 0.82 uM/fly	
Insectifuge 50 ppm	
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
P450-2B1-Inhibitor IC50=0.087 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Lawrence Review of Natural Products, Jun-90.
Spasmogenic	
Tranquilizer	Lawrence Review of Natural Products, Jun-90.
Transdermal	

ALPHA-PINENE	Shoot	--	725.0	-0.08	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
--------------	-------	----	-------	-------	---

Activities (28)

Allelochemic	
Allergenic	
Antiacne	
Antibacterial	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory 500 mg/kg	
Antipneumonic	
Antiseptic	
Antispasmodic	
Antistaphylococcic	
Antiviral	Economic & Medicinal Plant Research, 5: 195.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Coleoptophile	
Expectorant	Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.
FLavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide 0.82 uM/fly	
Insectifuge 50 ppm	
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
P450-2B1-Inhibitor IC50=0.087 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Lawrence Review of Natural Products, Jun-90.
Spasmogenic	
Tranquilizer	Lawrence Review of Natural Products, Jun-90.
Transdermal	

ALPHA-PINENE Shoot -- 25.0 -0.14 Baser, K.H.C., Ozek, T., Kurkcuglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (28)

Allelochemic	
Allergenic	
Antiacne	
Antibacterial	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory 500 mg/kg	
Antipneumonic	
Antiseptic	
Antispasmodic	
Antistaphylococcic	
Antiviral	Economic & Medicinal Plant Research, 5: 195.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Coleoptophile	
Expectorant	Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.
FLavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insecticide 0.82 uM/fly	
Insectifuge 50 ppm	
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
P450-2B1-Inhibitor IC50=0.087 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Lawrence Review of Natural Products, Jun-90.
Spasmogenic	
Tranquilizer	Lawrence Review of Natural Products, Jun-90.
Transdermal	

ALPHA-PINENE Shoot -- 325.0 -0.12 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (28)

Allelochemic
 Allergenic
 Antiacne
 Antibacterial
 Antifeedant
 Antiflu Economic & Medicinal Plant Research, 5: 195.
 Antiinflammatory 500 mg/kg
 Antipneumonic
 Antiseptic
 Antispasmodic
 Antistaphylococcic
 Antiviral Economic & Medicinal Plant Research, 5: 195.
 Cancer-Preventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
 Coleoptophile
 Expectorant Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.
 FLavor FEMA 15-150 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
 Herbicide IC50=30 uM Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
 Insecticide 0.82 uM/fly
 Insectifuge 50 ppm
 Insectiphile J. Stored. Prod. Res., 22:141, 1986.
 Irritant Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
 P450-2B1-Inhibitor IC50=0.087 uM
 Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
 Pesticide
 Sedative Lawrence Review of Natural Products, Jun-90.
 Spasmogenic
 Tranquilizer Lawrence Review of Natural Products, Jun-90.
 Transdermal

ALPHA-TERPINENE Shoot -- 410.0 0.67 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (13)

ACE-Inhibitor 100 ug/ml (weak activity)
 Acaricide
 Aldose-Reductase-Inhibitor 100 ug/ml Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
 Antiacetylcholinesterase IC50=1.0 mM
 Antinitrosaminic
 Antispasmodic
 FLavor FEMA 1-40 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
 Insecticide 0.86 uM/fly
 Insectifuge
 P450-2B1-Inhibitor IC50=0.76 uM
 Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
 Pesticide
 Spasmogenic

ALPHA-TERPINENE Shoot -- 325.0 0.43 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (13)

ACE-Inhibitor 100 ug/ml (weak activity)

Acaricide

Aldose-Reductase-Inhibitor 100 ug/ml

Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.

Antiacetylcholinesterase IC50=1.0 mM

Antinitrosaminic

Antispasmodic

FLavor FEMA 1-40

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Insecticide 0.86 uM/fly

Insectifuge

P450-2B1-Inhibitor IC50=0.76 uM

Perfumery

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticide

Spasmogenic

ALPHA-TERPINENE Shoot -- 15.0 -0.44 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (13)

ACE-Inhibitor 100 ug/ml (weak activity)

Acaricide

Aldose-Reductase-Inhibitor 100 ug/ml

Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.

Antiacetylcholinesterase IC50=1.0 mM

Antinitrosaminic

Antispasmodic

FLavor FEMA 1-40

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Insecticide 0.86 uM/fly

Insectifuge

P450-2B1-Inhibitor IC50=0.76 uM

Perfumery

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticide

Spasmogenic

ALPHA-TERPINENE Shoot -- 325.0 0.43 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (13)

ACE-Inhibitor 100 ug/ml (weak activity)

Acaricide

Aldose-Reductase-Inhibitor 100 ug/ml

Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.

Antiacetylcholinesterase IC50=1.0 mM

Antinitrosaminic

Antispasmodic

FLavor FEMA 1-40

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Insecticide 0.86 uM/fly

Insectifuge

P450-2B1-Inhibitor IC50=0.76 uM

Perfumery

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticide

Spasmogenic

ALPHA-TERPINEOL Shoot 6.0 7.0 -0.28 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (23)

ACE-Inhibitor 100 ug/ml (weak activity)	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacne	
Antibacterial MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticancer	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.
Anticariogenic MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antiinflammatory	
Antiproliferant	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Cicatrizant ED50=240 ug/g mus	
FLavor FEMA 5-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insecticide 1.29 uM/fly	
Interleukin-6-Inhibitor	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Termiticide IC100=5 mg/g	
Transdermal	
Vulnerary ED50=240 ug/g mus	

ALPHA-TERPINEOL	Shoot	--	1.0	-0.28	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
-----------------	-------	----	-----	-------	---

Activities (23)

ACE-Inhibitor 100 ug/ml (weak activity)	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacne	
Antibacterial MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticancer	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.
Anticariogenic MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antiinflammatory	
Antiproliferant	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Cicatrizant ED50=240 ug/g mus	
FLavor FEMA 5-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insecticide 1.29 uM/fly	
Interleukin-6-Inhibitor	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Termiticide IC100=5 mg/g	
Transdermal	
Vulnerary ED50=240 ug/g mus	

ALPHA-TERPINEOL	Shoot	6.0	7.0	-0.28	Baser, K.H.C., Ozek, T., Kurkcuoğlu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
-----------------	-------	-----	-----	-------	---

Activities (23)

ACE-Inhibitor 100 ug/ml (weak activity)	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacne	
Antibacterial MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticancer	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.
Anticariogenic MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antiinflammatory	
Antiproliferant	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Cicatrizant ED50=240 ug/g mus	
FLavor FEMA 5-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insecticide 1.29 uM/fly	
Interleukin-6-Inhibitor	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Termiticide IC100=5 mg/g	
Transdermal	
Vulnerary ED50=240 ug/g mus	

ALPHA-TERPINEOL	Shoot	--	15.0	-0.27	Baser, K.H.C., Ozek, T., Kurkcuglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
-----------------	-------	----	------	-------	--

Activities (23)

ACE-Inhibitor 100 ug/ml (weak activity)	
Aldehyde-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacne	
Antibacterial MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticancer	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.
Anticariogenic MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antiinflammatory	
Antiproliferant	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Cicatrizant ED50=240 ug/g mus	
Flavor FEMA 5-40	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Insecticide 1.29 uM/fly	
Interleukin-6-Inhibitor	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Termiticide IC100=5 mg/g	
Transdermal	
Vulnerary ED50=240 ug/g mus	

BETA-CUBEBENE	Shoot	--	13.0	-0.23	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
BETA-CUBEBENE	Shoot	--	10.0	-0.24	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
BETA-CUBEBENE	Shoot	--	2.0	-0.26	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
BETA-CUBEBENE	Shoot	--	30.0	-0.2	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
BETA-EUDESOL	Shoot	--	--		Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (13)

AntiEBV	
Antianoxic ED60=300 orl mus	Yamahara, J., Matsuda, H., Naitoh, Y., Fujimura, H., and Tamai, Y. 1990. Antianoxic Action and Active Constituents of Atractylodis Lanceae Rhizoma. Chem. Pharm. Bull. 38(7): 2033-2034, 1990.
Antimutagenic ID50=0.09 uM/ml	
Antipeptic	Chem & Pharm. Bull., 34: 3854, 1986.
Antisalmonella >0.18 uM/ml	
Antitumor-Promoter?	
Antiulcer	
CNS-Inhibitor	
Calcium-Antagonist 40 uM mus	
Hepatoprotective	
Neurogenic	
Pesticide	
Sedative	

BETA-EUDESOL Shoot -- 5.0 -0.64 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (13)

AntiEBV
 Antianoxic ED60=300 orl mus Yamahara, J., Matsuda, H., Naitoh, Y., Fujimura, H., and Tamai, Y. 1990. Antianoxic Action and Active Constituents of Atractylodis Lanceae Rhizoma. Chem. Pharm. Bull. 38(7): 2033-2034, 1990.
 Antimutagenic ID50=0.09 uM/ml
 Antipeptic Chem & Pharm. Bull., 34: 3854, 1986.
 Antisalmonella >0.18 uM/ml
 Antitumor-Promoter?
 Antiulcer
 CNS-Inhibitor
 Calcium-Antagonist 40 uM mus
 Hepatoprotective
 Neurogenic
 Pesticide
 Sedative

BETA-EUDESOL Shoot -- 6.0 -0.53 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (13)

AntiEBV
 Antianoxic ED60=300 orl mus Yamahara, J., Matsuda, H., Naitoh, Y., Fujimura, H., and Tamai, Y. 1990. Antianoxic Action and Active Constituents of Atractylodis Lanceae Rhizoma. Chem. Pharm. Bull. 38(7): 2033-2034, 1990.
 Antimutagenic ID50=0.09 uM/ml
 Antipeptic Chem & Pharm. Bull., 34: 3854, 1986.
 Antisalmonella >0.18 uM/ml
 Antitumor-Promoter?
 Antiulcer
 CNS-Inhibitor
 Calcium-Antagonist 40 uM mus
 Hepatoprotective
 Neurogenic
 Pesticide
 Sedative

BETA-EUDESOL Shoot -- 5.0 -0.64 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (13)

AntiEBV
 Antianoxic ED60=300 orl mus Yamahara, J., Matsuda, H., Naitoh, Y., Fujimura, H., and Tamai, Y. 1990. Antianoxic Action and Active Constituents of Atractylodis Lanceae Rhizoma. Chem. Pharm. Bull. 38(7): 2033-2034, 1990.
 Antimutagenic ID50=0.09 uM/ml
 Antipeptic Chem & Pharm. Bull., 34: 3854, 1986.
 Antisalmonella >0.18 uM/ml
 Antitumor-Promoter?
 Antiulcer
 CNS-Inhibitor
 Calcium-Antagonist 40 uM mus
 Hepatoprotective
 Neurogenic
 Pesticide
 Sedative

BETA-PATCHOULENE Shoot -- 110.0 0.0 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

BETA-PATCHOULENE Shoot -- 65.0 -1.41 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

BETA-PATCHOULENE Shoot -- 110.0 0.0 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

BETA-PATCHOULENE	Shoot	--	155.0	1.41	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
------------------	-------	----	-------	------	---

BETA-PINENE	Shoot	--	55.0	-0.12	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
-------------	-------	----	------	-------	---

Activities (13)

Allergenic
Antiinflammatory
Antiseptic Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antispasmodic
Candidicide
FLavor FEMA 15-600 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide
Spasmogenic Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Transdermal

BETA-PINENE	Shoot	--	165.0	-0.11	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
-------------	-------	----	-------	-------	---

Activities (13)

Allergenic
Antiinflammatory
Antiseptic Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antispasmodic
Candidicide
FLavor FEMA 15-600 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide
Spasmogenic Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Transdermal

BETA-PINENE	Shoot	--	13.0	-0.12	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
-------------	-------	----	------	-------	---

Activities (13)

Allergenic
Antiinflammatory
Antiseptic Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antispasmodic
Candidicide
FLavor FEMA 15-600 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide
Spasmogenic Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Transdermal

BETA-PINENE	Shoot	--	165.0	-0.11	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
-------------	-------	----	-------	-------	---

Activities (13)

Allergenic	
Antiinflammatory	
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antispasmodic	
Candidicide	
FLavor FEMA 15-600	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Transdermal	

BETA-YLANGENE	Shoot	--	185.0	0.52	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
BETA-YLANGENE	Shoot	--	25.0	-0.74	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
BETA-YLANGENE	Shoot	--	20.0	-0.78	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
BETA-YLANGENE	Shoot	--	25.0	-0.74	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
BORNEOL	Shoot	--	200.0	-0.21	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (35)

(-)-Chronotropic 29 ug/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
(-)-Inotropic 29 ug/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Allelochemic	
Analgesic	
Antiacetylcholine	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antibacterial MIC=125-250 ug/ml	
Antibronchitic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiescherichic MIC=125 ug/ml	
Antifeedant	
Antiinflammatory	
Antiotitic	
Antipyretic	
Antisalmonella MIC=125 ug/ml	
Antispasmodic ED50=0.008 mg/ml	
Antistaphylococcic MIC=250 ug/ml	
Antiyeast MIC=250 ug/ml	
CNS-Stimulant	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
CNS-Toxic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Candidicidic MIC=250 ug/ml	
Choleretic	
FLavor FEMA<1	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Fungicide	
Hepatoprotective	
Herbicide IC50=470 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=470 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Inhalant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insect-Repellent	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Medline (post 1990 searches filed in my computer)
Tranquilizer	

BORNEOL	Shoot	--	1400.0	0.95	Baser, K.H.C., Ozek, T., Kurkcuglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
---------	-------	----	--------	------	---

Activities (35)

(-)-Chronotropic 29 ug/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
(-)-Inotropic 29 ug/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Allelochemic	
Analgesic	
Antiacetylcholine	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antibacterial MIC=125-250 ug/ml	
Antibronchitic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiescherichic MIC=125 ug/ml	
Antifeedant	
Antiinflammatory	
Antiotitic	
Antipyretic	
Antisalmonella MIC=125 ug/ml	
Antispasmodic ED50=0.008 mg/ml	
Antistaphylococcic MIC=250 ug/ml	
Antiyeast MIC=250 ug/ml	
CNS-Stimulant	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
CNS-Toxic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Candidicide MIC=250 ug/ml	
Choleretic	
Flavor FEMA<1	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Hepatoprotective	
Herbicide IC50=470 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=470 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Inhalant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insect-Repellent	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Medline (post 1990 searches filed in my computer)
Tranquilizer	

BORNEOL	Shoot	--	50.0	-0.35	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
---------	-------	----	------	-------	---

Activities (35)

(-)-Chronotropic 29 ug/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
(-)-Inotropic 29 ug/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Allelochemic	
Analgesic	
Antiacetylcholine	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antibacterial MIC=125-250 ug/ml	
Antibronchitic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiescherichic MIC=125 ug/ml	
Antifeedant	
Antiinflammatory	
Antiotitic	
Antipyretic	
Antisalmonella MIC=125 ug/ml	
Antispasmodic ED50=0.008 mg/ml	
Antistaphylococcic MIC=250 ug/ml	
Antiyeast MIC=250 ug/ml	
CNS-Stimulant	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
CNS-Toxic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Candidicide MIC=250 ug/ml	
Choleretic	
FLavor FEMA<1	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Fungicide	
Hepatoprotective	
Herbicide IC50=470 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=470 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Inhalant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insect-Repellent	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Medline (post 1990 searches filed in my computer)
Tranquilizer	

BORNEOL	Shoot	--	140.0	-0.26	Baser, K.H.C., Ozek, T., Kurkcuglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
---------	-------	----	-------	-------	--

Activities (35)

(-)-Chronotropic 29 ug/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
(-)-Inotropic 29 ug/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Allelochemic	
Analgesic	
Antiacetylcholine	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antibacterial MIC=125-250 ug/ml	
Antibronchitic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiescherichic MIC=125 ug/ml	
Antifeedant	
Antiinflammatory	
Antiotitic	
Antipyretic	
Antisalmonella MIC=125 ug/ml	
Antispasmodic ED50=0.008 mg/ml	
Antistaphylococcic MIC=250 ug/ml	
Antiyeast MIC=250 ug/ml	
CNS-Stimulant	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
CNS-Toxic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Candidicide MIC=250 ug/ml	
Choleretic	
FLavor FEMA<1	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Fungicide	
Hepatoprotective	
Herbicide IC50=470 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=470 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Inhalant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insect-Repellent	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Medline (post 1990 searches filed in my computer)
Tranquilizer	

CAMPHENE Shoot -- 20.0 -0.13 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of *Origanum sipyleum* of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (9)

Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antioxidant	Jim Duke's personal files.
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Pesticide	
Spasmogenic	Fitoterapia No.59-1984.

CAMPHENE Shoot -- 590.0 -0.08 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of *Origanum sipyleum* of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (9)					
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antioxidant	Jim Duke's personal files.				
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Insectifuge Pesticide	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Spasmogenic	Fitoterapia No.59-1984.				
CAMPHENE	Shoot	--	25.0	-0.13	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (9)					
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antioxidant	Jim Duke's personal files.				
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Insectifuge Pesticide	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Spasmogenic	Fitoterapia No.59-1984.				
CAMPHENE	Shoot	--	590.0	-0.08	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (9)					
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antioxidant	Jim Duke's personal files.				
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Insectifuge Pesticide	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Spasmogenic	Fitoterapia No.59-1984.				
CAMPHOR	Shoot	--	10.0	-0.16	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (41)

Allelopathic	
Analgesic	
Anesthetic	
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Antidiarrheic 500 ug/ml	Wealth of India.
Antidysenteric 500 ug/ml	Wealth of India.
Antiemetic 100-200 mg man orl	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
Antifeedant IC50=5,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, <i>Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology</i> , v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antifibrositic	Martindale's 28th
Antineuralgic	Martindale's 28th
Antipruritic	Merck 11th Edition
Antiseptic	Merck 11th Edition
Antispasmodic ED50=0.075 mg/ml	Fitoterapia No.59-1984.
CNS-Stimulant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. <i>J. Pharm. Pharmacol.</i> 46: 14-18, 1994.
Convulsant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That: The Essential Pharmacology of Herbs and Spices. <i>Tips</i> 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Cosmetic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Counterirritant	Martindale's 28th
Decongestant	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Deliriant	Merck 11th Edition
Ecbolic	
Emetic	
Epileptogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. <i>Herbal Medicine - A Guide for Health-care Professionals</i> . The Pharmaceutical Press, London. 296pp.
Expectorant	Martindale's 29th
Fungicide ED50=2.7 mM	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=3.3-180 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, <i>Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology</i> , v. 4, Oryx Press, Phoenix, 1989, 267pp.
Insect-Repellent	
Insectifuge	
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Occuloirritant	
P450-2B1-Inhibitor IC50=7.89 uM	
Pesticide	
Respirainhibitor	Merck 11th Edition
Respirastimulant	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
Rubefacient	
Stimulant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That: The Essential Pharmacology of Herbs and Spices. <i>Tips</i> 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Transdermal	
Verrucolytic	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Vibriocide 500 ug/ml	Wealth of India.

CAMPHOR	Shoot	--	15.0	-0.16	Baser, K.H.C., Ozek, T., Kurkcuoğlu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. <i>J. Ess. Oil Res.</i> 4: 139-142.
---------	-------	----	------	-------	---

Activities (41)

Allelopathic	
Analgesic	
Anesthetic	
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Antidiarrheic 500 ug/ml	Wealth of India.
Antidysenteric 500 ug/ml	Wealth of India.
Antiemetic 100-200 mg man orl	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antifeedant IC50=5,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antifibrositic	Martindale's 28th
Antineuralgic	Martindale's 28th
Antipruritic	Merck 11th Edition
Antiseptic	Merck 11th Edition
Antispasmodic ED50=0.075 mg/ml	Fitoterapia No.59-1984.
CNS-Stimulant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Convulsant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Cosmetic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Counterirritant	Martindale's 28th
Decongestant	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Deliriant	Merck 11th Edition
Ecbolic	
Emetic	
Epileptogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Expectorant	Martindale's 29th
Fungicide ED50=2.7 mM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=3.3-180 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Insect-Repellent	
Insectifuge	
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Occuloirritant	
P450-2B1-Inhibitor IC50=7.89 uM	
Pesticide	
Respirainhibitor	Merck 11th Edition
Respirastimulant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Rubefacient	
Stimulant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Transdermal	
Verrucolytic	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Vibriocide 500 ug/ml	Wealth of India.

CAMPHOR	Shoot	--	13.0	-0.16	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
----------------	-------	----	------	-------	---

Activities (41)

Allelopathic	
Analgesic	
Anesthetic	
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Antidiarrheic 500 ug/ml	Wealth of India.
Antidysenteric 500 ug/ml	Wealth of India.
Antiemetic 100-200 mg man orl	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
Antifeedant IC50=5,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, <i>Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology</i> , v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antifibrositic	Martindale's 28th
Antineuralgic	Martindale's 28th
Antipruritic	Merck 11th Edition
Antiseptic	Merck 11th Edition
Antispasmodic ED50=0.075 mg/ml	Fitoterapia No.59-1984.
CNS-Stimulant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. <i>J. Pharm. Pharmacol.</i> 46: 14-18, 1994.
Convulsant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That: The Essential Pharmacology of Herbs and Spices. <i>Tips</i> 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Cosmetic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Counterirritant	Martindale's 28th
Decongestant	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Deliriant	Merck 11th Edition
Ecbolic	
Emetic	
Epileptogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. <i>Herbal Medicine - A Guide for Health-care Professionals</i> . The Pharmaceutical Press, London. 296pp.
Expectorant	Martindale's 29th
Fungicide ED50=2.7 mM	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=3.3-180 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, <i>Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology</i> , v. 4, Oryx Press, Phoenix, 1989, 267pp.
Insect-Repellent	
Insectifuge	
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Occuloirritant	
P450-2B1-Inhibitor IC50=7.89 uM	
Pesticide	
Respirainhibitor	Merck 11th Edition
Respirastimulant	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
Rubefacient	
Stimulant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That: The Essential Pharmacology of Herbs and Spices. <i>Tips</i> 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Transdermal	
Verrucolytic	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Vibriocide 500 ug/ml	Wealth of India.

CAMPHOR	Shoot	--	15.0	-0.16	Baser, K.H.C., Ozek, T., Kurkcuoğlu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. <i>J. Ess. Oil Res.</i> 4: 139-142.
---------	-------	----	------	-------	---

Activities (41)

Allelopathic	
Analgesic	
Anesthetic	
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Antidiarrheic 500 ug/ml	Wealth of India.
Antidysenteric 500 ug/ml	Wealth of India.
Antiemetic 100-200 mg man orl	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antifeedant IC50=5,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antifibrositic	Martindale's 28th
Antineuralgic	Martindale's 28th
Antipruritic	Merck 11th Edition
Antiseptic	Merck 11th Edition
Antispasmodic ED50=0.075 mg/ml	Fitoterapia No.59-1984.
CNS-Stimulant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Convulsant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Cosmetic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Counterirritant	Martindale's 28th
Decongestant	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Deliriant	Merck 11th Edition
Ecbolic	
Emetic	
Epileptogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Expectorant	Martindale's 29th
Fungicide ED50=2.7 mM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=3.3-180 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Insect-Repellent	
Insectifuge	
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Occuloirritant	
P450-2B1-Inhibitor IC50=7.89 uM	
Pesticide	
Respirainhibitor	Merck 11th Edition
Respirastimulant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Rubefacient	
Stimulant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Transdermal	
Verrucolytic	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Vibriocide 500 ug/ml	Wealth of India.

CARVACROL	Shoot	--	2050.0	-0.38	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
-----------	-------	----	--------	-------	--

Activities (37)

Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antiatherosclerotic IC50=5.53 uM	
Antibacterial MIC 170-290	Chalchat, J.C. et Garry, R.P.*, Bastide, P., Fabre, F. et Malhuret, R. Correlation Composition Chimique/Activite Antimicrobienne: V - Contribution a la Comparaison de 2 Methodes de Determination Des Cml. Plantes medicinales et phytotherapie, 25: 184-193.
Antibacterial MIC=39-625	Russell, G. B., Phytochemical resources for crop protection, N. Z. J. Technol., 2, 1986, 127-134.
Anticholinesterase?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antidiuretic	Lawrence Review of Natural Products, Mar-92.
Antiinflammatory IC50=4 uM	
Antimelanomic IC50=120 uM/l	
Antioxidant	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antioxidant (LDL) IC50=5.53 uM	
Anti plaque MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, I., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, Bull Tokyo Dent. Coll., 31 (1), 1990, 17-21
Antiprostaglandin	
Antiradicular 600 x thymol	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antiseptic 1.5 x phenol	
Antispasmodic	
Antistaphylococcic	
Antistreptococcic	
Antitussive	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Candidicide MIC<0.1 ug/ml	
Candidicide 100- 150 ug/ml	
Carminative	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Cyclooxygenase- Inhibitor #NAME?	
Enterorelaxant	J. Aromatherapy 4: 22.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
FLavor FEMA 10- 125	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Nematicide MLC=1 mg/ml	
Pesticide	
Prostaglandin- Inhibitor	
Tracheorelaxant	
Trichomonicide LD100=150 ug/ml	
Vermifuge	

CARVACROL	Shoot	--	1025.0	-0.5	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
-----------	-------	----	--------	------	---

Activities (37)

Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antiatherosclerotic IC50=5.53 uM	
Antibacterial MIC 170-290	Chalchat, J.C. et Garry, R.P.*, Bastide, P., Fabre, F. et Malhuret, R. Correlation Composition Chimique/Activite Antimicrobienne: V - Contribution a la Comparaison de 2 Methodes de Determination Des Cml. Plantes medicinales et phytotherapie, 25: 184-193.
Antibacterial MIC=39-625	Russell, G. B., Phytochemical resources for crop protection, N. Z. J. Technol., 2, 1986, 127-134.
Anticholinesterase?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antidiuretic	Lawrence Review of Natural Products, Mar-92.
Antiinflammatory IC50=4 uM	
Antimelanomic IC50=120 uM/l	
Antioxidant	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antioxidant (LDL) IC50=5.53 uM	
Anti plaque MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, I., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, Bull Tokyo Dent. Coll., 31 (1), 1990, 17-21
Antiprostaglandin	
Antiradicular 600 x thymol	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antiseptic 1.5 x phenol	
Antispasmodic	
Antistaphylococcic	
Antistreptococcic	
Antitussive	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Candidicide MIC<0.1 ug/ml	
Candidicide 100- 150 ug/ml	
Carminative	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Cyclooxygenase- Inhibitor #NAME?	
Enterorelaxant	J. Aromatherapy 4: 22.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Flavor FEMA 10- 125	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Nematicide MLC=1 mg/ml	
Pesticide	
Prostaglandin- Inhibitor	
Tracheorelaxant	
Trichomonicide LD100=150 ug/ml	
Vermifuge	

CARVACROL	Shoot	--	18.0	-0.62	Baser, K.H.C., Ozek, T., Kurkcuglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
-----------	-------	----	------	-------	--

Activities (37)

Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antiatherosclerotic IC50=5.53 uM	
Antibacterial MIC 170-290	Chalchat, J.C. et Garry, R.P.*, Bastide, P., Fabre, F. et Malhuret, R. Correlation Composition Chimique/Activite Antimicrobienne: V - Contribution a la Comparaison de 2 Methodes de Determination Des Cml. Plantes medicinales et phytotherapie, 25: 184-193.
Antibacterial MIC=39-625	Russell, G. B., Phytochemical resources for crop protection, N. Z. J. Technol., 2, 1986, 127-134.
Anticholinesterase?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antidiuretic	Lawrence Review of Natural Products, Mar-92.
Antiinflammatory IC50=4 uM	
Antimelanomic IC50=120 uM/l	
Antioxidant	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antioxidant (LDL) IC50=5.53 uM	
Anti plaque MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, I., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, Bull Tokyo Dent. Coll., 31 (1), 1990, 17-21
Antiprostaglandin	
Antiradicular 600 x thymol	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antiseptic 1.5 x phenol	
Antispasmodic	
Antistaphylococcic	
Antistreptococcic	
Antitussive	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Candidicide MIC<0.1 ug/ml	
Candidicide 100- 150 ug/ml	
Carminative	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Cyclooxygenase- Inhibitor #NAME?	
Enterorelaxant	J. Aromatherapy 4: 22.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Flavor FEMA 10- 125	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Nematicide MLC=1 mg/ml	
Pesticide	
Prostaglandin- Inhibitor	
Tracheorelaxant	
Trichomonicide LD100=150 ug/ml	
Vermifuge	

CARVACROL	Shoot	--	1025.0	-0.5	Baser, K.H.C., Ozek, T., Kurkcuoğlu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
-----------	-------	----	--------	------	---

Activities (37)

Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antiatherosclerotic IC50=5.53 uM	
Antibacterial MIC 170-290	Chalchat, J.C. et Garry, R.P.*, Bastide, P., Fabre, F. et Malhuret, R. Correlation Composition Chimique/Activite Antimicrobienne: V - Contribution a la Comparaison de 2 Methodes de Determination Des Cml. Plantes medicinales et phytotherapie, 25: 184-193.
Antibacterial MIC=39-625	Russell, G. B., Phytochemical resources for crop protection, N. Z. J. Technol., 2, 1986, 127-134.
Anticholinesterase?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antidiuretic	Lawrence Review of Natural Products, Mar-92.
Antiinflammatory IC50=4 uM	
Antimelanomic IC50=120 uM/l	
Antioxidant	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antioxidant (LDL) IC50=5.53 uM	
Anti plaque MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, I., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, Bull Tokyo Dent. Coll., 31 (1), 1990, 17-21
Antiprostaglandin	
Antiradicular 600 x thymol	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antiseptic 1.5 x phenol	
Antispasmodic	
Antistaphylococcic	
Antistreptococcic	
Antitussive	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Candidicide MIC<0.1 ug/ml	
Candidicide 100- 150 ug/ml	
Carminative	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Cyclooxygenase- Inhibitor #NAME?	
Enterorelaxant	J. Aromatherapy 4: 22.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Flavor FEMA 10- 125	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Nematicide MLC=1 mg/ml	
Pesticide	
Prostaglandin- Inhibitor	
Tracheorelaxant	
Trichomonicide LD100=150 ug/ml	
Vermifuge	

CARVACROL- METHYL-ETHER	Shoot	--	960.0	2.93	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
CARVACROL- METHYL-ETHER	Shoot	--	205.0	0.3	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
CARVACROL- METHYL-ETHER	Shoot	--	9.0	-0.39	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
CARVACROL- METHYL-ETHER	Shoot	--	9.0	-0.39	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
CIS-P-MENTHA- 2,8-DIEN-OL	Shoot	--	10.0	1.41	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
CIS-P-MENTHA- 2,8-DIEN-OL	Shoot	--	--		Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
CIS-P-MENTHA- 2,8-DIEN-OL	Shoot	--	7.0	-0.71	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

CIS-P-MENTHA-2,8-DIEN-OL	Shoot	--	7.0	-0.71	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
CIS-SABINENE-HYDRATE	Shoot	--	45.0	-0.12	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
CIS-SABINENE-HYDRATE	Shoot	--	50.0	-0.11	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
CIS-SABINENE-HYDRATE	Shoot	--	35.0	-0.15	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
CIS-SABINENE-HYDRATE	Shoot	--	50.0	-0.11	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
DELTA-3-CARENE	Shoot	--	12.0	-0.18	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (8)

Allergenic?	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Antiinflammatory ipr	Internat. J. Oriental Med. 15(4): 194, 1990+
Dermatitogenic	
FLavor FEMA	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	
Pesticide	

DELTA-3-CARENE	Shoot	--	0.2	-0.31	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
----------------	-------	----	-----	-------	---

Activities (8)

Allergenic?	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Antiinflammatory ipr	Internat. J. Oriental Med. 15(4): 194, 1990+
Dermatitogenic	
FLavor FEMA	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	
Pesticide	

DELTA-3-CARENE	Shoot	1.0	2.0	-0.29	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
----------------	-------	-----	-----	-------	---

Activities (8)

Allergenic?	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Antiinflammatory ipr	Internat. J. Oriental Med. 15(4): 194, 1990+
Dermatitogenic	
FLavor FEMA	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	
Pesticide	

DELTA-3-CARENE	Shoot	--	0.1	-0.31	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
----------------	-------	----	-----	-------	---

Activities (8)

Allergenic?	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Antiinflammatory ipr	Internat. J. Oriental Med. 15(4): 194, 1990+
Dermatitogenic	
FLavor FEMA	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	
Pesticide	

DELTA-CADINENE	Shoot	--	25.0	-0.21	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
----------------	-------	----	------	-------	---

Activities (9)					
Aldose-Reductase-Inhibitor					
Antiacne					
Antibacterial MIC800 ug/ml					Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticariogenic MIC800 ug/ml					Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antistreptococcic					
Cytochrome-P450-Inducer					
P450-Inducer					
Pesticide					
Testosterone-Inducer					
DELTA-CADINENE	Shoot	--	3.0	-0.43	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (9)					
Aldose-Reductase-Inhibitor					
Antiacne					
Antibacterial MIC800 ug/ml					Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticariogenic MIC800 ug/ml					Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antistreptococcic					
Cytochrome-P450-Inducer					
P450-Inducer					
Pesticide					
Testosterone-Inducer					
DELTA-CADINENE	Shoot	--	25.0	-0.21	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (9)					
Aldose-Reductase-Inhibitor					
Antiacne					
Antibacterial MIC800 ug/ml					Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticariogenic MIC800 ug/ml					Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antistreptococcic					
Cytochrome-P450-Inducer					
P450-Inducer					
Pesticide					
Testosterone-Inducer					
DELTA-CADINENE	Shoot	--	50.0	0.05	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (9)					
Aldose-Reductase-Inhibitor					
Antiacne					
Antibacterial MIC800 ug/ml					Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticariogenic MIC800 ug/ml					Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antistreptococcic					
Cytochrome-P450-Inducer					
P450-Inducer					
Pesticide					
Testosterone-Inducer					
EO	Shoot	--	16800.0	0.6	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
EO	Shoot	--	17000.0	0.62	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

EO	Shoot	--	2200.0	-0.75	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
EO	Shoot	--	17000.0	0.62	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
FARNESOL	Shoot	--	3.0	-0.65	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (17)

Allergenic	
Antiadenomic	
Anticancer (Pancreas) IC50=39 uM	
Anticarcinomic (Colon)	
Anticarcinomic (Lung)	
Antileukemic	
Antimelanomic IC50=50 uM/l	
Antispasmodic	
Apoptotic	
FLavor FEMA 0.1-3	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry Russell, G. B., Phytochemical resources for crop protection, N. Z. J. Technol., 2, 1986, 127-134.
Juvabional	
Nematicide MLC=100 ug/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Pheromonal	
Sedative	
Trichomonicide LD100=100 ug/ml	

FARNESOL	Shoot	--	5.0	-0.58	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
----------	-------	----	-----	-------	---

Activities (17)

Allergenic	
Antiadenomic	
Anticancer (Pancreas) IC50=39 uM	
Anticarcinomic (Colon)	
Anticarcinomic (Lung)	
Antileukemic	
Antimelanomic IC50=50 uM/l	
Antispasmodic	
Apoptotic	
FLavor FEMA 0.1-3	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry Russell, G. B., Phytochemical resources for crop protection, N. Z. J. Technol., 2, 1986, 127-134.
Juvabional	
Nematicide MLC=100 ug/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Pheromonal	
Sedative	
Trichomonicide LD100=100 ug/ml	

FARNESOL	Shoot	--	10.0	-0.4	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
----------	-------	----	------	------	---

Activities (17)

Allergenic	
Antiadenomic	
Anticancer (Pancreas) IC50=39 uM	
Anticarcinomic (Colon)	
Anticarcinomic (Lung)	
Antileukemic	
Antimelanomic IC50=50 uM/l	
Antispasmodic	
Apoptotic	
FLavor FEMA 0.1-3	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry Russell, G. B., Phytochemical resources for crop protection, N. Z. J. Technol., 2, 1986, 127-134.
Juvabional	
Nematicide MLC=100 ug/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Pheromonal	
Sedative	
Trichomonicide LD100=100 ug/ml	

FARNESOL	Shoot	--	5.0	-0.58	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
----------	-------	----	-----	-------	---

Activities (17)

Allergenic	
Antiadenomic	
Anticancer (Pancreas) IC50=39 uM	
Anticarcinomic (Colon)	
Anticarcinomic (Lung)	
Antileukemic	
Antimelanomic IC50=50 uM/l	
Antispasmodic	
Apoptotic	
FLavor FEMA 0.1-3	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry Russell, G. B., Phytochemical resources for crop protection, N. Z. J. Technol., 2, 1986, 127-134.
Juvabional	
Nematicide MLC=100 ug/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Pheromonal	
Sedative	
Trichomonicide LD100=100 ug/ml	

GAMMA-ELEMENE	Shoot	--	4.0	-0.57	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
GAMMA-ELEMENE	Shoot	--	100.0	1.96	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
GAMMA-ELEMENE	Shoot	--	100.0	1.96	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
GAMMA-ELEMENE	Shoot	8.0	9.0	-0.44	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
GAMMA-TERPINENE	Shoot	--	4470.0	2.69	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (11)					
ACE-Inhibitor 100 ug/ml (weak activity)					
Acaricide					
Aldose-Reductase-Inhibitor 100 ug/ml					Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Antiacetylcholinesterase IC23=1.2 mM					
Antifeedant					Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Antioxidant					Jim Duke's personal files.
FLavor FEMA 1-40					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insectifuge					Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Irritant					Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide					

GAMMA-TERPINENE	Shoot	--	2635.0	1.43	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
-----------------	-------	----	--------	------	---

Activities (11)					
ACE-Inhibitor 100 ug/ml (weak activity)					
Acaricide					
Aldose-Reductase-Inhibitor 100 ug/ml					Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Antiacetylcholinesterase IC23=1.2 mM					
Antifeedant					Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Antioxidant					Jim Duke's personal files.
FLavor FEMA 1-40					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insectifuge					Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Irritant					Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide					

GAMMA-TERPINENE	Shoot	--	270.0	-0.21	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
-----------------	-------	----	-------	-------	---

Activities (11)					
ACE-Inhibitor 100 ug/ml (weak activity)					
Acaricide					
Aldose-Reductase-Inhibitor 100 ug/ml					Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Antiacetylcholinesterase IC23=1.2 mM					
Antifeedant					Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Antioxidant					Jim Duke's personal files.
FLavor FEMA 1-40					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insectifuge					Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Irritant					Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide					

GAMMA-TERPINENE	Shoot	--	4470.0	2.69	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
-----------------	-------	----	--------	------	---

Activities (11)ACE-Inhibitor 100 ug/ml
(weak activity)

Acaricide

Aldose-Reductase-Inhibitor 100 ug/ml Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.

Antiacetylcholinesterase
IC23=1.2 mM

Antifeedant Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.

Antioxidant Jim Duke's personal files.

FLavor FEMA 1-40 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Insectifuge Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.

Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticide

ISOEUGENOL	Shoot	--	--		Baser, K.H.C., Ozek, T., Kurkcuglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
------------	-------	----	----	--	--

Activities (16)

Allergenic

AntiTNF

Antiaggregant IC50=0.72 uM Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. Phytotherapy Research 4(3): 93, 1990.

Antiinflammatory

Antioxidant
IC79=30 ppm

Antitumor

Bacteristat

Cancer-Preventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Candidistat

Cytotoxic 25 ug/ml Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. Phytotherapy Research 4(3): 93, 1990.

Fungistat 100 ug/ml Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. Phytotherapy Research 4(3): 93, 1990.

Motor-Depressant Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC

Motor-Stimulant Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC

Pesticide

Sedative Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC

Trichomonistat IC50=10 ug/ml Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.

ISOEUGENOL	Shoot	--	5.0	-0.49	Baser, K.H.C., Ozek, T., Kurkcuglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
------------	-------	----	-----	-------	--

Activities (16)

Allergenic	
AntiTNF	
Antiaggregant IC50=0.72 uM	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. <i>Phytotherapy Research</i> 4(3): 93, 1990.
Antiinflammatory	
Antioxidant IC79=30 ppm	
Antitumor	
Bacteristat	
Cancer- Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Cytotoxic 25 ug/ml	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. <i>Phytotherapy Research</i> 4(3): 93, 1990.
Fungistat 100 ug/ml	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. <i>Phytotherapy Research</i> 4(3): 93, 1990.
Motor- Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. <i>Bioactive Volatile Compounds from Plants</i> . ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Motor-Stimulant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. <i>Bioactive Volatile Compounds from Plants</i> . ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Pesticide	
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. <i>Bioactive Volatile Compounds from Plants</i> . ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Trichomonistat IC50=10 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.

ISOEUGENOL Shoot -- 3.0 -0.5 Baser, K.H.C., Ozek, T., Kurkcuglu, M. and Tumen, G. 1992. Composition of the Essential Oil of *Origanum sipyleum* of Turkish Origin. *J. Ess. Oil Res.* 4: 139-142.

Activities (16)

Allergenic	
AntiTNF	
Antiaggregant IC50=0.72 uM	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. <i>Phytotherapy Research</i> 4(3): 93, 1990.
Antiinflammatory	
Antioxidant IC79=30 ppm	
Antitumor	
Bacteristat	
Cancer- Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Cytotoxic 25 ug/ml	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. <i>Phytotherapy Research</i> 4(3): 93, 1990.
Fungistat 100 ug/ml	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. <i>Phytotherapy Research</i> 4(3): 93, 1990.
Motor- Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. <i>Bioactive Volatile Compounds from Plants</i> . ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Motor-Stimulant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. <i>Bioactive Volatile Compounds from Plants</i> . ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Pesticide	
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. <i>Bioactive Volatile Compounds from Plants</i> . ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Trichomonistat IC50=10 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.

ISOEUGENOL Shoot -- 5.0 -0.49 Baser, K.H.C., Ozek, T., Kurkcuglu, M. and Tumen, G. 1992. Composition of the Essential Oil of *Origanum sipyleum* of Turkish Origin. *J. Ess. Oil Res.* 4: 139-142.

Activities (16)

Allergenic	
AntiTNF	
Antiaggregant IC50=0.72 uM	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. <i>Phytotherapy Research</i> 4(3): 93, 1990.
Antiinflammatory	
Antioxidant IC79=30 ppm	
Antitumor	
Bacteristat	
Cancer- Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Cytotoxic 25 ug/ml	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. <i>Phytotherapy Research</i> 4(3): 93, 1990.
Fungistat 100 ug/ml	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. <i>Phytotherapy Research</i> 4(3): 93, 1990.
Motor- Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. <i>Bioactive Volatile Compounds from Plants</i> . ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Motor-Stimulant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. <i>Bioactive Volatile Compounds from Plants</i> . ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Pesticide	
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. <i>Bioactive Volatile Compounds from Plants</i> . ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Trichomonistat IC50=10 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.

LIMONENE	Shoot	--	120.0	-0.27	Baser, K.H.C., Ozek, T., Kurkcuoğlu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. <i>J. Ess. Oil Res.</i> 4: 139-142.
----------	-------	----	-------	-------	---

Activities (60)

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. & Physiol.</i> , 23, 1985, 383-8.
Acaricide LC100=8 uM	
Allelochemic	
Allergenic 1/20th carene	
Antiacetylcholinesterase IC22-26=1.2 mM	
Antiadenomic	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. & Physiol.</i> , 23, 1985, 383-8.
Antiasthmatic	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Anticancer	
Antiesophagitic	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	
Antilithic	
Antilymphomic	
Antimetastatic (Stomach)	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiobesity	
Antiseptic	
Antispasmodic ED50=0.197 mg/ml	Fitoterapia No.59-1984.
Antitumor	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Pancreas)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiviral	
Apoptotic	
Bronchoprotectant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Chemopreventive	
Cholesterolytic	
Detoxicant	
Enterocontractant	J. Aromatherapy 4: 22.
Expectorant	
FLavor	
Fungiphilic	J. Agric. Food Chem. 43: 2283.
Fungistat	
GST-Inducer	
Herbicide IC50=45 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Histaminic	
Immunomodulator	
Insecticide 0.37 uM/fly	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Interleukin-6-Inhibitor	
Irritant	
Lipolytic	
Myorelaxant 50 mg/kg	
NO-Genic	
Nematicide IC=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Ornithine-Decarboxylase-Inhibitor ~750 mg/kg (diet)	
Ozone-Scavenger	
P450-Inducer	
Peristaltic	
Pesticide	
Photosensitizer	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Transdermal	

LIMONENE	Shoot	--	10.0	-0.32	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
----------	-------	----	------	-------	---

Activities (60)

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. & Physiol.</i> , 23, 1985, 383-8.
Acaricide LC100=8 uM	
Allelochemic	
Allergenic 1/20th carene	
Antiacetylcholinesterase IC22-26=1.2 mM	
Antiadenomic	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. & Physiol.</i> , 23, 1985, 383-8.
Antiasthmatic	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Anticancer	
Antiesophagitic	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	
Antilithic	
Antilymphomic	
Antimetastatic (Stomach)	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiobesity	
Antiseptic	
Antispasmodic ED50=0.197 mg/ml	Fitoterapia No.59-1984.
Antitumor	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Pancreas)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiviral	
Apoptotic	
Bronchoprotectant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Chemopreventive	
Cholesterolytic	
Detoxicant	
Enterocontractant	J. Aromatherapy 4: 22.
Expectorant	
FLavor	
Fungiphilic	J. Agric. Food Chem. 43: 2283.
Fungistat	
GST-Inducer	
Herbicide IC50=45 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Histaminic	
Immunomodulator	
Insecticide 0.37 uM/fly	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Interleukin-6-Inhibitor	
Irritant	
Lipolytic	
Myorelaxant 50 mg/kg	
NO-Genic	
Nematicide IC=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Ornithine-Decarboxylase-Inhibitor ~750 mg/kg (diet)	
Ozone-Scavenger	
P450-Inducer	
Peristaltic	
Pesticide	
Photosensitizer	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Transdermal	

LIMONENE	Shoot	--	120.0	-0.27	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
----------	-------	----	-------	-------	---

Activities (60)

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, Oest. Biochem. & Physiol., 23, 1985, 383-8.
Acaricide LC100=8 uM	
Allelochemic	
Allergenic 1/20th carene	
Antiacetylcholinesterase IC22-26=1.2 mM	
Antiadenomic	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, Oest. Biochem. & Physiol., 23, 1985, 383-8.
Antiasthmatic	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Anticancer	
Antiesophagitic	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	
Antilithic	
Antilymphomic	
Antimetastatic (Stomach)	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiobesity	
Antiseptic	
Antispasmodic ED50=0.197 mg/ml	Fitoterapia No.59-1984.
Antitumor	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Pancreas)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiviral	
Apoptotic	
Bronchoprotectant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Chemopreventive	
Cholesterolytic	
Detoxicant	
Enterocontractant	J. Aromatherapy 4: 22.
Expectorant	
FLavor	
Fungiphilic	J. Agric. Food Chem. 43: 2283.
Fungistat	
GST-Inducer	
Herbicide IC50=45 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Histaminic	
Immunomodulator	
Insecticide 0.37 uM/fly	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Interleukin-6-Inhibitor	
Irritant	
Lipolytic	
Myorelaxant 50 mg/kg	
NO-Genic	
Nematicide IC=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Ornithine-Decarboxylase-Inhibitor ~750 mg/kg (diet)	
Ozone-Scavenger	
P450-Inducer	
Peristaltic	
Pesticide	
Photosensitizer	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Transdermal	

LIMONENE	Shoot	--	120.0	-0.27	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. <i>J. Ess. Oil Res.</i> 4: 139-142.
----------	-------	----	-------	-------	---

Activities (60)

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, Oest. Biochem. & Physiol., 23, 1985, 383-8.
Acaricide LC100=8 uM	
Allelochemic	
Allergenic 1/20th carene	
Antiacetylcholinesterase IC22-26=1.2 mM	
Antiadenomic	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, Oest. Biochem. & Physiol., 23, 1985, 383-8.
Antiasthmatic	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Anticancer	
Antiesophagitic	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	
Antilithic	
Antilymphomic	
Antimetastatic (Stomach)	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiobesity	
Antiseptic	
Antispasmodic ED50=0.197 mg/ml	Fitoterapia No.59-1984.
Antitumor	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Pancreas)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiviral	
Apoptotic	
Bronchoprotectant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Chemopreventive	
Cholesterolytic	
Detoxicant	
Enterocontractant	J. Aromatherapy 4: 22.
Expectorant	
FLavor	
Fungiphilic	J. Agric. Food Chem. 43: 2283.
Fungistat	
GST-Inducer	
Herbicide IC50=45 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Histaminic	
Immunomodulator	
Insecticide 0.37 uM/fly	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Interleukin-6-Inhibitor	
Irritant	
Lipolytic	
Myorelaxant 50 mg/kg	
NO-Genic	
Nematicide IC=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Ornithine-Decarboxylase-Inhibitor ~750 mg/kg (diet)	
Ozone-Scavenger	
P450-Inducer	
Peristaltic	
Pesticide	
Photosensitizer	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Transdermal	

LINALOL	Shoot	--	105.0	-0.2	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
LINALOL	Shoot	--	18.0	-0.22	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
LINALOL	Shoot	--	105.0	-0.2	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
LINALOOL	Shoot	--	35.0	-0.22	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (53)

Acaricide C90=<15 ul/l (= <15 ppm)	
Allergenic	
Analgesic	
Anesthetic 0.01-1 ug/ml	
Antiacetylcholinesterase	
Antiallergic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antianaphylactic	
Antibacterial MIC=1,600 ug/ml	
Anticarcinogenic MIC=1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticolic	
Anticonvulsant 200 mg/kg ipr mus	
Antiedemic	
Antiglutamaergic	
Antihistaminic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antiinflammatory	
Antileukemic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antilymphomic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antimange	
Antimite	
Antimutagenic	
Antiseptic 5 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antishock	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (Flores Graminis, Graminis Flos) used in Aromatherapy. J. Ess. Oil Res., 2: 185-191, 1990.
Antiviral	
Barbituate-Synergist	
Bronchorelaxant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
CNS-Depressant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Carminative	
Culicide LC50=156-194 mg/l	
Cytotoxic	
Expectorant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Flavor FEMA 2-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Acta Botanica Sinica, 32: 49.
GABA-nergic	
Hypnotic	
Hypothermic	
Insecticide LC50=156-194 mg/l	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Larvicide LC50=156-194 mg/l	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Prooxidant	Charalambous, G. (Ed.). 1994. Spices, Herbs and Edible Fungi. Elsevier Science B. V. Amsterdam. 764 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Sedative 200 mg/kg ipr mus (1% as active as diazepam)	
Termitifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Trichomonicide LD100=600 ug/ml	
Tumor-Promoter	

METHANOL Shoot -- -- Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (2)					
AntiHIV EC50=<20 ug/ml					
Antidote #NAME?					Martindale's 29th

METHANOL	Shoot	--	--		Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
----------	-------	----	----	--	---

Activities (2)					
AntiHIV EC50=<20 ug/ml					
Antidote #NAME?					Martindale's 29th

METHANOL	Shoot	--	0.7	-0.69	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
----------	-------	----	-----	-------	---

Activities (2)					
AntiHIV EC50=<20 ug/ml					
Antidote #NAME?					Martindale's 29th

METHANOL	Shoot	--	0.1	-0.72	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
----------	-------	----	-----	-------	---

Activities (2)					
AntiHIV EC50=<20 ug/ml					
Antidote #NAME?					Martindale's 29th

MYRCENE	Shoot	--	1950.0	1.88	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
---------	-------	----	--------	------	---

Activities (22)					
ACE-Inhibitor 100 ug/ml					
Aldose-Reductase-Inhibitor 100 ug/ml					Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Allergenic					
Analgesic					Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.
Antibacterial					
Anticonvulsant					
Antimutagenic					Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.
Antinitrosaminic					
Antinociceptive 10-20 mg/kg ipr mus					Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.
Antinociceptive 20-40 mg/kg scu mus					Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.
Antioxidant					Jim Duke's personal files.
Antispasmodic					Jim Duke's personal files.
Chemopreventive					Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
FLavor FEMA 0.5-9					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide					Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypothermic					
Insectifuge					
Irritant					Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Myorelaxant 100-200 mg/kg					
P450-2B1-Inhibitor IC50=0.14 uM					
Perfumery					Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide					

MYRCENE	Shoot	--	445.0	0.17	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
---------	-------	----	-------	------	---

Activities (22)

ACE-Inhibitor 100 ug/ml

Aldose-Reductase-Inhibitor 100 ug/ml Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.

Allergenic

Analgesic Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.

Antibacterial

Anticonvulsant

Antimutagenic Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.

Antinitrosaminic

Antinociceptive 10-20 mg/kg ipr mus Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.

Antinociceptive 20-40 mg/kg scu mus Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.

Antioxidant Jim Duke's personal files.

Antispasmodic Jim Duke's personal files.

Chemopreventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

FLavor FEMA 0.5-9 Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Fungicide Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Hypothermic

Insectifuge

Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Myorelaxant 100-200 mg/kg

P450-2B1-Inhibitor IC50=0.14 uM

Perfumery Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Pesticide

MYRCENE	Shoot	--	35.0	-0.3	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
---------	-------	----	------	------	---

Activities (22)

ACE-Inhibitor 100 ug/ml

Aldose-Reductase-Inhibitor 100 ug/ml Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.

Allergenic

Analgesic Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.

Antibacterial

Anticonvulsant

Antimutagenic Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.

Antinitrosaminic

Antinociceptive 10-20 mg/kg ipr mus Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.

Antinociceptive 20-40 mg/kg scu mus Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.

Antioxidant Jim Duke's personal files.

Antispasmodic Jim Duke's personal files.

Chemopreventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

FLavor FEMA 0.5-9 Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Fungicide Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Hypothermic

Insectifuge

Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Myorelaxant 100-200 mg/kg

P450-2B1-Inhibitor IC50=0.14 uM

Perfumery Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Pesticide

MYRCENE	Shoot	--	445.0	0.17	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
---------	-------	----	-------	------	---

Activities (22)

ACE-Inhibitor 100 ug/ml

Aldose-Reductase-Inhibitor 100 ug/ml Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.

Allergenic

Analgesic Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.

Antibacterial

Anticonvulsant

Antimutagenic Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.

Antinitrosaminic

Antinociceptive 10-20 mg/kg ipr mus Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.

Antinociceptive 20-40 mg/kg scu mus Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.

Antioxidant Jim Duke's personal files.

Antispasmodic Jim Duke's personal files.

Chemopreventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

FLavor FEMA 0.5-9 Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Fungicide Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Hypothermic

Insectifuge

Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Myorelaxant 100-200 mg/kg

P450-2B1-Inhibitor IC50=0.14 uM

Perfumery Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Pesticide

P-CYMEN-7-OL	Shoot	--	18.0	-0.03	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
P-CYMEN-7-OL	Shoot	--	45.0	1.36	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
P-CYMEN-7-OL	Shoot	--	1.8	-0.86	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
P-CYMEN-7-OL	Shoot	--	1.8	-0.86	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
P-CYMEN-8-OL	Shoot	--	--	-0.17	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
P-CYMEN-8-OL	Shoot	--	15.0	-0.14	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
P-CYMEN-8-OL	Shoot	--	0.2	-0.17	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
P-CYMEN-8-OL	Shoot	--	15.0	-0.14	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
P-CYMENE	Shoot	--	5150.0	3.58	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (16)

Analgesic	Martindale's 28th
Antiacetylcholinesterase IC40=1.2 mM	
Antibacillary	
Antibacterial	
Antiflu	
Antirheumatalgic	Martindale's 28th
Antiviral	
FLavor FEMA 12-250	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=50 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Laxative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Pesticide	
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Trichomonicide LD100=50 ug/ml	

P-CYMENE Shoot -- 870.0 0.19 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (16)

Analgesic	Martindale's 28th
Antiacetylcholinesterase IC40=1.2 mM	
Antibacillary	
Antibacterial	
Antiflu	
Antirheumatalgic	Martindale's 28th
Antiviral	
FLavor FEMA 12-250	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=50 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Laxative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Pesticide	
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Trichomonicide LD100=50 ug/ml	

P-CYMENE Shoot -- 3345.0 2.15 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (16)					
Analgesic	Martindale's 28th				
Antiacetylcholinesterase IC40=1.2 mM					
Antibacillary					
Antibacterial					
Antiflu					
Antirheumatalgic	Martindale's 28th				
Antiviral					
FLavor FEMA 12-250	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.				
Herbicide IC50=50 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.				
Insectifuge	Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.				
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Laxative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Pesticide					
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Trichomonicide LD100=50 ug/ml					

P-CYMENE Shoot -- 3345.0 2.15 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (16)					
Analgesic	Martindale's 28th				
Antiacetylcholinesterase IC40=1.2 mM					
Antibacillary					
Antibacterial					
Antiflu					
Antirheumatalgic	Martindale's 28th				
Antiviral					
FLavor FEMA 12-250	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.				
Herbicide IC50=50 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.				
Insectifuge	Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.				
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Laxative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Pesticide					
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Trichomonicide LD100=50 ug/ml					

PERILLENE Shoot -- 3.0 -0.23 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

PERILLENE Shoot -- 1.3 -0.65 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

PERILLENE Shoot -- -- -- Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

PERILLENE Shoot -- 3.0 -0.23 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

SABINENE Shoot -- 100.0 -0.19 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (5)					
Antibacterial					
Antihelicobacter					
Antiseptic					
Antiulcer					
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

SABINENE Shoot -- 75.0 -0.22 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (5)					
Antibacterial					
Antihelicobacter					
Antiseptic					
Antiulcer					
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

SABINENE Shoot -- 33.0 -0.26 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (5)					
Antibacterial					
Antihelicobacter					
Antiseptic					
Antiulcer					
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

SABINENE Shoot -- 75.0 -0.22 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (5)					
Antibacterial					
Antihelicobacter					
Antiseptic					
Antiulcer					
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

TERPINEN-4-OL Shoot -- 520.0 0.05 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (23)

Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacetylcholinesterase IC21-24=1.2 mM	
Antiacne	
Antiallergic	
Antiasthmatic	Chin. J. Tuber. Respir. Dis., 4:203, 1982.
Antibacterial	
Antioxidant	
Antiseptic	Flav. & Frag. J. 9: 129.
Antispasmodic	
Antitussive	Chin. J. Tuber. Respir. Dis.
Antiulcer	
Bacteriostatic	Chin. J. Tuber. Respir. Dis.
Diuretic 0.1 ml/rat	
Fungicide	
Herbicide IC50=200 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=22 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	
Irritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Pesticide	
Renoirritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Spermicide ED100=0.015	
Vulnerary	Lawrence Review of Natural Products, Jan-91.

TERPINEN-4-OL Shoot -- 200.0 -0.08 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (23)

Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacetylcholinesterase IC21-24=1.2 mM	
Antiacne	
Antiallergic	
Antiasthmatic	Chin. J. Tuber. Respir. Dis., 4:203, 1982.
Antibacterial	
Antioxidant	
Antiseptic	Flav. & Frag. J. 9: 129.
Antispasmodic	
Antitussive	Chin. J. Tuber. Respir. Dis.
Antiulcer	
Bacteriostatic	Chin. J. Tuber. Respir. Dis.
Diuretic 0.1 ml/rat	
Fungicide	
Herbicide IC50=200 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=22 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	
Irritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Pesticide	
Renoirritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Spermicide ED100=0.015	
Vulnerary	Lawrence Review of Natural Products, Jan-91.

TERPINEN-4-OL Shoot -- 520.0 0.05 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (23)

Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacetylcholinesterase IC21-24=1.2 mM	
Antiacne	
Antiallergic	
Antiasthmatic	Chin. J. Tuber. Respir. Dis., 4:203, 1982.
Antibacterial	
Antioxidant	
Antiseptic	Flav. & Frag. J. 9: 129.
Antispasmodic	
Antitussive	Chin. J. Tuber. Respir. Dis.
Antiulcer	
Bacteriostatic	Chin. J. Tuber. Respir. Dis.
Diuretic 0.1 ml/rat	
Fungicide	
Herbicide IC50=200 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=22 µM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	
Irritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Pesticide	
Renoirritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Spermicide ED100=0.015	
Vulnerary	Lawrence Review of Natural Products, Jan-91.

TERPINEN-4-OL Shoot -- 270.0 -0.06 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of *Origanum sipyleum* of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (23)

Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacetylcholinesterase IC21-24=1.2 mM	
Antiacne	
Antiallergic	
Antiasthmatic	Chin. J. Tuber. Respir. Dis., 4:203, 1982.
Antibacterial	
Antioxidant	
Antiseptic	Flav. & Frag. J. 9: 129.
Antispasmodic	
Antitussive	Chin. J. Tuber. Respir. Dis.
Antiulcer	
Bacteriostatic	Chin. J. Tuber. Respir. Dis.
Diuretic 0.1 ml/rat	
Fungicide	
Herbicide IC50=200 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=22 µM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	
Irritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Pesticide	
Renoirritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Spermicide ED100=0.015	
Vulnerary	Lawrence Review of Natural Products, Jan-91.

TERPINOLENE Shoot -- 170.0 4.1 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of *Origanum sipyleum* of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (9)					
Allelochemic					
Antifeedant					
Antinitrosaminic					
Antioxidant					
Deodorant					Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 15-60					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide					Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide					

TERPINOLENE	Shoot	--	35.0	0.21	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
-------------	-------	----	------	------	---

Activities (9)					
Allelochemic					
Antifeedant					
Antinitrosaminic					
Antioxidant					
Deodorant					Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 15-60					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide					Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide					

TERPINOLENE	Shoot	--	1.8	-0.75	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
-------------	-------	----	-----	-------	---

Activities (9)					
Allelochemic					
Antifeedant					
Antinitrosaminic					
Antioxidant					
Deodorant					Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 15-60					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide					Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide					

TERPINOLENE	Shoot	--	35.0	0.21	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
-------------	-------	----	------	------	---

Activities (9)					
Allelochemic					
Antifeedant					
Antinitrosaminic					
Antioxidant					
Deodorant					Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 15-60					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide					Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide					

THYMOL	Shoot	--	140.0	-0.3	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
--------	-------	----	-------	------	---

Activities (71)					
Acaricide					
Allergenic					
Analgesic					Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Ancylostomicide					Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.

Anesthetic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Ankylostomacide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anthelmintic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Antiaggregant IC50=0.75	Tramil, 42: 511.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antiarthritic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antiatherosclerotic IC50=4 uM	
Antibacterial MIC=50-400 ug/ml	
Antibronchitic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anticariogenic MIC=200-400 ug/ml	
Anticholinesterase	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antihalitotic	American Health, 12(4): 17, 1993.
Antiherpetic	Martindale's 28th
Antiinflammatory (=indomethacin)	
Antileptic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antimelanomic IC50=120 uM/l	
Antineuritic	
Antioxidant 100 ppm	Martindale's 28th
Antioxidant (LDL) IC50=4 uM	
Antiperiodontic MIC=50-200 ug/ml	
Anti plaque MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, I., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, Bull Tokyo Dent. Coll., 31 (1), 1990, 17-21
Antiradicular EC=60	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antirheumatic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antisalmonella	
Antiseptic 20 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antispasmodic	
Antistaphylococcic	
Antistreptococcic MIC=200-400 ug/ml	
Antitrichinosis 5%	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antitussive	Iwu, M.M. 1993. Handbook of African Medicinal Plants. CRC Press, Boca Raton, FL 435 pp.
Ataxigenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Candidicide 100 ug/ml (>Nystatin)	
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Counterirritant	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Culicide LC50=36-49 mg/l	
Cyclooxygenase-Inhibitor (=indomethacin)	
Dentifrice	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Deodorant	Martindale's 28th
Dermatitigenic	
Enterorelaxant	J. Aromatherapy 4: 22.
Enterotoxic	Wichtl, M. 1984. Teedrogen. Ein Handbuch fur Apotheker und Arzte. Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
FLavor FEMA 2-100	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Merck 11th Edition
Gastroirritant	Martindale's 29th
Gram(+)-icide MIC=200-400 ug/ml	
Gram(-)-icide MIC=50-200 ug/ml	
Insecticide LC50=36-49 mg/l	
Insecticide 0.22 uM/fly	
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Larvicide 10 ppm	Berenbaum, M. R., The natives knew, Chemtech, (May), 1990, 275-279.

Larvicide 58 ppm	
Larvicide LC50=36-49 mg/l	
Molluscicide	
Myorelaxant	J. Aromatherapy 4: 22.
Nematicide MLC=0.1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Sprout-Inhibitor	Duke, J.A.. Personal Communication.
Tracheorelaxant	
Trichomonicide LD100=25 ug/ml	
Urinary-Antiseptic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Varroacide	
Vermicide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.

THYMOL Shoot -- 1240.0 -0.0 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (71)

Acaricide	
Allergenic	
Analgesic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Ancylostomicide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anesthetic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Ankylostomacide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anthelmintic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Antiaggregant IC50=0.75	Tramil, 42: 511.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antiarthritic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antiatherosclerotic IC50=4 uM	
Antibacterial MIC=50-400 ug/ml	
Antibronchitic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anticariogenic MIC=200-400 ug/ml	
Anticholinesterase	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antihalitotic	American Health, 12(4): 17, 1993.
Antiherpetic	Martindale's 28th
Antiinflammatory (=indomethacin)	
Antileptic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antimelanomic IC50=120 uM/l	
Antineuritic	
Antioxidant 100 ppm	Martindale's 28th
Antioxidant (LDL) IC50=4 uM	
Antiperiodontic MIC=50-200 ug/ml	
Anti plaque MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, I., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, Bull Tokyo Dent. Coll., 31 (1), 1990, 17-21
Antiradicular EC=60	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antirheumatic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antisalmonella	
Antiseptic 20 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antispasmodic	
Antistaphylococcic	
Antistreptococcic MIC=200-400 ug/ml	
Antitrichinosis 5%	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.

Antitussive	Iwu, M.M. 1993. Handbook of African Medicinal Plants. CRC Press, Boca Raton, FL 435 pp.
Ataxigenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Candidicide 100 ug/ml (>Nystatin)	
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Counterirritant	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Culicide LC50=36-49 mg/l	
Cyclooxygenase-Inhibitor (=indomethacin)	
Dentifrice	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Deodorant	Martindale's 28th
Dermatitogenic	
Enterorelaxant	J. Aromatherapy 4: 22.
Enterotoxic	Wichtl, M. 1984. Teedrogen. Ein Handbuch fur Apotheker und Arzte. Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
FLavor FEMA 2-100	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Merck 11th Edition
Gastroirritant	Martindale's 29th
Gram(+)icide MIC=200-400 ug/ml	
Gram(-)icide MIC=50-200 ug/ml	
Insecticide LC50=36-49 mg/l	
Insecticide 0.22 uM/fly	
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Larvicide 10 ppm	Berenbaum, M. R., The natives knew, Chemtech, (May), 1990, 275-279.
Larvicide 58 ppm	
Larvicide LC50=36-49 mg/l	
Molluscicide	
Myorelaxant	J. Aromatherapy 4: 22.
Nematicide MLC=0.1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Sprout-Inhibitor	Duke, J.A.. Personal Communication.
Tracheorelaxant	
Trichomonicide LD100=25 ug/ml	
Urinary-Antiseptic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Varroacide	
Vermicide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.

THYMOL Shoot -- 5.0 -0.33 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of *Origanum sipyleum* of Turkish Origin. J. Ess. Oil Res. 4: 139-142.

Activities (71)

Acaricide	
Allergenic	
Analgesic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Ancylostomicide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anesthetic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Ankylostomacide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anthelmintic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Antiaggregant IC50=0.75	Tramil, 42: 511.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antiarthritic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antiatherosclerotic IC50=4 uM	

Antibacterial MIC=50-400 ug/ml	
Antibronchitic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anticariogenic MIC=200-400 ug/ml	
Anticholinesterase	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antihalitotic	American Health, 12(4): 17, 1993.
Antiherpetic	Martindale's 28th
Antiinflammatory (=indomethacin)	
Antileptic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antimelanomic IC50=120 uM/l	
Antineuritic	
Antioxidant 100 ppm	Martindale's 28th
Antioxidant (LDL) IC50=4 uM	
Antiperiodontic MIC=50-200 ug/ml	
Antiplaque MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, I., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, Bull Tokyo Dent. Coll., 31 (1), 1990, 17-21
Antiradicular EC=60	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antirheumatic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antisalmonella	
Antiseptic 20 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antispasmodic	
Antistaphylococcic	
Antistreptococcic MIC=200-400 ug/ml	
Antitrichinosis 5%	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antitussive	Iwu, M.M. 1993. Handbook of African Medicinal Plants. CRC Press, Boca Raton, FL 435 pp.
Ataxigenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Candidicide 100 ug/ml (>Nystatin)	
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Counterirritant	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Culicide LC50=36-49 mg/l	
Cyclooxygenase-Inhibitor (=indomethacin)	
Dentifrice	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Deodorant	Martindale's 28th
Dermatitigenic	
Enterorelaxant	J. Aromatherapy 4: 22.
Enterotoxic	Wichtl, M. 1984. Teedrogen. Ein Handbuch fur Apotheker und Arzte. Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Flavor FEMA 2-100	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Merck 11th Edition
Gastroirritant	Martindale's 29th
Gram(+)icide MIC=200-400 ug/ml	
Gram(-)icide MIC=50-200 ug/ml	
Insecticide LC50=36-49 mg/l	
Insecticide 0.22 uM/fly	
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Larvicide 10 ppm	Berenbaum, M. R., The natives knew, Chemtech, (May), 1990, 275-279.
Larvicide 58 ppm	
Larvicide LC50=36-49 mg/l	
Molluscicide	
Myorelaxant	J. Aromatherapy 4: 22.
Nematicide MLC=0.1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Sprout-Inhibitor	Duke, J.A.. Personal Communication.

Tracheorelaxant	
Trichomonicide LD100=25 ug/ml	
Urinary-Antiseptic	Williamson, E. M. and Evans, F. J., <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> , Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Varroacide	
Vermicide	Madaus, G. 1976. <i>Lehrbuch der Biologischen Hilfsmittel</i> . Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.

THYMOL Shoot -- 1240.0 -0.0 Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of *Origanum sipyleum* of Turkish Origin. *J. Ess. Oil Res.* 4: 139-142.

Activities (71)

Acaricide	
Allergenic	
Analgesic	Madaus, G. 1976. <i>Lehrbuch der Biologischen Hilfsmittel</i> . Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Ancylostomicide	Madaus, G. 1976. <i>Lehrbuch der Biologischen Hilfsmittel</i> . Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anesthetic	Madaus, G. 1976. <i>Lehrbuch der Biologischen Hilfsmittel</i> . Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Ankylostomacide	Madaus, G. 1976. <i>Lehrbuch der Biologischen Hilfsmittel</i> . Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anthelmintic	Williamson, E. M. and Evans, F. J., <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> , Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Antiaggregant IC50=0.75	Tramil, 42: 511.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antiarthritic	Madaus, G. 1976. <i>Lehrbuch der Biologischen Hilfsmittel</i> . Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antiatherosclerotic IC50=4 uM	
Antibacterial MIC=50-400 ug/ml	
Antibronchitic	Madaus, G. 1976. <i>Lehrbuch der Biologischen Hilfsmittel</i> . Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Anticariogenic MIC=200-400 ug/ml	
Anticholinesterase	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antihalitotic	American Health, 12(4): 17, 1993.
Antiherpetic	Martindale's 28th
Antiinflammatory (=indomethacin)	
Antileptic	Madaus, G. 1976. <i>Lehrbuch der Biologischen Hilfsmittel</i> . Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antimelanomic IC50=120 uM/l	
Antineuritic	
Antioxidant 100 ppm	Martindale's 28th
Antioxidant (LDL) IC50=4 uM	
Antiperiodontic MIC=50-200 ug/ml	
Anti plaque MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, I., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, <i>Bull Tokyo Dent. Coll.</i> , 31 (1), 1990, 17-21
Antiradicular EC=60	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. <i>JEO5</i> : 153-8.
Antirheumatic	Williamson, E. M. and Evans, F. J., <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> , Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antisalmonella	
Antiseptic 20 x phenol	Wagner & Wolff, eds. 1977. <i>New Natural Products</i> (RS164. I56. 176)
Antispasmodic	
Antistaphylococcic	
Antistreptococcic MIC=200-400 ug/ml	
Antitrichinosic 5%	Madaus, G. 1976. <i>Lehrbuch der Biologischen Hilfsmittel</i> . Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antitussive	Iwu, M.M. 1993. <i>Handbook of African Medicinal Plants</i> . CRC Press, Boca Raton, FL 435 pp.
Ataxigenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. <i>Compendium of Safety Data Sheets for Research and Industrial Chemicals</i> . VCH Publishers, New York. 3560-4253.
Candidicidic 100 ug/ml (>Nystatin)	
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. <i>J. Pharm. Pharmacol.</i> 46: 14-18, 1994.
Counterirritant	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Culicid LC50=36-49 mg/l	

Cyclooxygenase-Inhibitor (=indomethacin)	
Dentifrice	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Deodorant	Martindale's 28th
Dermatitigenic	
Enterorelaxant	J. Aromatherapy 4: 22.
Enterotoxic	Wichtl, M. 1984. Teedrogen. Ein Handbuch fur Apotheker und Arzte. Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
FLavor FEMA 2-100	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Merck 11th Edition
Gastroirritant	Martindale's 29th
Gram(+)icide MIC=200-400 ug/ml	
Gram(-)icide MIC=50-200 ug/ml	
Insecticide LC50=36-49 mg/l	
Insecticide 0.22 uM/fly	
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Larvicide 10 ppm	Berenbaum, M. R., The natives knew, Chemtech, (May), 1990, 275-279.
Larvicide 58 ppm	
Larvicide LC50=36-49 mg/l	
Molluscicide	
Myorelaxant	J. Aromatherapy 4: 22.
Nematicide MLC=0.1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Sprout-Inhibitor	Duke, J.A.. Personal Communication.
Tracheorelaxant	
Trichomonicide LD100=25 ug/ml	
Urinary-Antiseptic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Varroacide	
Vermicide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.

THYMOL-METHYL-ETHER	Shoot	--	--		Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
THYMOL-METHYL-ETHER	Shoot	--	155.0	0.07	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
THYMOL-METHYL-ETHER	Shoot	--	410.0	1.77	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
THYMOL-METHYL-ETHER	Shoot	--	155.0	0.07	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
TRICYCLEN	Shoot	--	--		Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
TRICYCLEN	Shoot	--	30.0	-0.18	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
TRICYCLEN	Shoot	--	20.0	-0.21	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
TRICYCLEN	Shoot	--	30.0	-0.18	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of Origanum sipyleum of Turkish Origin. J. Ess. Oil Res. 4: 139-142.