

# List of All Chemicals

## **P** Psoralea corylifolia (Fabaceae)

### Common name(s)

Malaya Tea; Babchi; Black Dot

### How used

Medicinal

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part All ▾	Low PPM	High PPM	StdDev	*Reference
(+)-BAKUCHIOL	Fruit	--	--		*
1-DEHYDRO-3-HYDROXYBAKUCHIOL	Seed	--	425.0		*
2',4-DIHYDROXY-4'-METHOXY-5'-FORMYLCHALCONE	Seed	--	--		*
2,3-EPOXYBAKUCHIOL	Seed	--	475.0		*
3-C-PRENYL-DAIDZEIN	Seed	--	--		=ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp
3-DEHYDRO-2-HYDROXYBAKUCHIOL	Seed	--	275.0		*
4',5'-(2,2'-DIMETHYLCHROMENO)-ISOLIQUIRITIGENIN	Seed	--	--		=ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp
4-HYDROXY-BENZOIC-ACID	Seed	--	1.3		*
4-O-METHYLBAVACHALCONE	Seed	--	--		=ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp
4-TERPINEOL	Seed	--	--		=ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp
<b>Activities (8)</b>					
Antiasthmatic					
Antioxidant					
Antiradicular					
Diuretic	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.				
FLavor FEMA 20-100	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Insectifuge	Bowers, W.S., Ortego, F., You, X., and Evans, P.H. Insect Repellents From The Chinese Prickly Ash Zanthoxylum bungeanum. Journal of Natural Products, 56(6): 935-938, 1993.				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Pesticide					
5'-FORMYL-2',4'-DIHYDROXY-4'-METHOXY-CHALCONE	Plant	--	--		*
7-O-METHYLBAVACHIN	Seed	--	--		=ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp
ALPHA-ELEMENE	Seed	--	--		=ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp

**Activities (32)**

Antialzheimeran	
Antianginal	
Antiarthritic	
Antiasthmatic	
Antiatherosclerotic	Soumyanath, A. Ed. 2006. Traditional Medicines for Modern Times - Antidiabetic Plants. CRC Press, Taylor & Francis Group. Boca Raton, FL. 314 pp.
Anticancer	
Anticataract	
Anticonvulsant Synergen	
Antidementia	
Antidiabetic	Soumyanath, A. Ed. 2006. Traditional Medicines for Modern Times - Antidiabetic Plants. CRC Press, Taylor & Francis Group. Boca Raton, FL. 314 pp.
Antiinfarctal	Soumyanath, A. Ed. 2006. Traditional Medicines for Modern Times - Antidiabetic Plants. CRC Press, Taylor & Francis Group. Boca Raton, FL. 314 pp.
Antiinfertility	
Antiischemic	
Antimaculitic	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antineuropathic	
Antioxidant 5 x quercetin	
Antioxidant IC34=10 uM	
Antiparkinsonian	
Antiradicular 5 x quercetin	
Antiretinotic	
Antirheumatic	
Antistroke	
Antitumor	
Antitumor (Bladder)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antitumor-Promoter	
Cancer-Preventive	
Cardioprotective	
Circulotonic	
Immunomodulator	

ANGELICIN Seed 566.0 4300.0 \*

**Activities (17)**

Antiaflatoxin IC50=1.83 uM	
Antiaflatoxin 0.34 ppm	
Anticonvulsant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antimutagenic IC50=1.83 uM	
Antimutagenic 0.34 ppm	
Antispasmodic ED=20	
Antiviral	
CNS-Depressant ED=20-80	
Cytotoxic	
Hepatoprotective IC50=1.83 uM	
Hepatoprotective 0.34 ppm	
Hypotensive ED=20-50 iv	
Myorelaxant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Photoactive	Economic & Medicinal Plant Research, 5: 199.
Phototoxic	
Sedative ED=20-80	

ANGELICIN Cotyledon -- -- \*

**Activities (17)**

Antiaflatoxin IC50=1.83 uM  
 Antiaflatoxin 0.34 ppm  
 Anticonvulsant  
 Antiflu Economic & Medicinal Plant Research, 5: 195.  
 Antimutagenic IC50=1.83 uM  
 Antimutagenic 0.34 ppm  
 Antispasmodic ED=20  
 Antiviral  
 CNS-Depressant ED=20-80  
 Cytotoxic  
 Hepatoprotective IC50=1.83 uM  
 Hepatoprotective 0.34 ppm  
 Hypotensive ED=20-50 iv  
 Myorelaxant Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.  
 Photoactive Economic & Medicinal Plant Research, 5: 199.  
 Phototoxic  
 Sedative ED=20-80

ANGELICIN Root -- -- \*

**Activities (17)**

Antiaflatoxin IC50=1.83 uM  
 Antiaflatoxin 0.34 ppm  
 Anticonvulsant  
 Antiflu Economic & Medicinal Plant Research, 5: 195.  
 Antimutagenic IC50=1.83 uM  
 Antimutagenic 0.34 ppm  
 Antispasmodic ED=20  
 Antiviral  
 CNS-Depressant ED=20-80  
 Cytotoxic  
 Hepatoprotective IC50=1.83 uM  
 Hepatoprotective 0.34 ppm  
 Hypotensive ED=20-50 iv  
 Myorelaxant Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.  
 Photoactive Economic & Medicinal Plant Research, 5: 199.  
 Phototoxic  
 Sedative ED=20-80

ANGELICIN Hull Husk -- -- \*

**Activities (17)**

Antiaflatoxin IC50=1.83 uM  
 Antiaflatoxin 0.34 ppm  
 Anticonvulsant  
 Antiflu Economic & Medicinal Plant Research, 5: 195.  
 Antimutagenic IC50=1.83 uM  
 Antimutagenic 0.34 ppm  
 Antispasmodic ED=20  
 Antiviral  
 CNS-Depressant ED=20-80  
 Cytotoxic  
 Hepatoprotective IC50=1.83 uM  
 Hepatoprotective 0.34 ppm  
 Hypotensive ED=20-50 iv  
 Myorelaxant Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.  
 Photoactive Economic & Medicinal Plant Research, 5: 199.  
 Phototoxic  
 Sedative ED=20-80

ANGELICIN Pericarp -- -- \*

Activities (17)					
Antiaflatoxin IC50=1.83 uM					
Antiaflatoxin 0.34 ppm					
Anticonvulsant					
Antiflu				Economic & Medicinal Plant Research, 5: 195.	
Antimutagenic IC50=1.83 uM					
Antimutagenic 0.34 ppm					
Antispasmodic ED=20					
Antiviral					
CNS-Depressant ED=20-80					
Cytotoxic					
Hepatoprotective IC50=1.83 uM					
Hepatoprotective 0.34 ppm					
Hypotensive ED=20-50 iv					
Myorelaxant				Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.	
Photoactive				Economic & Medicinal Plant Research, 5: 199.	
Phototoxic					
Sedative ED=20-80					

ANGELICIN                      Leaf                      --                      --                      \*

Activities (17)					
Antiaflatoxin IC50=1.83 uM					
Antiaflatoxin 0.34 ppm					
Anticonvulsant					
Antiflu				Economic & Medicinal Plant Research, 5: 195.	
Antimutagenic IC50=1.83 uM					
Antimutagenic 0.34 ppm					
Antispasmodic ED=20					
Antiviral					
CNS-Depressant ED=20-80					
Cytotoxic					
Hepatoprotective IC50=1.83 uM					
Hepatoprotective 0.34 ppm					
Hypotensive ED=20-50 iv					
Myorelaxant				Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.	
Photoactive				Economic & Medicinal Plant Research, 5: 199.	
Phototoxic					
Sedative ED=20-80					

ASTRAGALIN                      Seed                      --                      2.1                      -1.0                      \*

Activities (7)					
ACE-Inhibitor ID50=180 ug/ml rat (24 hr.)					
Aldose-Reductase-Inhibitor IC30=1 uM					
Aldose-Reductase-Inhibitor IC62=10 uM				Shimizu, M., Ito, T., Terashima, S., Hayashi, T., Arisawa, M., Morita, N., Kurokawa, S., Ito, K., and Hashimoto, Y. 1984. Inhibition of Lens Aldose Reductase by Flavonoids. <i>Phytochemistry</i> , 23: 1885-1888.	
Antileukemic					
Expectorant					
Hypotensive				Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. <i>Chem. Pharm. Bull.</i> 38(4): 1049-1052, 1990.	
Immunostimulant					

BAKUCHALCONE                      Seed                      --                      8.3                      \*

BAKUCHALKONE                      Seed                      --                      --                      =ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp

BAKUCHICHIN                      Seed                      --                      --                      Sun, N. J., Woo, S. H., Cassady, J. M., Snapka, R. M. 1998. DNA Polymerase and Topoisomerase II Inhibitors From *Psoralea corylifolia*. *J Natural Products*, 61: 362-366.

BAKUCHICIN                      Fruit                      --                      5033.0                      \*

Activities (1)					
Topoisomerase-II-Inhibitor IC50=404 uM				Sun, N. J., Woo, S. H., Cassady, J. M., Snapka, R. M. 1998. DNA Polymerase and Topoisomerase II Inhibitors From <i>Psoralea corylifolia</i> . <i>J Natural Products</i> , 61: 362-366.	

BAKUCHICIN	Seed	--	992.0	*
<b>Activities (1)</b>				
Topoisomerase-II-Inhibitor IC50=404 uM	Sun, N. J., Woo, S. H., Cassady, J. M., Snapka, R. M. 1998. DNA Polymerase and Topoisomerase II Inhibitors From <i>Psoralea corylifolia</i> . <i>J Natural Products</i> , 61: 362-366.			
BAKUCHIOL	Fruit	--	1967.0	*
<b>Activities (15)</b>				
Antibacterial IC50=16->500 ug/ml				
Anticariogenic 20 ug/ml				
Antienterococcic 20 ug/ml				
Antiflu	Economic & Medicinal Plant Research, 5: 195.			
Antigingivitic 20 ug/ml				
Antilactobacillic 20 ug/ml				
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.			
Antistaphylococcic				
Antistreptococcic 20 ug/ml				
Antitubercular IC50=16->500 ug/ml				
Antiviral	Economic & Medicinal Plant Research, 5: 195.			
Juvabional	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.			
Mycobactericide IC50=16->500 ug/ml				
NO-Synthase-Inhibitor				
Pesticide				
BAKUCHIOL	Root	--	--	*
<b>Activities (15)</b>				
Antibacterial IC50=16->500 ug/ml				
Anticariogenic 20 ug/ml				
Antienterococcic 20 ug/ml				
Antiflu	Economic & Medicinal Plant Research, 5: 195.			
Antigingivitic 20 ug/ml				
Antilactobacillic 20 ug/ml				
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.			
Antistaphylococcic				
Antistreptococcic 20 ug/ml				
Antitubercular IC50=16->500 ug/ml				
Antiviral	Economic & Medicinal Plant Research, 5: 195.			
Juvabional	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.			
Mycobactericide IC50=16->500 ug/ml				
NO-Synthase-Inhibitor				
Pesticide				
BAKUCHIOL	Seed	1.2	54500.0	*
<b>Activities (15)</b>				
Antibacterial IC50=16->500 ug/ml				
Anticariogenic 20 ug/ml				
Antienterococcic 20 ug/ml				
Antiflu	Economic & Medicinal Plant Research, 5: 195.			
Antigingivitic 20 ug/ml				
Antilactobacillic 20 ug/ml				
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.			
Antistaphylococcic				
Antistreptococcic 20 ug/ml				
Antitubercular IC50=16->500 ug/ml				
Antiviral	Economic & Medicinal Plant Research, 5: 195.			
Juvabional	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.			
Mycobactericide IC50=16->500 ug/ml				
NO-Synthase-Inhibitor				
Pesticide				
BAKUCHIOL-ACETATE	Fruit	--	--	*
BAVACHALKONE	Seed	--	--	List, P.H. and Horhammer, L., <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

BAVACHIN	Seed	--	8.0	*
<b>Activities (1)</b>				
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.			
BAVACHININ	Seed	--	--	*
<b>Activities (2)</b>				
Antiedemic				
Antiinflammatory				
BAVACHROMANOL	Seed	--	--	*
BAVACHROMENE	Seed	--	--	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
BAVACOUMESTAN-A	Seed	--	7.6	*
BAVACOUMESTAN-B	Seed	--	2.2	*
BETA-CARYOPHYLLENE-OXIDE	Seed	--	--	=ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp
BETA-SITOSTEROL	Root	--	--	*

**Activities (47)**

Androgenic	
Angiogenic	
Anorexic	Martindale's 28th
Antiadenomic	Merck 11th Edition
Antiandrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. Journal of Ethnopharmacology, 28: 221-234, 1990.
Antibacterial	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 155.
Anticancer (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from Vaccinium myrtillus (Bilberry) Fruits and Cell Cultures. Plant Sci., 131(1): 95-103.
Anticancer (Cervix)	
Anticancer (Lung)	
Antiedemic IC54=320 mg/kg orl	
Antiestrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. Journal of Ethnopharmacology, 28: 221-234, 1990.
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antifertility	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. Journal of Ethnopharmacology, 28: 221-234, 1990.
Antigonadotrophic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. Journal of Ethnopharmacology, 28: 221-234, 1990.
Antihyperlipoproteinaemic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiinflammatory	
Antileukemic	
Antilymphomic	
Antimutagenic 250 ug/ml	
Antiophidic 2.3 mg mus	Economic & Medicinal Plant Research, 5: 363.
Antioxidant IC44=10 uM	
Antiprogestational	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. Journal of Ethnopharmacology, 28: 221-234, 1990.
Antiprostaglandin 30 mg/day/12 wks	
Antiprostadenomic	Merck 11th Edition
Antiprostatic 10-20 mg 3 x/day/orl man	
Antipyretic	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.
Antitumor (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from Vaccinium myrtillus (Bilberry) Fruits and Cell Cultures. Plant Sci., 131(1): 95-103.
Antitumor (Cervix)	
Antitumor (Lung)	
Antiviral	Abid Ali Khan, M.M., Jain, D.C., Bhakuni, R.S., Zaim, M., and Thakur, R.S. 1991. Occurrence of some antiviral sterols in Artemisia annua. Plant Science, 75: 161-165, 1991.
Apoptotic	
Artemicide LC50=110 ppm	Jung, J.H., Pummangura, S., Chaichantipyuth, c., Patarapanich, C., and McLaughlin, J.L. 1989. Bioactive Constituents of Melodorum fruticosum. Phytochemistry. 29(5): 1667-1670. 1990.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 155.
Caspase-8-Inducer	
Estrogenic	
Febrifuge	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.
Gonadotrophic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. Journal of Ethnopharmacology, 28: 221-234, 1990.
Hepatoprotective	
Hypocholesterolemic 2-6 g/man/day/orl	Martindale's 30th
Hypocholesterolemic 9-3,330 mg/man/day/orl	Martindale's 28th
Hypoglycemic	Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. Journal of Ethnopharmacology, 27: 243-275, 1989.
Hypolipidemic 2-6 g/day	
Pesticide	
Spermicide	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. Journal of Ethnopharmacology, 28: 221-234, 1990.
Ubiquiot	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Ulcerogenic 500 mg/kg ipr rat	

BETA-SITOSTEROL-D-GLUCOSIDE      Seed      --      --      =ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp

Activities (6)				
Antispasmodic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. Journal of Ethnopharmacology, 28: 221-234, 1990.			
Antitumor				
CNS-Depressant	Rizk, A.F.M. and Al-Nowaihi, A.S., The Phytochemistry of the Horticultural Plants of Qatar, Scientific and Applied Research Centre, University of Qatar.			
CNS-Stimulant				
Convulsant				
Hypoglycemic				

CORYLIDIN	Seed	12.0	75.0	*
CORYLIDINE	Seed	--	--	*
CORYLIPOLEAN	Seed	--	--	=ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp
CORYLIFOLIN	Seed	--	--	*

Activities (5)				
Antiischemic				
Antiretinopathic				
Cardiac	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.			
Myocontractant 1-10 ppm	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.			
Vasodilator 1-10 ppm	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.			

CORYLIFOLININ	Seed	--	1.2	*
---------------	------	----	-----	---

Activities (2)				
Antiischemic				
Antiretinopathic				

CORYLIFONOL	Seed	--	2.1	*
CORYLIN	Seed	--	--	*
CORYLIN	Fruit	--	--	*
CORYLINAL	Seed	--	10.0	*
CORYLNAL	Seed	--	--	*
COUMARIN	Seed	--	--	*

Activities (57)				
Aldose-Reductase-Inhibitor 10 ug/ml cow (weak activity, 11% inhibition)	Okada,Y,et al.1995.Search for Naturally Occurring Substances to Prevent the Complications of Diabetes.II.Inhibitory Effect of Coumarin and Flavonoid Derivatives on Bovine Lens Aldose Reductase and Rabbit Platelet Aggregation.Chem Pharm Bull43(8):1385-1387			
Allelochemic IC100=2 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.			
Analgesic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.			
Anesthetic				
Antiaggregant				
Antiandrogenic	Planta Medica, 56(6): 671, 1990.			
Antibrucellosis	Gawron, A., Gorski*, G., Glowniak**, K. 1989. Increased proliferation of phytohaemagglutinin (PHA)-stimulated human leucocytes after 8-methoxy psoralen treatment. J. Pharm. Pharmacol. 42: 194-195, 1990.			
Anticancer (Kidney) 400-7,000 mg/day	Mills, Simon and Bone, Kerry. 2000. Phytotherapy. Churchill Livingstone, Edinburgh.			
Anticancer (Prostate) 400-7,000 mg/day	Mills, Simon and Bone, Kerry. 2000. Phytotherapy. Churchill Livingstone, Edinburgh.			
Antidiuretic				
Antiedemic	Shimizu *M., et al. 1990. Anti-inflammatory Constituents of Topically Applied Crude Drugs. IV.1) Constituents and Anti-inflammatory Effect of Paraguayan Crude Drug 'Alhucema' (Lavandula latifolia Vill.)2). Chem. Pharm. Bull. 38(8): 2283-2284, 1990.			
Antiesherichic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
Antiinflammatory	Shimizu *M., et al. 1990. Anti-inflammatory Constituents of Topically Applied Crude Drugs. IV.1) Constituents and Anti-inflammatory Effect of Paraguayan Crude Drug 'Alhucema' (Lavandula latifolia Vill.)2). Chem. Pharm. Bull. 38(8): 2283-2284, 1990.			
Antilymphedemic	Mills, Simon and Bone, Kerry. 2000. Phytotherapy. Churchill Livingstone, Edinburgh.			
Antimelanomic 50 mg/day				
Antimetastatic 50 mg/man/day	Mills, Simon and Bone, Kerry. 2000. Phytotherapy. Churchill Livingstone, Edinburgh.			
Antimitotic	Pandeya, S.N. 1970. Biological Activity of Adamantyl Derivatives. The Indian Journal of Pharmacy, 33: 7.			
Antimononucleotic	Mills, Simon and Bone, Kerry. 2000. Phytotherapy. Churchill Livingstone, Edinburgh.			
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.			
Antimycoplasmotic	Mills, Simon and Bone, Kerry. 2000. Phytotherapy. Churchill Livingstone, Edinburgh.			
Antipsittacotic	Mills, Simon and Bone, Kerry. 2000. Phytotherapy. Churchill Livingstone, Edinburgh.			



Antipsoriasis	Pandeya, S.N. 1970. Biological Activity of Adamantyl Derivatives. The Indian Journal of Pharmacy, 33: 7.
Antitoxoplasmotic	Mills, Simon and Bone, Kerry. 2000. Phytotherapy. Churchill Livinston, Edinburgh.
Antitumor 50 mg/day	
Antitumor (GI)	
Antitumor (Kidney) 400-7,000 mg/day	Mills, Simon and Bone, Kerry. 2000. Phytotherapy. Churchill Livinston, Edinburgh.
Antitumor (Prostate) 400-7,000 mg/day	Mills, Simon and Bone, Kerry. 2000. Phytotherapy. Churchill Livinston, Edinburgh.
Bacteristat	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Bruchiphobe	
Cancer-Preventive 5-25 ug/ml	Gawron, A. and Glowniak, K. 1987. Cytostatic Activity of Coumarins in vitro. Planta Medica 1987: 526.
Carcinogenic 200 mg/kg orl mus	Mills, Simon and Bone, Kerry. 2000. Phytotherapy. Churchill Livinston, Edinburgh.
Cardiodepressant	
Cardiotonic	
Chemopreventive	
DME-Inhibitor IC50=57.5 uM	Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 134.
Emetic	
Estrogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Fungicide	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Hemorrhagic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Hepatotoxic 0.8-1.71 mM/kg orl rat	
Hepatotoxic 2,500 ppm diet	
Hepatotoxic 100 mg/kg dog	
Hypnotic	Schultes, R.E. De Plantis Toxicariis e Mundo Novo Tropicale Commentationes XXXVI. Justicia (Acanthaceae) as a Source of an Hallucinogenic Snuff. Economic Botany 44(1): 61-70, 1990.
Hypoglycemic 250-1,000 mg/kg orl	Economic & Medicinal Plant Research, 6: 165
Immunostimulant	
Juvabional	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Larvostat	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Lymphocytogenic 100 mg/day	Gawron, A., Gorski*, G., Glowniak**, K. 1989. Increased proliferation of phytohaemagglutinin (PHA)-stimulated human leucocytes after 8-methoxypsoralen treatment. J. Pharm. Pharmacol. 42: 194-195, 1990.
Lymphokinetic	
Narcotic	
Ovicide	
Pesticide	
Phagocytotic	Planta Medica, 56(6): 671, 1990.
Piscicide	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Respirodepressant	
Rodenticide	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Sedative	Schultes, R.E. De Plantis Toxicariis e Mundo Novo Tropicale Commentationes XXXVI. Justicia (Acanthaceae) as a Source of an Hallucinogenic Snuff. Economic Botany 44(1): 61-70, 1990.

COUMESTROL      Root      --      13.0      \*

#### Activities (13)

Antilipedemic ED50=0.4 mg/kg	
Antimicrobial	
Antiosteoporotic 10 mg/kg	
Estrogenic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Fungicide EC50=>100	
Fungicide IC3-4=100 uM	
Hypocholesterolemic ED50=0.4 mg/kg	
Nematicide ED50=10-15 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Nematistat 5-25 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Peroxidase-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Phytoalexin	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Uterotrophic ED50=0.4 mg/kg	

DAIDZEIN      Fruit      --      100.0      \*

**Activities (32)**

Antialcoholic	
Antiarrhythmic	
Anticancer	
Anticephalagic	
Antidipsomanic 150 mg/kg/day	
Antiestrogenic	
Antihemolytic	
Antiinflammatory	
Antileukemic IC50=>10 ug/ml	Life Sciences 55: 1061.
Antimelanomic	
Antimicrobial	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiosteoporotic	
Antioxidant 1/4 quercetin	
Antiproliferative	
Antiradicular 1/4 quercetin	
Antispasmodic	
Antitumor-Promoter	
Antiviral	
Aromatase-Inhibitor IC28=1 uM/l	Journal of Medicinal Food 2: 235.1999.
Cancer-Preventive	
Coronary-Dilator	
Estrogen-Agonist 0.1-1 uM/l	Journal of Medicinal Food 2: 139.1999.
Estrogenic EC50=0.1-25 uM/l	
Fungicide >100	
Hypotensive ivn	Foster, S. and Yue, C-G. 1992. Herbal Emissaries-Bringing Chinese Herbs to the West. Healing Arts Press, Rochester VT. 356 pp.
Lipase-Inhibitor	
Quinone-Reductase-Inducer	Yannai, S., Day, A. J., Williamson, G., Rhodes, M. J. C. 1998. Characterization of Flavonoids as Monofunctional or Bifunctional Inducers of Quinone Reductase in Murine Hepatoma Cell Lines. Food Chem Toxicol, 36(8): 623-630.
Topoisomerase-I-Inhibitor	Santti, R., Makela, S., Strauss, L., Korman, J., Kostian, M. L. 1998. Phytoestrogens: Potential Endocrine Disruptors in Males. Toxicol Ind Health, 14: 223-237.
Topoisomerase-II-Inhibitor IC50=3.9 mM	Sun, N. J., Woo, S. H., Cassady, J. M., Snapka, R. M. 1998. DNA Polymerase and Topoisomerase II Inhibitors From Psoralea corylifolia. J Natural Products, 61: 362-366.
Uterotrophic EC50=0.1-25 uM/l	Journal of Medicinal Food 2: 227.1999.
VEGF-Inhibitor	

DAIDZEIN                      Seed                      --                      540.0                      2.67                      \*

**Activities (32)**

Antialcoholic	
Antiarrhythmic	
Anticancer	
Anticephalagic	
Antidipsomaniac 150 mg/kg/day	
Antiandrogenic	
Antihemolytic	
Antiinflammatory	
Antileukemic IC50=>10 ug/ml	Life Sciences 55: 1061.
Antimelanomic	
Antimicrobial	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiosteoporotic	
Antioxidant 1/4 quercetin	
Antiproliferative	
Antiradicular 1/4 quercetin	
Antispasmodic	
Antitumor-Promoter	
Antiviral	
Aromatase-Inhibitor IC28=1 uM/l	Journal of Medicinal Food 2: 235.1999.
Cancer-Preventive	
Coronary-Dilator	
Estrogen-Agonist 0.1-1 uM/l	Journal of Medicinal Food 2: 139.1999.
Estrogenic EC50=0.1-25 uM/l	
Fungicide >100	
Hypotensive ivn	Foster, S. and Yue, C-G. 1992. Herbal Emissaries-Bringing Chinese Herbs to the West. Healing Arts Press, Rochester VT. 356 pp.
Lipase-Inhibitor	
Quinone-Reductase-Inducer	Yannai, S., Day, A. J., Williamson, G., Rhodes, M. J. C. 1998. Characterization of Flavonoids as Monofunctional or Bifunctional Inducers of Quinone Reductase in Murine Hepatoma Cell Lines. Food Chem Toxicol, 36(8): 623-630.
Topoisomerase-I-Inhibitor	Santti, R., Makela, S., Strauss, L., Korman, J., Kostian, M. L. 1998. Phytoestrogens: Potential Endocrine Disruptors in Males. Toxicol Ind Health, 14: 223-237.
Topoisomerase-II-Inhibitor IC50=3.9 mM	Sun, N. J., Woo, S. H., Cassidy, J. M., Snapka, R. M. 1998. DNA Polymerase and Topoisomerase II Inhibitors From Psoralea corylifolia. J Natural Products, 61: 362-366.
Uterotropic EC50=0.1-25 uM/l	Journal of Medicinal Food 2: 227.1999.
VEGF-Inhibitor	

DAIDZEIN                      Root                      --                      16.0                      -1.0                      \*

**Activities (32)**

Antialcoholic	
Antiarrhythmic	
Anticancer	
Anticephalagic	
Antidipsomonic 150 mg/kg/day	
Antiestrogenic	
Antihemolytic	
Antiinflammatory	
Antileukemic IC50=>10 ug/ml	Life Sciences 55: 1061.
Antimelanomic	
Antimicrobial	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiosteoporotic	
Antioxidant 1/4 quercetin	
Antiproliferative	
Antiradicular 1/4 quercetin	
Antispasmodic	
Antitumor-Promoter	
Antiviral	
Aromatase-Inhibitor IC28=1 uM/l	Journal of Medicinal Food 2: 235.1999.
Cancer-Preventive	
Coronary-Dilator	
Estrogen-Agonist 0.1-1 uM/l	Journal of Medicinal Food 2: 139.1999.
Estrogenic EC50=0.1-25 uM/l	
Fungicide >100	
Hypotensive ivn	Foster, S. and Yue, C-G. 1992. Herbal Emissaries-Bringing Chinese Herbs to the West. Healing Arts Press, Rochester VT. 356 pp.
Lipase-Inhibitor	
Quinone-Reductase-Inducer	Yannai, S., Day, A. J., Williamson, G., Rhodes, M. J. C. 1998. Characterization of Flavonoids as Monofunctional or Bifunctional Inducers of Quinone Reductase in Murine Hepatoma Cell Lines. Food Chem Toxicol, 36(8): 623-630.
Topoisomerase-I-Inhibitor	Santti, R., Makela, S., Strauss, L., Korman, J., Kostian, M. L. 1998. Phytoestrogens: Potential Endocrine Disruptors in Males. Toxicol Ind Health, 14: 223-237.
Topoisomerase-II-Inhibitor IC50=3.9 mM	Sun, N. J., Woo, S. H., Cassady, J. M., Snapka, R. M. 1998. DNA Polymerase and Topoisomerase II Inhibitors From Psoralea corylifolia. J Natural Products, 61: 362-366.
Uterotrophic EC50=0.1-25 uM/l	Journal of Medicinal Food 2: 227.1999.
VEGF-Inhibitor	

DAUCOSTEROL      Root      --      --      \*

**Activities (5)**

Aldose-Reductase-Inhibitor 0.1 mM/l rat (weak activity, 31.9% inhibition)	Fujita, T., Ohira, K., Miyatake, K., Nakano, Y., Nakayama, M. 1995. Inhibitory Effect of Perillosides A and C, Related Monoterpene Glucosides on Aldose Reductase and Their Structure-Activity Relationships. Chem Pharm Bull, 43(6): 920-926.
Antileukemic	
Antispasmodic 20 mg/kg	=ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp
Antitumor	
Hypoglycemic	Economic & Medicinal Plant Research, 6: 158.

EO      Seed      500.0      200000.0      1.98      \*

FAT      Seed      --      100000.0      -0.87      ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.

GENISTEIN      Seed      --      1528.0      -0.28      \*

**Activities (81)**

Abortifacient	Cooper-Driver, G. A., Chemical substances in plants toxic to animals, pp. 213-47 in Rechcigl, M., Jr., ed. CRC Handbook of Naturally Occurring Food Toxicants, CRC Press, Boca Raton, 1983, 339 pp.
Aldose-Reductase-Inhibitor IC50=10 uM	
Alpha-Reductase-Inhibitor IC50=35 uM	
Antiaggregant 1-10 ug/ml	Medline (post 1990 searches filed in my computer)
Antiangiogenic 150 uM	
Antiatherosclerotic	Journal of Medicinal Food 2: 163.1999.
Anticancer (Breast) IC50=2.6-6.7 ug/ml	

Anticarcinomic (Breast) IC50=7640 uM	Medline (post 1990 searches filed in my computer)
Anticlimacteric	Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Antiendocytotic 100 ug/ml	Medline (post 1990 searches filed in my computer)
Antiestrogenic	
Antifertility	
Antihemolytic	
Antiimplantation	
Antiinflammatory	Journal of Medicinal Food 2: 179.1999.
Antiischemic	Medline (post 1990 searches filed in my computer)
Antileukemic >50 ug/ml (185 uM)	
Antileukemic IC50=0.010 ug/ml	Life Sciences 55: 1061.
Antileukotriene IC50=10-15 uM	Medline (post 1990 searches filed in my computer)
Antilymphomic	
Antimelanomic	Medline (post 1990 searches filed in my computer)
Antimicrobial	
Antimitogenic IC50=12 uM	
Antimutagenic ID50=50-100 nM	Maga, J.A. Contribution of Phenolic Compounds to Smoke Flavor. Phenolic Compounds in Food and Their Effects on Health, Ch.13.
Antineuroblastomic	
Antiosteoporotic	
Antioxidant	Phenolic Compounds in Food and Their Effects on Health, 64.
Antiproliferative 5-45 uM	
Antiprostataenomic 8-27 ug/ml	Medline (post 1990 searches filed in my computer)
Antiprostatic IC50=35 uM	
Antispasmodic IC50=34 uM	
Antitumor (Breast)	
Antitumor (GI)	
Antitumor (Ovary)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiulcer?	
Antiviral	
Apoptotic	
Aromatase-Inhibitor IC30=1 uM/l	Journal of Medicinal Food 2: 235.1999.
Calcium-Antagonist 50 uM 9PG	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Cardioprotective	Journal of Medicinal Food 2: 163.1999.
Catechol-O-Methyltransferase-Inhibitor	
Cytotoxic >50 ug/ml (185 uM)	Medline (post 1990 searches filed in my computer)
Cytotoxic IC89=10 ug/ml	Planta Medica, 57: A113, 1991.
DOPA-Decarboxylase-Inhibitor	
Estrogen-Agonist 0.1-1 uM/l	Journal of Medicinal Food 2: 139.1999.
Estrogenic EC50=0.1-25 uM/l	
Flatulent	
Fungicide 2.5 mM	Geibel, M. 1994. Sensitivity of the Fungus <i>Cytospora personii</i> to the Flavonoids of <i>Prunus cerasus</i> . <i>Phytochemistry</i> . 38(3): 599-601. 1995.
Fungicide ED50=50->100	
Fungistat IC34=200 uM	
Histidine-Kinase-Inhibitor IC50=110 uM	Medline (post 1990 searches filed in my computer)
Hypocholesterolemic ED50=0.5 mg/kg	
Immunostimulant 2-20 mg/kg orl mus	
Lipase-Inhibitor	
MAO-Inhibitor IC50=60-140 uM	
MAO-Inhibitor IC50=95	
MDR-Inhibitor 200 uM	Castro, A. F., Altenberg, G. A. 1997. Inhibition of Drug Transport by Genistein in Multidrug-Resistant Cell Expressing P-Glycoprotein. <i>Biochem Pharmacol</i> , 53(1): 89-93.
NADH-Ubiquinone-Oxidoreductase-Inhibitor	
Natriuretic	
Ornithine-Decarboxylase-Inhibitor	

PTK-Inhibitor 10-100 uM				
Peroxidase-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
Pesticide				
Phytoalexin	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.			
Pituitary-sensitizer	Medline (post 1990 searches filed in my computer)			
Quinone-Reductase-Inducer IC50=4.6 ug/ml				
Topoisomerase-I-Inhibitor IC50=250 ppm				
Topoisomerase-I-Inhibitor 1-10 ug/ml	Okura, A., Arakawa, H., Oka, H., Yoshinari, T., Monden, Y. 1988. Effect of Genistein on Topoisomerase Activity and on the Growth of [VAL 12]HA-RAS-Transformed NIH 3T3 Cells. Biochem Biophys Res Commun, 157: 183-189.			
Topoisomerase-II-Inhibitor IC50=1-150 uM				
Topoisomerase-II-Inhibitor 2-7.5 ug/ml				
Topoisomerase-II-Inhibitor IC50=30 ug/ml	Constantinou, A., Mehta, R., Runyan, C., Rao, K., Vaughan, A., Moon, R. 1995. Flavonoids as DNA Topoisomerase Antagonists and Poisons: Structure-Activity Relationships. J Natural Products, 58: 217-225.			
Topoisomerase-II-Inhibitor 20 uM	Markovits, J., et al. 1989. Inhibitory Effects of the Tyrosine Kinase Inhibitor Genistein on Mammalian DNA Topoisomerase II. Cancer Research, 49: 5111-5117.			
Topoisomerase-II-Poison	Journal of Medicinal Food 2: 167.1999.			
Trypanosomastat	Medline (post 1990 searches filed in my computer)			
Tyrosine-Kinase-Inhibitor				
Uterotrophic ED50=0.5 mg/kg				
Uterotrophic EC50=0.1-25 uM/l				
VEGF-Inhibitor				

GERANYL-ACETATE      Seed      --      --      =ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp

#### Activities (5)

Allergenic	
Flavor FEMA 1-20	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Insectiphile	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Sedative	Jim Duke's personal files.

ISOBAVACHALCONE      Seed      --      50.0      \*

#### Activities (2)

Antiaggregant IC50=0.5-65 uM	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.

ISOBAVACHALKONE      Seed      --      50.0      \*

ISOBAVACHIN      Seed      --      --      List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

ISOCORYLIFONOL      Seed      --      --      \*

ISONEOBAVACHALCONE      Seed      --      33.0      \*

ISONEOBAVACHALKONE      Seed      --      --      =ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp

ISOPSORALEN      Seed      --      500.0      \*

#### Activities (8)

Anticonvulsant
Antileukodermic
Antispasmodic
Hypotensive
Myorelaxant
Pesticide
Tranquilizer
Vermifuge

ISOPSORALEN      Fruit      --      --      \*

Activities (8)				
Anticonvulsant				
Antileukodermic				
Antispasmodic				
Hypotensive				
Myorelaxant				
Pesticide				
Tranquilizer				
Vermifuge				

ISOPSORALEN	Root	--	126.0	*
-------------	------	----	-------	---

Activities (8)				
Anticonvulsant				
Antileukodermic				
Antispasmodic				
Hypotensive				
Myorelaxant				
Pesticide				
Tranquilizer				
Vermifuge				

ISOPSORALIDIN	Seed	--	--	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
---------------	------	----	----	--

LIMONENE	Seed	--	--	=ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp
----------	------	----	----	---

**Activities (60)**

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. &amp; Physiol.</i> , 23, 1985, 383-8.
Acaricide LC100=8 uM	
Allelochemic	
Allergenic 1/20th carene	
Antiacetylcholinesterase IC22-26=1.2 mM	
Antiadenomic	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. &amp; Physiol.</i> , 23, 1985, 383-8.
Antiasthmatic	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Anticancer	
Antiesophagitic	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	
Antilithic	
Antilymphomic	
Antimetastatic (Stomach)	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiobesity	
Antiseptic	
Antispasmodic ED50=0.197 mg/ml	Fitoterapia No.59-1984.
Antitumor	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Pancreas)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiviral	
Apoptotic	
Bronchoprotectant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Chemopreventive	
Cholesterolytic	
Detoxicant	
Enterocontractant	J. Aromatherapy 4: 22.
Expectorant	
FLavor	
Fungiphilic	J. Agric. Food Chem. 43: 2283.
Fungistat	
GST-Inducer	
Herbicide IC50=45 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Histaminic	
Immunomodulator	
Insecticide 0.37 uM/fly	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Interleukin-6-Inhibitor	
Irritant	
Lipolytic	
Myorelaxant 50 mg/kg	
NO-Genic	
Nematicide IC=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Ornithine-Decarboxylase-Inhibitor ~750 mg/kg (diet)	
Ozone-Scavenger	
P450-Inducer	
Peristaltic	
Pesticide	
Photosensitizer	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Transdermal	



---

LINALOL	Seed	--	--	*
---------	------	----	----	---

---

LINALOOL	Seed	--	--	=ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp
----------	------	----	----	---

---

**Activities (53)**

Acaricide C90=<15 ul/l (= <15 ppm)	
Allergenic	
Analgesic	
Anesthetic 0.01-1 ug/ml	
Antiacetylcholinesterase	
Antiallergic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antianaphylactic	
Antibacterial MIC=1,600 ug/ml	
Anticariogenic MIC=1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticolic	
Anticonvulsant 200 mg/kg ipr mus	
Antiedemic	
Antiglutamaergic	
Antihistaminic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antiinflammatory	
Antileukemic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antilymphomic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antimange	
Antimite	
Antimutagenic	
Antiseptic 5 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antishock	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (Flores Graminis, Graminis Flos) used in Aromatherapy. J. Ess. Oil Res., 2: 185-191, 1990.
Antiviral	
Barbituate-Synergist	
Bronchorelaxant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
CNS-Depressant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Carminative	
Culicide LC50=156-194 mg/l	
Cytotoxic	
Expectorant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Flavor FEMA 2-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Acta Botanica Sinica, 32: 49.
GABA-nergic	
Hypnotic	
Hypothermic	
Insecticide LC50=156-194 mg/l	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Larvicide LC50=156-194 mg/l	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Prooxidant	Charalambous, G. (Ed.). 1994. Spices, Herbs and Edible Fungi. Elsevier Science B. V. Amsterdam. 764 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Sedative 200 mg/kg ipr mus (1% as active as diazepam)	
Termitifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Trichomonicide LD100=600 ug/ml	
Tumor-Promoter	

N-TRIACONTANE	Seed	--	--	*
NEOBAVACHALCONE	Seed	--	30.0	*

NEOBAVACHALKONE Seed -- -- =ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp

NEOBAVAISOFLAVONE Fruit -- 512.0 \*

**Activities (3)**

Antiaggregant IC50=2.5-62.5 uM  
Antibacterial  
Pesticide

NEOBAVAISOFLAVONE Seed -- 245.0 \*

**Activities (3)**

Antiaggregant IC50=2.5-62.5 uM  
Antibacterial  
Pesticide

PSORALEN Cotyledon -- -- \*

**Activities (31)**

Antidepressant IC50=15-62 uM  
Antileukodermic Merck 11th Edition  
Antimitotic Pandeya, S.N. 1970. Biological Activity of Adamantyl Derivatives. The Indian Journal of Pharmacy, 33: 7.  
Antimutagenic Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.  
Antipsoriac Merck 11th Edition  
Antispasmodic Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.  
Antitubercular Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.  
Antitumor  
Antitumor-Promoter IC13=50 ug/ml  
Antiviral Economic & Medicinal Plant Research, 5: 199.  
Artemicid LC50=5.93 ug/ml Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.  
Bacteriophagicide de Vries, D. J. and Blumberg, P. M., Thermoregulatory effects of resiniferatoxin in the mouse: comparison with capsaicin, Life Sciences, 44, 1989, 711-715.  
Calcium-Antagonist  
Cancer-Preventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.  
Contraceptive  
Cytotoxic ED50=2-30 ug/ml  
Cytotoxic (Breast) ED50=2.21 ug/ml Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.  
Cytotoxic (Colon) ED50=26.84 ug/ml Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.  
Cytotoxic (Lung) ED50=30.38 ug/ml Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.  
Fungicide Merck 11th Edition  
Genotoxic Merck 11th Edition  
Hypotensive  
Insecticide Grenand, P., Moretti, C., and Jacquemin, H. 1987. Pharmacopees Traditionnelles en Guyane. l'ORSTROM, Paris. 569 pp.  
MAO-A-Inhibitor IC50=15 uM  
MAO-B-Inhibitor IC50=62 uM  
Mutagenic Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.  
Pesticide  
Photocarcinogenic  
Phototoxic  
Phytoalexin Merck 11th Edition  
Topoisomerase-II-Inhibitor ID50=10 mM Hu, C. Q., Lee, K. S. 1992. Coumarins From the Roots of Seseli mairei and Inhibition of DNA Topoisomerase II Activity. Tianran Chanwu Yanjiu Yu Kaifa, 4: 6-10.

PSORALEN Pericarp -- -- \*

**Activities (31)**

Antidepressant IC50=15-62 uM	
Antileukodermic	Merck 11th Edition
Antimitotic	Pandeya, S.N. 1970. Biological Activity of Adamantyl Derivatives. The Indian Journal of Pharmacy, 33: 7.
Antimutagenic	Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.
Antipsoriac	Merck 11th Edition
Antispasmodic	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Antitubercular	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antitumor	
Antitumor-Promoter IC13=50 ug/ml	
Antiviral	Economic & Medicinal Plant Research, 5: 199.
Artemicide LC50=5.93 ug/ml	Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.
Bacteriophagicide	de Vries, D. J. and Blumberg, P. M., Thermoregulatory effects of resiniferatoxin in the mouse: comparison with capsaicin, Life Sciences, 44, 1989, 711-715.
Calcium-Antagonist	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Contraceptive	
Cytotoxic ED50=2-30 ug/ml	
Cytotoxic (Breast) ED50=2.21 ug/ml	Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.
Cytotoxic (Colon) ED50=26.84 ug/ml	Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.
Cytotoxic (Lung) ED50=30.38 ug/ml	Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.
Fungicide	Merck 11th Edition
Genotoxic	Merck 11th Edition
Hypotensive	
Insecticide	Grenand, P., Moretti, C., and Jacquemin, H. 1987. Pharmacopees Traditionnelles en Guyane. l'ORSTROM, Paris. 569 pp.
MAO-A-Inhibitor IC50=15 uM	
MAO-B-Inhibitor IC50=62 uM	
Mutagenic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Photocarcinogenic	
Phototoxic	
Phytoalexin	Merck 11th Edition
Topoisomerase-II-Inhibitor ID50=10 mM	Hu, C. Q., Lee, K. S. 1992. Coumarins From the Roots of Seseli mairei and Inhibition of DNA Topoisomerase II Activity. Tianran Chanwu Yanjiu Yu Kaifa, 4: 6-10.

PSORALEN                      Fruit                      --                      9867.0                      2.24                      \*

**Activities (31)**

Antidepressant IC50=15-62 uM

Antileukodermic

Merck 11th Edition

Antimitotic

Pandeya, S.N. 1970. Biological Activity of Adamantyl Derivatives. The Indian Journal of Pharmacy, 33: 7.

Antimutagenic

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Antipsoriac

Merck 11th Edition

Antispasmodic

Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Antitubercular

Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor &amp; Frost, London. 791 pp.

Antitumor

Antitumor-Promoter IC13=50 ug/ml

Antiviral

Economic &amp; Medicinal Plant Research, 5: 199.

Artemicide LC50=5.93 ug/ml

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Bacteriophagicide

de Vries, D. J. and Blumberg, P. M., Thermoregulatory effects of resiniferatoxin in the mouse: comparison with capsaicin, Life Sciences, 44, 1989, 711-715.

Calcium-Antagonist

Cancer-Preventive

Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Contraceptive

Cytotoxic ED50=2-30 ug/ml

Cytotoxic (Breast) ED50=2.21 ug/ml

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Cytotoxic (Colon) ED50=26.84 ug/ml

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Cytotoxic (Lung) ED50=30.38 ug/ml

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Fungicide

Merck 11th Edition

Genotoxic

Merck 11th Edition

Hypotensive

Insecticide

Grenand, P., Moretti, C., and Jacquemin, H. 1987. Pharmacopees Traditionnelles en Guyane. l'ORSTROM, Paris. 569 pp.

MAO-A-Inhibitor IC50=15 uM

MAO-B-Inhibitor IC50=62 uM

Mutagenic

Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor &amp; Frost, London. 791 pp.

Pesticide

Photocarcinogenic

Phototoxic

Phytoalexin

Merck 11th Edition

Topoisomerase-II-Inhibitor ID50=10 mM

Hu, C. Q., Lee, K. S. 1992. Coumarins From the Roots of Seseli mairei and Inhibition of DNA Topoisomerase II Activity. Tianran Chanwu Yanjiu Yu Kaifa, 4: 6-10.

PSORALEN

Leaf

--

--

\*

**Activities (31)**

Antidepressant IC50=15-62 uM

Antileukodermic

Merck 11th Edition

Antimitotic

Pandeya, S.N. 1970. Biological Activity of Adamantyl Derivatives. The Indian Journal of Pharmacy, 33: 7.

Antimutagenic

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Antipsoriac

Merck 11th Edition

Antispasmodic

Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Antitubercular

Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor &amp; Frost, London. 791 pp.

Antitumor

Antitumor-Promoter IC13=50 ug/ml

Antiviral

Economic &amp; Medicinal Plant Research, 5: 199.

Artemicide LC50=5.93 ug/ml

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Bacteriophagicide

de Vries, D. J. and Blumberg, P. M., Thermoregulatory effects of resiniferatoxin in the mouse: comparison with capsaicin, Life Sciences, 44, 1989, 711-715.

Calcium-Antagonist

Cancer-Preventive

Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Contraceptive

Cytotoxic ED50=2-30 ug/ml

Cytotoxic (Breast) ED50=2.21 ug/ml

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Cytotoxic (Colon) ED50=26.84 ug/ml

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Cytotoxic (Lung) ED50=30.38 ug/ml

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Fungicide

Merck 11th Edition

Genotoxic

Merck 11th Edition

Hypotensive

Insecticide

Grenand, P., Moretti, C., and Jacquemin, H. 1987. Pharmacopees Traditionnelles en Guyane. l'ORSTROM, Paris. 569 pp.

MAO-A-Inhibitor IC50=15 uM

MAO-B-Inhibitor IC50=62 uM

Mutagenic

Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor &amp; Frost, London. 791 pp.

Pesticide

Photocarcinogenic

Phototoxic

Phytoalexin

Merck 11th Edition

Topoisomerase-II-Inhibitor ID50=10 mM

Hu, C. Q., Lee, K. S. 1992. Coumarins From the Roots of Seseli mairei and Inhibition of DNA Topoisomerase II Activity. Tianran Chanwu Yanjiu Yu Kaifa, 4: 6-10.

PSORALEN	Seed	792.0	5000.0	1.41	*
----------	------	-------	--------	------	---

**Activities (31)**

Antidepressant IC50=15-62 uM

Antileukodermic

Merck 11th Edition

Antimitotic

Pandeya, S.N. 1970. Biological Activity of Adamantyl Derivatives. The Indian Journal of Pharmacy, 33: 7.

Antimutagenic

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Antipsoriac

Merck 11th Edition

Antispasmodic

Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Antitubercular

Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor &amp; Frost, London. 791 pp.

Antitumor

Antitumor-Promoter  
IC13=50 ug/ml

Antiviral

Economic &amp; Medicinal Plant Research, 5: 199.

Artemicide LC50=5.93  
ug/ml

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Bacteriophagicide

de Vries, D.J. and Blumberg, P. M., Thermoregulatory effects of resiniferatoxin in the mouse: comparison with capsaicin, Life Sciences, 44, 1989, 711-715.

Calcium-Antagonist

Cancer-Preventive

Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Contraceptive

Cytotoxic ED50=2-30  
ug/mlCytotoxic (Breast)  
ED50=2.21 ug/ml

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Cytotoxic (Colon)  
ED50=26.84 ug/ml

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Cytotoxic (Lung)  
ED50=30.38 ug/ml

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Fungicide

Merck 11th Edition

Genotoxic

Merck 11th Edition

Hypotensive

Insecticide

Grenand, P., Moretti, C., and Jacquemin, H. 1987. Pharmacopees Traditionnelles en Guyane. l'ORSTROM, Paris. 569 pp.

MAO-A-Inhibitor IC50=15  
uMMAO-B-Inhibitor IC50=62  
uM

Mutagenic

Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor &amp; Frost, London. 791 pp.

Pesticide

Photocarcinogenic

Phototoxic

Phytoalexin

Merck 11th Edition

Topoisomerase-II-Inhibitor  
ID50=10 mM

Hu, C. Q., Lee, K. S. 1992. Coumarins From the Roots of Seseli mairei and Inhibition of DNA Topoisomerase II Activity. Tianran Chanwu Yanjiu Yu Kaifa, 4: 6-10.

PSORALEN

Hull Husk

--

--

\*

**Activities (31)**

Antidepressant IC50=15-62 uM	
Antileukodermic	Merck 11th Edition
Antimitotic	Pandeya, S.N. 1970. Biological Activity of Adamantyl Derivatives. The Indian Journal of Pharmacy, 33: 7.
Antimutagenic	Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.
Antipsoriac	Merck 11th Edition
Antispasmodic	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Antitubercular	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antitumor	
Antitumor-Promoter IC13=50 ug/ml	
Antiviral	Economic & Medicinal Plant Research, 5: 199.
Artemicide LC50=5.93 ug/ml	Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.
Bacteriophagicide	de Vries, D. J. and Blumberg, P. M., Thermoregulatory effects of resiniferatoxin in the mouse: comparison with capsaicin, Life Sciences, 44, 1989, 711-715.
Calcium-Antagonist	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Contraceptive	
Cytotoxic ED50=2-30 ug/ml	
Cytotoxic (Breast) ED50=2.21 ug/ml	Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.
Cytotoxic (Colon) ED50=26.84 ug/ml	Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.
Cytotoxic (Lung) ED50=30.38 ug/ml	Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.
Fungicide	Merck 11th Edition
Genotoxic	Merck 11th Edition
Hypotensive	
Insecticide	Grenand, P., Moretti, C., and Jacquemin, H. 1987. Pharmacopees Traditionnelles en Guyane. l'ORSTROM, Paris. 569 pp.
MAO-A-Inhibitor IC50=15 uM	
MAO-B-Inhibitor IC50=62 uM	
Mutagenic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Photocarcinogenic	
Phototoxic	
Phytoalexin	Merck 11th Edition
Topoisomerase-II-Inhibitor ID50=10 mM	Hu, C. Q., Lee, K. S. 1992. Coumarins From the Roots of Seseli mairei and Inhibition of DNA Topoisomerase II Activity. Tianran Chanwu Yanjiu Yu Kaifa, 4: 6-10.

PSORALEN                      Root                      --                      103.0                      0.66                      \*



**Activities (31)**

Antidepressant IC50=15-62 uM

Antileukodermic

Merck 11th Edition

Antimitotic

Pandeya, S.N. 1970. Biological Activity of Adamantyl Derivatives. The Indian Journal of Pharmacy, 33: 7.

Antimutagenic

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Antipsoriac

Merck 11th Edition

Antispasmodic

Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Antitubercular

Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Antitumor

Antitumor-Promoter IC13=50 ug/ml

Antiviral

Economic & Medicinal Plant Research, 5: 199.

Artemicide LC50=5.93 ug/ml

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Bacteriophagicide

de Vries, D. J. and Blumberg, P. M., Thermoregulatory effects of resiniferatoxin in the mouse: comparison with capsaicin, Life Sciences, 44, 1989, 711-715.

Calcium-Antagonist

Cancer-Preventive

Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Contraceptive

Cytotoxic ED50=2-30 ug/ml

Cytotoxic (Breast) ED50=2.21 ug/ml

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Cytotoxic (Colon) ED50=26.84 ug/ml

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Cytotoxic (Lung) ED50=30.38 ug/ml

Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of Zanthoxylum americanum. Phytotherapy Research 4(6): 216-219.

Fungicide

Merck 11th Edition

Genotoxic

Merck 11th Edition

Hypotensive

Insecticide

Grenand, P., Moretti, C., and Jacquemin, H. 1987. Pharmacopees Traditionnelles en Guyane. l'ORSTROM, Paris. 569 pp.

MAO-A-Inhibitor IC50=15 uM

MAO-B-Inhibitor IC50=62 uM

Mutagenic

Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Pesticide

Photocarcinogenic

Phototoxic

Phytoalexin

Merck 11th Edition

Topoisomerase-II-Inhibitor ID50=10 mM

Hu, C. Q., Lee, K. S. 1992. Coumarins From the Roots of Seseli mairei and Inhibition of DNA Topoisomerase II Activity. Tianran Chanwu Yanjiu Yu Kaifa, 4: 6-10.

PSORALENOL	Seed	--	--	*	
PSORALIDENE	Fruit	--	--		List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
PSORALIDIN	Seed	--	190.0	*	

**Activities (3)**

Fungicide Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Pesticide

Phytoalexin Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

PSORALIDIN-2,3'-OXIDE-DIACETATE	Seed	--	--		=ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp
PSORALIDIN-OXIDE	Seed	--	4.0	*	
RAFFINOSE	Seed	--	3500.0	-0.63	*

**Activities (1)**

Flatugenic Singh, J., Gupta, K., and Arora, S.K. 1993. Changes in the anti-nutritional factors of developing seeds and pod walls of fenugreek (Trigonella foenum graecum L.). Plant Foods for Human Nutrition. 46: 77-84, 1994.

RESIN	Seed	--	86000.0	0.0	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
-------	------	----	---------	-----	--

SITOSTEROL	Root	--	--		=ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp
------------	------	----	----	--	---

SOPHORACOUDESTAN-A	Seed	--	7.0	*	
--------------------	------	----	-----	---	--

STIGMASTEROL	Seed	--	50.0	-0.47	*
--------------	------	----	------	-------	---

#### Activities (12)

Antihepatotoxic

Antiinflammatory Lawrence Review of Natural Products, 1995

Antinociceptive

Antiphidic 2.3 mg ipr mus Economic & Medicinal Plant Research, 5: 363.

Antioxidant IC33=10 uM

Antiviral Abid Ali Khan, M.M., Jain, D.C., Bhakuni, R.S., Zaim, M., and Thakur, R.S. 1991. Occurrence of some antiviral sterols in Artemisia annua. Plant Science, 75: 161-165, 1991.

Artemicide LC50=110 ppm Jung, J.H., Pummangura, S., Chaichantipyuth, c., Patarapanich, C., and McLaughlin, J.L. 1989. Bioactive Constituents of Melodorum fruticosum. Phytochemistry. 29(5): 1667-1670. 1990.

Cancer-Preventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Estrogenic

Hypocholesterolemic Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.

Ovulant

Sedative

TRIACONTANE	Seed	--	--		=ICMR(Indian Council of Medical Research).1976.Medicinal Plants of India.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987.Medicinal Plants of India.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp
-------------	------	----	----	--	---

TRILAURIN	Root	--	521.0	*	
-----------	------	----	-------	---	--

XANTHOTOXIN	Seed	--	--	*	
-------------	------	----	----	---	--

**Activities (43)**

Antiaflatoxin IC50=2.5 uM	
Antiaflatoxin 0.54 ppm	
Antibacterial	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antidermatitic	Martindale's 29th
Antifeedant	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antihistaminic	
Antiinflammatory 20 mg/man/day	
Antikeratotic	Martindale's 29th
Antileucodermic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antilymphomic 600 ug/kg +PUVA (extracorporeal)	
Antimitotic 5-25 ug/ml	
Antimutagenic	Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of <i>Zanthoxylum americanum</i> . <i>Phytotherapy Research</i> 4(6): 216-219.
Antimycotic	Martindale's 29th
Antipityriasis	Martindale's 29th
Antipruritic	Martindale's 29th
Antipsoriac	Martindale's 29th
Antiscleromyxoedemic	Martindale's 29th
Antispasmodic	
Antitumor-Promoter IC24=50 ug/ml	
Antivertiginic 20 mg/man/day	
Artemicide LC50=5.93 ug/ml	Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of <i>Zanthoxylum americanum</i> . <i>Phytotherapy Research</i> 4(6): 216-219.
Bufocide	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Calcium-Antagonist IC50=551 uM gpg	
Cancer-Preventive 5-25 ug/ml	Gawron, A. and Glowinski, K. 1987. Cytostatic Activity of Coumarins in vitro. <i>Planta Medica</i> 1987: 526.
Cytotoxic ED50=7-29 ug/ml	Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of <i>Zanthoxylum americanum</i> . <i>Phytotherapy Research</i> 4(6): 216-219.
Cytotoxic (Breast) ED50=7.21 ug/ml	Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of <i>Zanthoxylum americanum</i> . <i>Phytotherapy Research</i> 4(6): 216-219.
Cytotoxic (Colon) ED50=29.46 ug/ml	Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of <i>Zanthoxylum americanum</i> . <i>Phytotherapy Research</i> 4(6): 216-219.
Cytotoxic (Lung) ED50=28.99 ug/ml	Saqib, Q. N., Hui, Y. H., Anderson, J. E. and McLaughlin, J. L. 1990. Bioactive Furanocoumarins from the Berries of <i>Zanthoxylum americanum</i> . <i>Phytotherapy Research</i> 4(6): 216-219.
Dermatitigenic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Emetic	
Fungicide IC85=1,000 ppm	
Fungicide IC100=2,000 ppm	
Fungistat EC50=21.6 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture.</i> Plenum Press, New York. 445 pp.
Hepatoprotective IC50=2.5 uM	
Hepatoprotective 0.5 ppm	
Herbicide	Lydon, J. & Duke, S., <i>The potential of pesticides from plants</i> , pp. 1-41 in Craker, L. & Simon, J., eds, <i>Herbs, Spices &amp; Medicinal Plants: Recent Advances in Botany, Horticulture, &amp; Pharmacology</i> , v. 4, Oryx Press, Phoenix, 1989, 267pp.
Hypertrichotic	Martindale's 29th
Insecticide	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Lipolytic	
Molluscicide	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Pesticide	
Phytoalexin	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture.</i> Plenum Press, New York. 445 pp.
Piscicide	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.