

# List of All Chemicals

## **P** Thymus cilicicus (Lamiaceae)

### Common name(s)

'Anatolian' Thyme

### How used

Medicinal

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part <input type="button" value="All"/>	Low PPM	High PPM	StdDev	*Reference
(Z)-E-HEXENOL	Shoot	--	6.0		Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
1,8-CINEOLE	Shoot	--	1515.0	-0.11	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.

#### Activities (67)

(-)-Chronotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
(-)-Inotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Acaricide LC100=6 uM	
Allelopathic	
Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiacetylcholinesterase IC50=41 ug/ml	
Antiallergic	J. Food Hyg. Soc. Jap. 33(6): 569.
Antibacterial 50 ppm	
Antibronchitic	
Anticariogenic	
Anticatarrh	Martindale's 29th
Anticholinesterase IC50=50-70	
Antifatigue	
Antihalitosis	American Health, 12(4): 17, 1993.
Antiinflammatory	
Antilaryngitic	
Antinociceptive	
Antipharyngitic	
Antiplateau	
Antirheumatic	
Antirhinitic	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antisinusitic	
Antispasmodic	
Antistaphylococcic 50 ppm	
Antitussive	
Antiulcer	
CNS-Stimulant	
Candidicide	
Carcinogenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Choleretic	
Convulsant	
Counterirritant	Martindale's 29th
Cytochrome-P450-Inducer	
Decongestant	
Depressant 0.2 ul/ml	

Dentifrice	Martindale's 29th
Edemagenic inj	
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 1-200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Gastroprotective	
Gram(+)-icide	
Gram(-)-icide	
Hepatotoxic	
Herbicide IC50=78 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypotensive	
Inflammatory inj	
Insectifuge	
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Neurotoxic	
P450-Inducer	
Pediculicide 2.3 x pyrethrin	
Perfume	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Rubefacient	Martindale's 29th
Secretagogue	
Sedative	
Spasmogenic	
Surfactant	
Testosterone-Hydroxylase-Inducer	
Transdermal	
Trichomonicide LD100=1,000 ug/ml	

1-OCTEN-3-OL	Shoot	--	35.0	-0.49	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
3,5,5-TRIMETHYL-2-CYCLOHEXANONE	Shoot	--	15.0		Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
5-METHYL-3-HEPTANONE	Shoot	--	4.0	-0.61	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
6-METHYL-3-HEPTANOL	Shoot	--	22.0	1.65	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
ALPHA-TERPINENE	Shoot	--	39.0	-0.37	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.

<b>Activities (13)</b>					
ACE-Inhibitor 100 ug/ml (weak activity)					
Acaricide					
Aldose-Reductase-Inhibitor 100 ug/ml					Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Antiacetylcholinesterase IC50=1.0 mM					
Antinitrosaminic					
Antispasmodic					
FLavor FEMA 1-40					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insecticide 0.86 uM/fly					
Insectifuge					
P450-2B1-Inhibitor IC50=0.76 uM					
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide					
Spasmogenic					

ALPHA-TERPINEOL	Shoot	--	535.0	0.27	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
-----------------	-------	----	-------	------	---

**Activities (23)**

ACE-Inhibitor 100 ug/ml (weak activity)					
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.				
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antiacne					
Antibacterial MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.				
Anticancer	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.				
Anticariogenic MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.				
Antiinflammatory					
Antiproliferant					
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Cicatrizant ED50=240 ug/g mus					
FLavor FEMA 5-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Insecticide 1.29 uM/fly					
Interleukin-6-Inhibitor					
Mosquitofuge > Deet					
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC				
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.				
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Pesticide					
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC				
Termiticide IC100=5 mg/g					
Transdermal					
Vulnerary ED50=240 ug/g mus					

BETA-BOURBONENE	Shoot	--	47.0	-0.02	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
BETA-CARYOPHYLLENE	Shoot	--	200.0	-0.0	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
BORNYL-ACETATE	Shoot	--	12.0	-0.39	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.

**Activities (12)**

(-)-Chronotropic 933 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
(-)-Inotropic 933 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Antibacterial	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.				
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Antispasmodic ED50=0.09 mg/ml	Fitoterapia No.59-1984.				
Antiviral	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.				
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
FLavor FEMA 70-80	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Insectifuge	Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.				
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.				
Pesticide					
Sedative					

CAMPHOR	Shoot	--	940.0	-0.12	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
---------	-------	----	-------	-------	---

**Activities (41)**

Allelopathic	
Analgesic	
Anesthetic	
Antiacne	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Antidiarrheic 500 ug/ml	Wealth of India.
Antidysenteric 500 ug/ml	Wealth of India.
Antiemetic 100-200 mg man orl	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
Antifeedant IC50=5,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, <i>Herbs, Spices &amp; Medicinal Plants: Recent Advances in Botany, Horticulture, &amp; Pharmacology</i> , v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antifibrositic	Martindale's 28th
Antineuralgic	Martindale's 28th
Antipruritic	Merck 11th Edition
Antiseptic	Merck 11th Edition
Antispasmodic ED50=0.075 mg/ml	Fitoterapia No.59-1984.
CNS-Stimulant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. <i>J. Pharm. Pharmacol.</i> 46: 14-18, 1994.
Convulsant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That: The Essential Pharmacology of Herbs and Spices. <i>Tips</i> 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Cosmetic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Counterirritant	Martindale's 28th
Decongestant	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Deliriant	Merck 11th Edition
Ecbolic	
Emetic	
Epileptogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. <i>Herbal Medicine - A Guide for Health-care Professionals</i> . The Pharmaceutical Press, London. 296pp.
Expectorant	Martindale's 29th
Fungicide ED50=2.7 mM	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=3.3-180 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, <i>Herbs, Spices &amp; Medicinal Plants: Recent Advances in Botany, Horticulture, &amp; Pharmacology</i> , v. 4, Oryx Press, Phoenix, 1989, 267pp.
Insect-Repellent	
Insectifuge	
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Occuloirritant	
P450-2B1-Inhibitor IC50=7.89 uM	
Pesticide	
Respirainhibitor	Merck 11th Edition
Respirastimulant	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
Rubefacient	
Stimulant	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That: The Essential Pharmacology of Herbs and Spices. <i>Tips</i> 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Transdermal	
Verrucolytic	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Vibriocide 500 ug/ml	Wealth of India.

CARVACROL	Shoot	--	0.1	-0.62	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of <i>Thymus cilicicus</i> Boiss. & Bal. <i>J. Ess. Oil Res.</i> 6: 97-8.
-----------	-------	----	-----	-------	---

**Activities (37)**

Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antiatherosclerotic IC50=5.53 uM	
Antibacterial MIC 170-290	Chalchat, J.C. et Garry, R.P.*, Bastide, P., Fabre, F. et Malhuret, R. Correlation Composition Chimique/Activite Antimicrobienne: V - Contribution a la Comparaison de 2 Methodes de Determination Des Cml. Plantes medicinales et phytotherapie, 25: 184-193.
Antibacterial MIC=39-625	Russell, G. B., Phytochemical resources for crop protection, N. Z. J. Technol., 2, 1986, 127-134.
Anticholinesterase?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antidiuretic	Lawrence Review of Natural Products, Mar-92.
Antiinflammatory IC50=4 uM	
Antimelanomic IC50=120 uM/l	
Antioxidant	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antioxidant (LDL) IC50=5.53 uM	
Anti plaque MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, I., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, Bull Tokyo Dent. Coll., 31 (1), 1990, 17-21
Antiprostaglandin	
Antiradicular 600 x thymol	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antiseptic 1.5 x phenol	
Antispasmodic	
Antistaphylococcic	
Antistreptococcic	
Antitussive	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Candidicide MIC<0.1 ug/ml	
Candidicide 100- 150 ug/ml	
Carminative	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Cyclooxygenase- Inhibitor #NAME?	
Enterorelaxant	J. Aromatherapy 4: 22.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Flavor FEMA 10- 125	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Nematicide MLC=1 mg/ml	
Pesticide	
Prostaglandin- Inhibitor	
Tracheorelaxant	
Trichomonicide LD100=150 ug/ml	
Vermifuge	

CARVONE	Shoot	--	7.0	-0.26	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
---------	-------	----	-----	-------	---

**Activities (19)**

Allergenic	
Antiacetylcholinesterase IC50=1.4-1.8 mM	
Antiproliferative	
Antiseptic 1.5 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
CNS-Stimulant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
FLavor FEMA 80-3,000	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungistat	
Insecticide	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Trichomonicide LD100=300 ug/ml	
Vermicide	

CARYOPHYLLENE-OXIDE Shoot -- 370.0 0.41 Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.

**Activities (8)**

Antiedemic	Shimizu,*M., et al. 1990. Anti-inflammatory Constituents of Topically Applied Crude Drugs. IV.1) Constituents and Anti-inflammatory Effect of Paraguayan Crude Drug 'Alhucema' (Lavandula latifolia Vill.)2). Chem. Pharm. Bull. 38(8): 2283-2284, 1990.
Antifeedant	Bettarini, F., Borgonovi, G.E., et al. 1991. Antiparasitic Compounds from East African Plants: Isolation and Biological Activity of Anonaine, Matricarianol, Canthin-6-One and Caryophyllene Oxide. Insect Sci. Applic. 14(1): 93-99, 1993.
Antiinflammatory	Shimizu,*M., et al. 1990. Anti-inflammatory Constituents of Topically Applied Crude Drugs. IV.1) Constituents and Anti-inflammatory Effect of Paraguayan Crude Drug 'Alhucema' (Lavandula latifolia Vill.)2). Chem. Pharm. Bull. 38(8): 2283-2284, 1990.
Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove (Eugenia caryophyllata) As Potential Anticarcinogenic Agents. Journal of Natural Products 55(7): 999-1003, 1992.
Calcium-Antagonist ED50=32 uM gpg	
Fungicide	
Insecticide	Bettarini, F., Borgonovi, G.E., et al. 1991. Antiparasitic Compounds from East African Plants: Isolation and Biological Activity of Anonaine, Matricarianol, Canthin-6-One and Caryophyllene Oxide. Insect Sci. Applic. 14(1): 93-99, 1993.
Pesticide	

CIS-CARVEOL Shoot -- 4.0 -0.41 Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.

CIS-LINALOL-OXIDE Shoot -- 13.0 -0.37 Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.

CIS-SABINENE-HYDRATE Shoot -- 64.0 -0.07 Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.

CIS-VERBENOL Shoot -- 1195.0 2.24 Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.

DOCOSANE Shoot -- 15.0 Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.

EO Shoot -- 14600.0 0.4 Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.

EUGENOL Shoot -- 0.1 -0.49 Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.

**Activities (76)**

Acaricide LD50=5.47 ug/sq cm cf DEET at 37.59 ug/sq cm	
Allergenic	
Analgesic	Merck 11th Edition
Anesthetic 200-400	Phytotherapy Research, 4: 93.
AntiTNF	
Antiaggregant IC50=0.3 uM	Phytotherapy Research, 4: 93.

Antiarachidonate	
Antibacterial 500 ppm	Valnet, J. 1982. The Practice of Aromatherapy. Translated from the 1980 French Edition by Robin Campbell and Libby Houston. Destiny Books, New York. 279 pp.
Antibacterial MBC=400 ug/ml	
Anticonvulsant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiedemic 100	Phytotherapy Research, 4: 95.
Antiestrogenic	
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antigenotoxic 50-500 mg/kg orl mus	
Antiherpetic IC50=16.2-25.6 ug/ml	
Antiinflammatory (11 uM) IC~97=1,000 uM	
Antikeratotic IC50=16.2-25.6 ug/ml	
Antimitotic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antinitrosating	
Antioxidant IC65=30 ppm	
Antioxidant 10 uM	
Antiprostaglandin 11 uM	
Antiprostaglandin IC50=9.2 mM	
Antipyretic 3 ml/man/day	
Antiradicular EC50=2 ul/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 3 ml/man/day	
Antiseptic 400 ug/ml	
Antispasmodic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antistaphylococcic	Wright, C.W. (Ed) 2002. Medicinal & Aromatic Plants-Industrial Profiles. Artemisia. 344pp. Maffei, M. (Ed) 2002. Vetiveria. The Genus Vetiveria. Taylor & Francis. NY, NY. 191pp. Southwell, J., Lowe, R. (Eds) 1999. Tea Tree. The Genus Melaleuca. Harwood Acad. Pub. Amsterdam, Netherlands.
Antithromboxane	Lawrence Review of Natural Products, Jul-87.
Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove ( <i>Eugenia caryophyllata</i> ) As Potential Anticarcinogenic Agents. Journal of Natural Products 55(7): 999-1003, 1992.
Antiulcer	
Antiviral IC50=16.2-25.6 ug/ml	
Apifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
COX-1-Inhibitor IC97=1,000 uM	
COX-2-Inhibitor IC>97=1,000 uM	
COX-2-Inhibitor IC50=129 uM	
Calcium-Antagonist IC50=224 uM	
Calcium-Antagonist IC50=200 uM gpg	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Phytotherapy Research, 4: 93.
Carcinogenic?	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Choleretic	
Cytochrome-P450-Inhibitor	Pizzorno, J. 1998. Total Wellness. Prima Health, a division of Prima.
Cytotoxic 25 ug/ml	Phytotherapy Research, 4: 93.
Dermatitigenic	
Enterorelaxant	J. Aromatherapy 4: 22.
FLavor FEMA 10-500	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Fungicide	
Hepatoprotective 100 ppm	
Herbicide	
Insecticide	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	
Juvabional	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Larvicide	
Motor-Depressant	Buchbauer et al, e.g. Buchbauer et al, 1993. Therapeutic properties of essential oils and fragrances, Chap. 12 in Teranishi, R., Buttery, R.G and Sugisawa, H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC

Nematicide MLC=2,000 ug/ml	Shoyakugaku Zasshi, 44: 183.				
Neurotoxic	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That: The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry				
Pesticide					
Prostaglandin-Synthesis-Inhibitor 1 mM rbt	Chen, S. J., Wang, M. H., Chen, I. J. 1996. Antiplatelet and Calcium Inhibitory Properties of Eugenol and Sodium Eugenol Acetate. Gen Pharmacol, 27(4): 629-633.				
Prostaglandin-Synthesis-Inhibitor IC50=9.2 uM					
Sedative					
Termiticide LD100=5 mg/g					
Trichomonicide LD100=300 ug/ml					
Trichomonistat IC50=10 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.				
Trypsin-Enhancer	Lawrence Review of Natural Products, Dec-93.				
Ulcerogenic	Phytotherapy Research, 4: 93.				
Varroacide					
Vasodilator					
Vermifuge					

<b>GAMMA-ELEMENE</b>	Shoot	--	7.0	-0.49	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
<b>GAMMA-TERPINENE</b>	Shoot	--	90.0	-0.33	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.

#### Activities (11)

ACE-Inhibitor 100 ug/ml (weak activity)

Acaricide

Aldose-Reductase-Inhibitor 100 ug/ml Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.

Antiacetylcholinesterase IC23=1.2 mM

Antifeedant Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.

Antioxidant Jim Duke's personal files.

FLavor FEMA 1-40 Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Insectifuge Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.

Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Perfumery Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Pesticide

<b>GERMACRENE-D</b>	Shoot	--	160.0	-0.28	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
---------------------	-------	----	-------	-------	---

#### Activities (2)

Pesticide

Pheromone

<b>ISOBORNEOL</b>	Shoot	--	1350.0	2.55	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
-------------------	-------	----	--------	------	---

#### Activities (7)

Antiherpetic 600 ppm

Antiviral 600 ppm

Insectifuge

Motor-Stimulant Buchbauer et al, e.g. Buchbauer et al, 1993. Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi, R., Buttery, R.G and Sugisawa, H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC

Nematicide MLC=1 mg/ml Shoyakugaku Zasshi, 44: 183.

Pesticide

Sedative

<b>LIMONENE</b>	Shoot	--	570.0	-0.04	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
-----------------	-------	----	-------	-------	---



**Activities (60)**

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. &amp; Physiol.</i> , 23, 1985, 383-8.
Acaricide LC100=8 uM	
Allelochemic	
Allergenic 1/20th carene	
Antiacetylcholinesterase IC22-26=1.2 mM	
Antiadenomic	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. &amp; Physiol.</i> , 23, 1985, 383-8.
Antiasthmatic	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Anticancer	
Antiesophagitic	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	
Antilithic	
Antilymphomic	
Antimetastatic (Stomach)	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiobesity	
Antiseptic	
Antispasmodic ED50=0.197 mg/ml	Fitoterapia No.59-1984.
Antitumor	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Pancreas)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiviral	
Apoptotic	
Bronchoprotectant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Chemopreventive	
Cholesterolytic	
Detoxicant	
Enterocontractant	J. Aromatherapy 4: 22.
Expectorant	
FLavor	
Fungiphilic	J. Agric. Food Chem. 43: 2283.
Fungistat	
GST-Inducer	
Herbicide IC50=45 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Histaminic	
Immunomodulator	
Insecticide 0.37 uM/fly	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Interleukin-6-Inhibitor	
Irritant	
Lipolytic	
Myorelaxant 50 mg/kg	
NO-Genic	
Nematicide IC=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Ornithine-Decarboxylase-Inhibitor ~750 mg/kg (diet)	
Ozone-Scavenger	
P450-Inducer	
Peristaltic	
Pesticide	
Photosensitizer	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Transdermal	

LINALOL	Shoot	--	120.0	-0.2	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of <i>Thymus cilicicus</i> Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
MYRTENAL	Shoot	--	29.0	-0.29	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of <i>Thymus cilicicus</i> Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
<b>Activities (5)</b>					
Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry				
Pesticide					
MYRTENOL	Shoot	--	22.0	-0.21	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of <i>Thymus cilicicus</i> Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
<b>Activities (2)</b>					
Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
OCTANOL	Shoot	--	1.5	-0.41	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of <i>Thymus cilicicus</i> Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
P-CYMEN-8-OL	Shoot	--	38.0	-0.08	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of <i>Thymus cilicicus</i> Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
P-CYME	Shoot	--	170.0	-0.37	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of <i>Thymus cilicicus</i> Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
<b>Activities (16)</b>					
Analgesic	Martindale's 28th				
Antiacetylcholinesterase IC40=1.2 mM					
Antibacillary					
Antibacterial					
Antiflu					
Antirheumatalgic	Martindale's 28th				
Antiviral					
FLavor FEMA 12-250	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry				
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.				
Herbicide IC50=50 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.				
Insectifuge	Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.				
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Laxative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Pesticide					
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Trichomonicide LD100=50 ug/ml					
PERILLENE	Shoot	--	13.0	2.2	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of <i>Thymus cilicicus</i> Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
SPATHULENOL	Shoot	--	42.0	-0.2	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of <i>Thymus cilicicus</i> Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
TERPINEN-4-OL	Shoot	--	450.0	0.02	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of <i>Thymus cilicicus</i> Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.

**Activities (23)**

Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.			
Antiachetylcholinesterase IC21-24=1.2 mM				
Antiacne				
Antiallergic				
Antiasthmatic	Chin. J. Tuber. Respir. Dis., 4:203, 1982.			
Antibacterial				
Antioxidant				
Antiseptic	Flav. & Frag. J. 9: 129.			
Antispasmodic				
Antitussive	Chin. J. Tuber. Respir. Dis.			
Antiulcer				
Bacteriostatic	Chin. J. Tuber. Respir. Dis.			
Diuretic 0.1 ml/rat				
Fungicide				
Herbicide IC50=200 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.			
Herbicide IC50=22 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.			
Insectifuge				
Irritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.			
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.			
Pesticide				
Renoirritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.			
Spermicide ED100=0.015				
Vulnerary	Lawrence Review of Natural Products, Jan-91.			

TERPINOLENE	Shoot	--	26.0	-0.05	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
-------------	-------	----	------	-------	---

**Activities (9)**

Allelochemic				
Antifeedant				
Antinitrosaminic				
Antioxidant				
Deodorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
FLavor FEMA 15-60	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry			
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.			
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry			
Pesticide				

TRANS-CAMPHOLENIC-ALDEHYDE	Shoot	--	30.0		Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
----------------------------	-------	----	------	--	---

TRANS-LINALOL-OXIDE	Shoot	--	12.0	-0.37	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
---------------------	-------	----	------	-------	---

TRANS-PINOCARVEOL	Shoot	--	90.0	-0.17	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
-------------------	-------	----	------	-------	---

**Activities (2)**

Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.			
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.			

TRANS-SABINENE-HYDRATE	Shoot	--	145.0	0.04	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
------------------------	-------	----	-------	------	---

TRANS-VERBENOL	Shoot	--	900.0	1.41	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of Thymus cilicicus Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
----------------	-------	----	-------	------	---