

List of All Chemicals

P Tsuga canadensis (Pinaceae)

Common name(s)

Eastern Hemlock

How used

Medicinal

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part	Low PPM	High PPM	StdDev	*Reference
ALPHA-PHELLANDRENE	Branches	--	--		*
Activities (11)					
Antibacterial	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antistaphylococcic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Dermal	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Emetic					
FLavor FEMA 10-130	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Insectiphile	Pakistan Encyclopedia Planta Medica. 1986.				
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Laxative					
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Pesticide					
BETULIN	Twig	--	--		Jim Duke's personal files.
Activities (13)					
AntiHIV 6.1 uM					
Anticarcinomic					
Antifeedant					
Antiflu					
Antiinflammatory	Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from Diospyros leucomelas*. Planta Medica, 61: 9.				
Antitumor	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antiviral 6.1 uM					
Aphidifuge	Lugemwa, F.N., Huang, F-Y., Bentley, M.D., Mendel, M.J., and Alford, A.R. 1990. A Heliothis zea Antifeedant from the Abundant Birchbark Triterpene Betulin. J. Agric. Food Chem. 38(2): 493-494.				
Cytotoxic 600 ppm					
Cytotoxic 8.6 uM					
Hypolipemic					
Prostaglandin-Synthesis-Inhibitor IC50=119 uM	Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from Menyanthes trifoliata L. Yao Hsueh Hsueh Pao, 30(8): 621-626.				
Topoisomerase-II-Inhibitor IC50=38.6 uM					
BETULIN	Leaf	--	--		Jim Duke's personal files.

Antigingivitic 20 ug/ml	
Antiherpetic 23-92 ug/ml	Amoros, M., Simoes, C.M.O., Girre, L., et al. Synergistic Effect Of Flavones And Flavonols Against Herpes Simplex Virus Type 1 In Cell Culture. Comparison With The Antiviral Activity Of Propolis. <i>J. of Natural Products</i> 55(12):1732-1740, 1992.
Antihistaminic	Williamson, E. M. and Evans, F. J., <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> , Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antiimplantation	
Antiinflammatory 20 mg/kg	
Antiinflammatory 200 mg/kg ipr rat	
Antileukemic IC50=3.1 ug/ml	Life Sciences 55: 1061.
Antilymphocytic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Antimutagenic ID50=10-40 nM	Phenolic Compounds in Food and Their Effects on Health. Antioxidants & Cancer Prevention. Huang, M.T., Ho, C.T. and Lee, C.Y. eds. 1992. ACS Symposium Series 507.ACS, Washington 402 pp.
Antioxidant IC50=40 uM	
Antioxidant 3/4 quercetin	
Antioxidant IC50=1.2 ug/ml	
Antiperiodontic 20 ug/ml	
Antiplaque 20 ug/ml	
Antiradicular 7 x quercetin	
Antiseptic 20 ug/ml	
Antiserotonin 200 mg/kg ipr rat	
Antispasmodic	Williamson, E. M. and Evans, F. J., <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> , Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antistaphylococcic	
Antitumor	
Antitumor-Promoter	Yasukawa, K., Takido, M., Takeuchi, M., Sato, Y., Nitta, K., and Nakagawa, S. 1989. Inhibitory Effects of Flavonol Glycosides on 12-O-Tetradecanoylphorbol-13-acetate-Induced Tumor Promotion. <i>Chem. Pharm. Bull.</i> 38(3): 774-776, 1990.
Antiulcer 50-200 mg/kg ipr rat	
Antiviral 23-92 ug/ml	
Apoptotic 60 uM	
Aromatase-Inhibitor IC12=1 uM/l	Journal of Medicinal Food 2: 235.1999.
COX-2-Inhibitor	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carcinogenic	Hutchings, A, Scott, AH, Lewis, G, and Cunningham, A. 1996. <i>Zulu Medicinal Plants. An inventory</i> . University of Natal Press, Pietermaritzburg. 450 pp.
Choleretic	Leung, A. Y. and Foster, S. 1995. <i>Encyclopedia of Common Natural Ingredients</i> 2nd Ed. John Wiley & Sons, New York. 649 pp.
Copper-Chelator	
Cyclooxygenase-Inhibitor IC50 (uM) =20	
Cytotoxic	
Diaphoretic?	Lawrence Review of Natural Products, Dec-90.
Diuretic	
Estrogenic EC50=0.1-25 uM/l	Journal of Medicinal Food 2: 227.1999.
Estrogenic EC50=0.56 uM	
Fungicide 20 ug/ml	Father Nature's Farmacy: The aggregate of all these three-letter citations.
HIV-RT-Inhibitor IC50=50-150 ug/ml	Garcia, J., Morin,* C., Nyasse, B., Sondengam, B-L., Tchouankeu, J-C., and Tsamo, E. Complete Structural Assignments Of An Ergosterol Derivative From <i>Entandrophragma utile</i> . <i>Journal of Natural Products</i> , 54(1): 136-142, 1991.
Hepatoprotective IC50=5.46 uM	
Hepatoprotective IC50=1.30 ppm	
Hypotensive	
ICAM-1-Inhibitor	
Inotropic	
Iodothyronine-Deiodinase-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
JNK-Inhibitor	
Lipoxygenase-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
MAO-Inhibitor	
Mutagenic	
NO-Inhibitor IC50=13.9 uM	
Natriuretic	
Neuroprotective	
PAF-Inhibitor	
Pesticide	

Protisticide	Meckes, M., Calzada, F., Tapia-Contreras, A., Cedillo-Rivera, R. 1999. Antiprotozoal Properties of Helianthemum glomeratum. <i>Phytotherapy Research</i> , 13(2): 102-105.
Quinone-Reductase-Inducer 3 uM	
TNF-alpha-Inhibitor IC50=3.99 uM	
Teratologic	
Topoisomerase-I-Inhibitor	Santti, R., Makela, S., Strauss, L., Korman, J., Kostian, M. L. 1998. Phytoestrogens: Potential Endocrine Disruptors in Males. <i>Toxicol Ind Health</i> , 14: 223-237.
Topoisomerase-II-Inhibitor IC50=8.1 ug/ml	Constantinou, A., Mehta, R., Runyan, C., Rao, K., Vaughan, A., Moon, R. 1995. Flavonoids as DNA Topoisomerase Antagonists and Poisons: Structure-Activity Relationships. <i>J Natural Products</i> , 58: 217-225.
Tyrosinase-Inhibitor ID50=230 uM	
Uterotrophic EC50=0.1-25 uM/l	Journal of Medicinal Food 2: 227.1999.
Vasodilator	
cAMP-Phosphodiesterase-Inhibitor	
iNOS-Inhibitor IC50=<15 uM	
iNOS-Inhibitor IC50=13.9 uM	

L-ALPHA-PINENE	Branches	--	--	*
L-BORNEOL	Branches	--	--	*
L-BORNYL-ACETATE	Branches	--	--	*
L-CAMPHENE	Branches	--	--	*
L-LIMONENE	Branches	--	--	*

Activities (2)				
Antiacetylcholinesterase IC25=1.2 mM				
Antiacetylcholinesterase IC27=164 ug/ml				

MYRCENE	Branches	104.0	120.0	*
---------	----------	-------	-------	---

Activities (22)				
ACE-Inhibitor 100 ug/ml				
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. <i>Toyama-Ken Yakuji Kenkyusho Nenpo</i> , (20): 95-101.			
Allergenic				
Analgesic	Kauderer, B., Zamith, H., Paumgarten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. <i>Environmental and Molecular Mutagenesis</i> 18: 28-34, 1991.			
Antibacterial				
Anticonvulsant				
Antimutagenic	Kauderer, B., Zamith, H., Paumgarten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. <i>Environmental and Molecular Mutagenesis</i> 18: 28-34, 1991.			
Antinitrosaminic				
Antinociceptive 10-20 mg/kg ipr mus	Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. <i>J. Pharm. Pharmacol.</i> 42: 877-878, 1990.			
Antinociceptive 20-40 mg/kg scu mus	Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. <i>J. Pharm. Pharmacol.</i> 42: 877-878, 1990.			
Antioxidant				
Antispasmodic				
Chemopreventive				
FLavor FEMA 0.5-9	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry			
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.			
Hypothermic				
Insectifuge				
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. <i>Compendium of Safety Data Sheets for Research and Industrial Chemicals.</i> VCH Publishers, New York. 3560-4253.			
Myorelaxant 100-200 mg/kg				
P450-2B1-Inhibitor IC50=0.14 uM				
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.			
Pesticide				

PICEATANNOL	Bark	8000.0	10000.0	*
-------------	------	--------	---------	---

Activities (35)

Anthelmintic	
AntiHIV	
Antibacterial	
Anticancer	
Anticariogenic	
Antidiarrheic	
Antidysenteric	
Antihepatotoxic	
Antihypertensive	
Antilipolytic	
Antimutagenic	
Antinephritic	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. Chem. Pharm. Bull. 38(4): 1049-1052, 1990.
Antiphidic	Economic & Medicinal Plant Research, 5: 363.
Antioxidant IC50=1.44 ug/ml	
Antioxidant 1/3 quercetin	
Antiradicular 500 mg/kg/day orl mus	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. Chem. Pharm. Bull. 38(4): 1049-1052, 1990.
Antiradicular 1/3 quercetin	
Antirenitic	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. Chem. Pharm. Bull. 38(4): 1049-1052, 1990.
Antitumor	
Antitumor-Promoter	
Antiulcer	
Antiviral	
Cancer-Preventive	HerbalGram No. 22 - Spring 1990, page 14.
Carcinogenic	
Chelator	
Cyclooxygenase- Inhibitor	
Glucosyl- Transferase-Inhibitor	
Hepatoprotective	
Immunosuppressant	
Lipoxygenase- Inhibitor	
MAO-Inhibitor	
Ornithine- Decarboxylase- Inhibitor	
Pesticide	
Psychotropic	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. Chem. Pharm. Bull. 38(4): 1049-1052, 1990.
Xanthine-Oxidase- Inhibitor	

Activities (35)

Anthelmintic

AntiHIV

Antibacterial

Anticancer

Anticariogenic

Antidiarrheic

Antidysenteric

Antihepatotoxic

Antihypertensive

Antilipolytic

Antimutagenic

Antinephritic

Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. Chem. Pharm. Bull. 38(4): 1049-1052, 1990.

Antiphidic

Economic & Medicinal Plant Research, 5: 363.

Antioxidant
IC50=1.44 ug/mlAntioxidant 1/3
quercetinAntiradicular 500
mg/kg/day orl mus

Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. Chem. Pharm. Bull. 38(4): 1049-1052, 1990.

Antiradicular 1/3
quercetin

Antirenitic

Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. Chem. Pharm. Bull. 38(4): 1049-1052, 1990.

Antitumor

Antitumor-Promoter

Antiulcer

Antiviral

Cancer-Preventive

HerbalGram No. 22 - Spring 1990, page 14.

Carcinogenic

Chelator

Cyclooxygenase-
InhibitorGlucosyl-
Transferase-Inhibitor

Hepatoprotective

Immunosuppressant

Lipoxygenase-
Inhibitor

MAO-Inhibitor

Ornithine-
Decarboxylase-
Inhibitor

Pesticide

Psychotropic

Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. Chem. Pharm. Bull. 38(4): 1049-1052, 1990.

Xanthine-Oxidase-
Inhibitor

THUJONE

Branches

--

--

*

Activities (17)

Abortifacient	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antibacterial	J. Ess. Oil Res. 7: 271.
Antiseptic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antispasmodic ED50=0.127 mg/ml	Fitoterapia No.59-1984.
Cerebrodepressant	
Convulsant 40 mg/kg	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That: The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Counterirritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Emmenagogue	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Epileptogenic	
Hallucinogenic	
Herbicide IC50=22 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Neurotoxic	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Respirainhibitor	
Toxic	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry