

# List of All Chemicals

## P Ravensara aromatica (Lauraceae)

### Common name(s)

Ravensara

### How used

Medicinal

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part <span>All ▾</span>	Low PPM	High PPM	StdDev	*Reference
1,8-CINEOLE	Leaf	--	20.0	-0.53	*

#### Activities (67)

(-)-Chronotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
(-)-Inotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Acaricide LC100=6 uM	
Allelopathic	
Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiacetylcholinesterase IC50=41 ug/ml	
Antiallergic	J. Food Hyg. Soc. Jap. 33(6): 569.
Antibacterial 50 ppm	
Antibronchitic	
Anticariogenic	
Anticatarrh	Martindale's 29th
Anticholinesterase IC50=50-70	
Antifatigue	
Antihalitosis	American Health, 12(4): 17, 1993.
Antiinflammatory	
Antilaryngitic	
Antinociceptive	
Antipharyngitic	
Antiplateau	
Antirheumatic	
Antirhinitic	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antisinusitic	
Antispasmodic	
Antistaphylococcic 50 ppm	
Antitussive	
Antiulcer	
CNS-Stimulant	
Candidicide	
Carcinogenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Choleretic	
Convulsant	
Counterirritant	Martindale's 29th
Cytochrome-P450-Inducer	
Decongestant	
Degranulant 0.3 ul/ml	
Dentifrice	Martindale's 29th
Edemagenic inj	
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.



Carcinogenic	Zebowitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Choleretic	
Convulsant	
Counterirritant	Martindale's 29th
Cytochrome-P450-Inducer	
Decongestant	
Degranulant 0.3 ul/ml	
Dentifrice	Martindale's 29th
Edemagenic inj	
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 1-200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Gastroprotective	
Gram(+)icide	
Gram(-)icide	
Hepatotoxic	
Herbicide IC50=78 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypotensive	
Inflammatory inj	
Insectifuge	
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Neurotoxic	
P450-Inducer	
Pediculicide 2.3 x pyrethrin	
Perfume	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Rubefacient	Martindale's 29th
Secretagogue	
Sedative	
Spasmogenic	
Surfactant	
Testosterone-Hydroxylase-Inducer	
Transdermal	
Trichomonocide LD100=1,000 ug/ml	

---

ALPHA-PINENE	Leaf	--	60.0	-0.22	*
--------------	------	----	------	-------	---

---

Activities (28)					
Allelochemic					
Allergenic					
Antiacne					
Antibacterial					
Antifeedant					
Antiflu		Economic & Medicinal Plant Research, 5: 195.			
Antiinflammatory 500 mg/kg					
Antipneumonic					
Antiseptic					
Antispasmodic					
Antistaphylococcic					
Antiviral		Economic & Medicinal Plant Research, 5: 195.			
Cancer-Preventive		Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.			
Coleoptophile					
Expectorant		Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.			
FLavor FEMA 15-150		Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry			
Herbicide IC50=30 uM		Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.			
Insecticide 0.82 uM/fly					
Insectifuge 50 ppm					
Insectiphile		J. Stored. Prod. Res., 22:141, 1986.			
Irritant		Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
P450-2B1-Inhibitor IC50=0.087 uM					
Perfumery		Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry			
Pesticide					
Sedative		Lawrence Review of Natural Products, Jun-90.			
Spasmogenic					
Tranquilizer		Lawrence Review of Natural Products, Jun-90.			
Transdermal					
ALPHA-TERPINENE	Leaf	--	80.0	-0.27	*

Activities (13)					
ACE-Inhibitor 100 ug/ml (weak activity)					
Acaricide					
Aldose-Reductase-Inhibitor 100 ug/ml		Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.			
Antiacetylcholinesterase IC50=1.0 mM					
Antinitrosaminic					
Antispasmodic					
FLavor FEMA 1-40		Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry			
Insecticide 0.86 uM/fly					
Insectifuge					
P450-2B1-Inhibitor IC50=0.76 uM					
Perfumery		Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry			
Pesticide					
Spasmogenic					
BETA-CARYOPHYLLENE	Leaf	--	300.0	-0.19	*
BETA-CARYOPHYLLENE	Bark	--	22.0		*
BETA-MYRCENE	Bark	--	22.0		*

Activities (2)					
Cancer-Preventive		Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.			
Perfumery		Merck 11th Edition			
BETA-MYRCENE	Leaf	--	40.0	-0.58	*

Activities (2)					
Cancer-Preventive		Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.			
Perfumery		Merck 11th Edition			

BETA-PINENE Leaf -- 60.0 -0.34 \*

**Activities (13)**

Allergenic  
 Antiinflammatory  
 Antiseptic Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.  
 Antispasmodic  
 Candidicide  
 FLavor FEMA 15-600 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry  
 Herbicide Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.  
 Insectifuge Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.  
 Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.  
 Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry  
 Pesticide  
 Spasmogenic Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
 Transdermal

BETA-PINENE Bark -- 22.0 -1.0 \*

**Activities (13)**

Allergenic  
 Antiinflammatory  
 Antiseptic Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.  
 Antispasmodic  
 Candidicide  
 FLavor FEMA 15-600 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry  
 Herbicide Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.  
 Insectifuge Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.  
 Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.  
 Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry  
 Pesticide  
 Spasmogenic Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.  
 Transdermal

CIS-BETA-OCIMENE Leaf -- 120.0 -0.71 \*

CITRONELLAL Leaf -- 20.0 -0.4 \*

**Activities (20)**

Acaricide  
 Allergenic  
 Antibacterial  
 Antiseptic 3.8 x phenol Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)  
 Antistaphylococcic  
 Antistreptococcic  
 Candidicide  
 Embryotoxic  
 FLavor FEMA <1 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry  
 Fungicide  
 Insectifuge Merck 11th Edition  
 Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.  
 Motor-Depressant Buchbauer et al, e.g. Buchbauer et al, 1993. Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi, R., Buttery, R.G and Sugisawa, H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC  
 Mutagenic?  
 Nematicide MIC 1 mg/ml Shoyakugaku Zasshi, 44: 183.  
 P450-2B1-Inhibitor IC50=1.56 uM  
 Perfumery  
 Pesticide  
 Sedative ED=1 mg/kg Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)  
 Teratogenic

CITRONELLOL Leaf -- 60.0 -0.43 \*



**Activities (16)**

Antiaggregant IC50=360 uM	Janssens, J., Laekeman, G.M., Pieters, L.A.C., Totte, J., Herman, A.G., and Vlietinck, A.J. 1990. Nutmeg Oil: Identification and Quantitation of its Most Active Constituents as Inhibitors of Platelet Aggregation. <i>J. of Ethnopharmacology</i> , 29: 179-188, 1990.
Antidepressant ihl	Jim Duke's personal files.
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antihistaminic	
Antiserotonic	Internat. J. Oriental Med. 15(4): 199, 1990+
Antistress ihl	Jim Duke's personal files.
DNA-Binder	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Fungicide MIC=8 ug	
Hallucinogenic	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That: The Essential Pharmacology of Herbs and Spices. <i>Tips</i> 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Hypotensive ihl	Jim Duke's personal files.
Insecticide 100 ppm	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Larvicide 100 ppm	
Neurotoxic	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That: The Essential Pharmacology of Herbs and Spices. <i>Tips</i> 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Pesticide	
Schistosomicide	Grenand, P., Moretti, C., and Jacquemin, H. 1987. <i>Pharmacopees Traditionnelles en Guyane.</i> l'ORSTROM, Paris. 569 pp.

EO	Leaf	--	20000.0	0.74	*
EO	Bark	--	22000.0	0.96	*
EUGENOL	Leaf	--	60.0	-0.81	*

**Activities (76)**

Acaricide LD50=5.47 ug/sq cm cf DEET at 37.59 ug/sq cm	
Allergenic	
Analgesic	Merck 11th Edition
Anesthetic 200-400	Phytotherapy Research, 4: 93.
AntiTNF	
Antiaggregant IC50=0.3 uM	Phytotherapy Research, 4: 93.
Antiarachidonate	
Antibacterial 500 ppm	Valnet, J. 1982. <i>The Practice of Aromatherapy.</i> Translated from the 1980 French Edition by Robin Campbell and Libby Houston. Destiny Books, New York. 279 pp.
Antibacterial MBC=400 ug/ml	
Anticonvulsant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antiedemic 100	Phytotherapy Research, 4: 95.
Antiestrogenic	
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antigenotoxic 50-500 mg/kg orl mus	
Antihyperpetic IC50=16.2-25.6 ug/ml	
Antiinflammatory (11 uM) IC-97=1,000 uM	
Antikeratotic IC50=16.2- 25.6 ug/ml	
Antimitotic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antinitrosating	
Antioxidant IC65=30 ppm	
Antioxidant 10 uM	
Antiprostaglandin 11 uM	
Antiprostaglandin IC50=9.2 mM	
Antipyretic 3 ml/man/day	
Antiradicular EC50=2 ul/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 3 ml/man/day	
Antiseptic 400 ug/ml	
Antispasmodic	Leung, A. Y. and Foster, S. 1995. <i>Encyclopedia of Common Natural Ingredients</i> 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antistaphylococcic	Wright, C.W. (Ed) 2002. <i>Medicinal &amp; Aromatic Plants-Industrial Profiles.</i> Artemisia. 344pp. Maffei, M. (Ed) 2002. <i>Vetiveria. The Genus Vetiveria.</i> Taylor & Francis. NY, NY. 191pp. Southwell, I., Lowe, R. (Eds) 1999. <i>Tea Tree. The Genus Melaleuca.</i> Harwood Acad. Pub. Amsterdam, Netherlands.





Antibacterial 500 ppm	Valnet, J. 1982. The Practice of Aromatherapy. Translated from the 1980 French Edition by Robin Campbell and Libby Houston. Destiny Books, New York. 279 pp.
Antibacterial MBC=400 ug/ml	
Anticonvulsant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiedemic 100	Phytotherapy Research, 4: 95.
Antiestrogenic	
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antigenotoxic 50-500 mg/kg orl mus	
Antiherpetic IC50=16.2-25.6 ug/ml	
Antiinflammatory (11 uM) IC~97=1,000 uM	
Antikeratotic IC50=16.2-25.6 ug/ml	
Antimitotic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antinitrosating	
Antioxidant IC65=30 ppm	
Antioxidant 10 uM	
Antiprostaglandin 11 uM	
Antiprostaglandin IC50=9.2 mM	
Antipyretic 3 ml/man/day	
Antiradicular EC50=2 ul/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 3 ml/man/day	
Antiseptic 400 ug/ml	
Antispasmodic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antistaphylococccic	Wright, C.W. (Ed) 2002. Medicinal & Aromatic Plants-Industrial Profiles. Artemisia. 344pp. Maffei, M. (Ed) 2002. Vetiveria. The Genus Vetiveria. Taylor & Francis. NY, NY. 191pp. Southwell, I., Lowe, R. (Eds) 1999. Tea Tree. The Genus Melaleuca. Harwood Acad. Pub. Amsterdam, Netherlands.
Antithromboxane	Lawrence Review of Natural Products, Jul-87.
Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove ( <i>Eugenia caryophyllata</i> ) As Potential Anticarcinogenic Agents. Journal of Natural Products 55(7): 999-1003, 1992.
Antiulcer	
Antiviral IC50=16.2-25.6 ug/ml	
Apifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
COX-1-Inhibitor IC97=1,000 uM	
COX-2-Inhibitor IC>97=1,000 uM	
COX-2-Inhibitor IC50=129 uM	
Calcium-Antagonist IC50=224 uM	
Calcium-Antagonist IC50=200 uM gpg	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Phytotherapy Research, 4: 93.
Carcinogenic?	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Choleretic	
Cytochrome-P450-Inhibitor	Pizzorno, J. 1998. Total Wellness. Prima Health, a division of Prima.
Cytotoxic 25 ug/ml	Phytotherapy Research, 4: 93.
Dermatitigenic	
Enterorelaxant	J. Aromatherapy 4: 22.
FLavor FEMA 10-500	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Fungicide	
Hepatoprotective 100 ppm	
Herbicide	
Insecticide	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	
Juvabional	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Larvicide	
Motor-Depressant	Buchbauer et al, e.g. Buchbauer et al, 1993. Therapeutic properties of essential oils and fragrances. Chap. 12 in Teranishi, R., Buttery, R.G. and Sugisawa, H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=2,000 ug/ml	Shoyakugaku Zasshi, 44: 183.

Neurotoxic	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That: The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med. 117(2):165-6; Huxtable, R.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Prostaglandin-Synthesis-Inhibitor 1 mM rbt	Chen, S. J., Wang, M. H., Chen, I. J. 1996. Antiplatelet and Calcium Inhibitory Properties of Eugenol and Sodium Eugenol Acetate. Gen Pharmacol, 27(4): 629-633.
Prostaglandin-Synthesis-Inhibitor IC50=9.2 uM	
Sedative	
Termiticide LD100=5 mg/g	
Trichomonicide LD100=300 ug/ml	
Trichomonistat IC50=10 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Trypsin-Enhancer	Lawrence Review of Natural Products, Dec-93.
Ulcerogenic	Phytotherapy Research, 4: 93.
Varroacide	
Vasodilator	
Vermifuge	

---

GERANIOL	Bark	--	22.0	-1.0	*
----------	------	----	------	------	---

---

**Activities (35)**

Allergenic	
Anthelmintic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antibacterial MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antibacterial MIC=64 ug/ml	
Antibacterial MBC=800 ug/ml	
Anticancer (Pancreas) IC50=265 uM	
Anticarcinogenic MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antimelanomic IC50=150 uM/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 7 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antiseptic MIC=64 ug/ml	
Antiseptic 400-800 ug/ml	
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (Flores Graminis, Graminis Flos) used in Aromatherapy. J. Ess. Oil Res., 2: 185-191, 1990.
Antitubercular MIC=64 ug/ml	
Antitumor	Yu, S.G., Anderson, P.J., and Elson, C.E. 1995. Efficacy of B-Ionone in the Chemoprevention of Rat Mammary Carcinogenesis. J. Agric. Food Chem. 43: 2144-2147.
Antitumor (Pancreas) IC50=265 uM	
Ascaricide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
CNS-Stimulant	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	
Embryotoxic	
Emetic 3 x ipecac	Lawrence Review of Natural Products, Sep-97.
Expectorant	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
FLavor FEMA 1-10	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Fungicide IC93=2 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC100-2,000 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge 50 ppm	
Insectiphile	Merck 11th Edition
Mycobactericide MIC=64 ug/ml	
Nematicide IC86=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Nematicide MLC=1,000 ug/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Sedative	
Trichomonicide LD100=300 ug/ml	

**LIMONENE**
**Bark**
**--**
**440.0**
**1.0**
**\***

**Activities (60)**

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. &amp; Physiol.</i> , 23, 1985, 383-8.
Acaricide LC100=8 uM	
Allelochemic	
Allergenic 1/20th carene	
Antiacetylcholinesterase IC22-26=1.2 mM	
Antiadenomic	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. &amp; Physiol.</i> , 23, 1985, 383-8.
Antiasthmatic	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Anticancer	
Antiesophagitic	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	
Antilithic	
Antilymphomic	
Antimetastatic (Stomach)	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiobesity	
Antiseptic	
Antispasmodic ED50=0.197 mg/ml	Fitoterapia No.59-1984.
Antitumor	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Pancreas)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiviral	
Apoptotic	
Bronchoprotectant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Chemopreventive	
Cholesterolytic	
Detoxicant	
Enterocontractant	J. Aromatherapy 4: 22.
Expectorant	
FLavor	
Fungiphilic	J. Agric. Food Chem. 43: 2283.
Fungistat	
GST-Inducer	
Herbicide IC50=45 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Histaminic	
Immunomodulator	
Insecticide 0.37 uM/fly	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Interleukin-6-Inhibitor	
Irritant	
Lipolytic	
Myorelaxant 50 mg/kg	
NO-Genic	
Nematicide IC=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Ornithine-Decarboxylase-Inhibitor ~750 mg/kg (diet)	
Ozone-Scavenger	
P450-Inducer	
Peristaltic	
Pesticide	
Photosensitizer	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Transdermal	

**Activities (53)**

Acaricide C90=<15 ul/l (= <15 ppm)	
Allergenic	
Analgesic	
Anesthetic 0.01-1 ug/ml	
Antiacetylcholinesterase	
Antiallergic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antianaphylactic	
Antibacterial MIC=1,600 ug/ml	
Anticariogenic MIC=1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticolic	
Anticonvulsant 200 mg/kg ipr mus	
Antiedemic	
Antiglutamaergic	
Antihistaminic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antiinflammatory	
Antileukemic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antilymphomic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antimange	
Antimite	
Antimutagenic	
Antiseptic 5 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antishock	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (Flores Graminis, Graminis Flos) used in Aromatherapy. J. Ess. Oil Res., 2: 185-191, 1990.
Antiviral	
Barbituate-Synergist	
Bronchorelaxant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
CNS-Depressant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Carminative	
Culicide LC50=156-194 mg/l	
Cytotoxic	
Expectorant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
FLavor FEMA 2-40	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Fungicide	Acta Botanica Sinica, 32: 49.
GABA-nergic	
Hypnotic	
Hypothermic	
Insecticide LC50=156-194 mg/l	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Larvicide LC50=156-194 mg/l	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Prooxidant	Charalambous, G. (Ed.). 1994. Spices, Herbs and Edible Fungi. Elsevier Science B. V. Amsterdam. 764 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Sedative 200 mg/kg ipr mus (1% as active as diazepam)	
Termitifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Trichomonicide LD100=600 ug/ml	
Tumor-Promoter	

**Activities (53)**

Acaricide C90=<15 ul/l (= <15 ppm)	
Allergenic	
Analgesic	
Anesthetic 0.01-1 ug/ml	
Antiacetylcholinesterase	
Antiallergic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antianaphylactic	
Antibacterial MIC=1,600 ug/ml	
Anticariogenic MIC=1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticolic	
Anticonvulsant 200 mg/kg ipr mus	
Antiedemic	
Antiglutamaergic	
Antihistaminic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antiinflammatory	
Antileukemic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antilymphomic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antimange	
Antimite	
Antimutagenic	
Antiseptic 5 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antishock	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (Flores Graminis, Graminis Flos) used in Aromatherapy. J. Ess. Oil Res., 2: 185-191, 1990.
Antiviral	
Barbituate-Synergist	
Bronchorelaxant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
CNS-Depressant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Carminative	
Culicide LC50=156-194 mg/l	
Cytotoxic	
Expectorant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Flavor FEMA 2-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Acta Botanica Sinica, 32: 49.
GABA-nergic	
Hypnotic	
Hypothermic	
Insecticide LC50=156-194 mg/l	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Larvicide LC50=156-194 mg/l	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Prooxidant	Charalambous, G. (Ed.). 1994. Spices, Herbs and Edible Fungi. Elsevier Science B. V. Amsterdam. 764 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Sedative 200 mg/kg ipr mus (1% as active as diazepam)	
Termitifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Trichomonicide LD100=600 ug/ml	
Tumor-Promoter	

METHYL-CHAVICOL

Bark

--

20878.0

\*

**Activities (6)**

Calcium-Antagonist IC50=258 uM

DNA-Binder

Hepatocarcinogenic Bisset, N.G., ed. 1994. Herbal Drugs and Phytopharmaceuticals. CRC Press. Boca Raton, FL. 566 pp.

Hypothermic

Insecticide

Pesticide

METHYL-CHAVICOL Leaf -- 640.0 -0.57 \*

**Activities (6)**

Calcium-Antagonist IC50=258 uM

DNA-Binder

Hepatocarcinogenic Bisset, N.G., ed. 1994. Herbal Drugs and Phytopharmaceuticals. CRC Press. Boca Raton, FL. 566 pp.

Hypothermic

Insecticide

Pesticide

METHYL-EUGENOL Bark -- 66.0 \*

**Activities (20)**

Anesthetic

Antibacterial Internat. J. Oriental Med. 15(4): 199, 1990+

Anticonvulsant

Antidote  
(Strychnine)

Antifeedant Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.

Antioxidant  
EC50=100 ul/lAntiradicular  
EC50=100 ul/l

Antiseptic

Cancer-  
Preventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Carcinogenic Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.

FLavor FEMA 5-  
15 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Fungicide

Fungistat 100  
ug/ml Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. Phytotherapy Research 4(3): 93, 1990.

Insectifuge Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.

Myorelaxant Fitoterapia No.61: 254, 1990.

Narcotic

Nematicide  
MIC=1 mg/ml Shoyakugaku Zasshi, 44: 183.

Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticide

Sedative

METHYL-EUGENOL Leaf -- 17320.0 1.8 \*

**Activities (20)**

Anesthetic	
Antibacterial	Internat. J. Oriental Med. 15(4): 199, 1990+
Anticonvulsant	
Antidote (Strychnine)	
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antioxidant EC50=100 ul/l	
Antiradicular EC50=100 ul/l	
Antiseptic	
Cancer- Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carcinogenic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
FLavor FEMA 5- 15	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Fungistat 100 ug/ml	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. Phytotherapy Research 4(3): 93, 1990.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Myorelaxant	Fitoterapia No.61: 254, 1990.
Narcotic	
Nematicide MIC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	

**NEROLIDOL** Leaf -- 20.0 -0.67 \*

**Activities (11)**

Aldose-Reductase-Inhibitor	
Allergenic	
Antiacne	
Antibacterial MIC=25-200 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticariogenic MIC=25-200 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antifeedant 1 mM (diet)	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Antistreptococcic	
FLavor FEMA 1-10	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

**P-CYMENE** Leaf -- 80.0 -0.33 \*



**Activities (16)**

Analgesic	Martindale's 28th
Antiacetylcholinesterase IC40=1.2 mM	
Antibacillary	
Antibacterial	
Antiflu	
Antirheumatalgic	Martindale's 28th
Antiviral	
FLavor FEMA 12-250	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=50 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Laxative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Pesticide	
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Trichomonicide LD100=50 ug/ml	

TERPINEN-4-OL                                      Leaf                                      --                                      100.0                                      -0.28                                      \*

**Activities (23)**

Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,J.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacetylcholinesterase IC21-24=1.2 mM	
Antiacne	
Antiallergic	
Antiasthmatic	Chin. J. Tuber. Respir. Dis., 4:203, 1982.
Antibacterial	
Antioxidant	
Antiseptic	Flav. & Frag. J. 9: 129.
Antispasmodic	
Antitussive	Chin. J. Tuber. Respir. Dis.
Antiulcer	
Bacteriostatic	Chin. J. Tuber. Respir. Dis.
Diuretic 0.1 ml/rat	
Fungicide	
Herbicide IC50=200 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=22 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	
Irritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Pesticide	
Renoirritant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Spermicide ED100=0.015	
Vulnerary	Lawrence Review of Natural Products, Jan-91.