

# List of All Chemicals

## **P** Origanum vulgare (Lamiaceae)

### Common name(s)

Slender Turkish Oregano

### Variety

gracile

### Variety author

(C. KOCH) IETSWAART

### How used

Medicinal

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part	Low PPM	High PPM	StdDev	*Reference
(E)-2-HEXENAL	Plant	--	0.5	-0.67	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.

#### Activities (2)

Antiseptic  
Pesticide

(E)-BETA-OCIMENE	Plant	--	25.0	-0.47	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
(Z)-BETA-OCIMENE	Plant	--	20.0	-0.5	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
1,8-CINEOLE	Plant	--	3.0	-0.56	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.

#### Activities (67)

(-)-Chronotropic 87 nI/ml Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

(-)-Inotropic 87 nI/ml Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Acaricide LC100=6 uM

Allelopathic

Allergenic

Anesthetic

Anthelmintic Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Antiacetylcholinesterase IC50=41 ug/ml

Antiallergic J. Food Hyg. Soc. Jap. 33(6): 569.

Antibacterial 50 ppm

Antibronchitic

Anticariogenic

Anticatarrh Martindale's 29th

Anticholinesterase IC50=50-70

Antifatigue

Antihalitosis American Health, 12(4): 17, 1993.

Antiinflammatory

Antilaryngitic

Antinociceptive

Antipharyngitic

Antiplateau

Antirheumatic

Antirrhinitic	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antisinusitic	
Antispasmodic	
Antistaphylococcic 50 ppm	
Antitussive	
Antiulcer	
CNS-Stimulant	
Candidicide	
Carcinogenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Choleretic	
Convulsant	
Counterirritant	Martindale's 29th
Cytochrome-P450-Inducer	
Decongestant	
Degranulant 0.3 ul/ml	
Dentifrice	Martindale's 29th
Edemagenic inj	
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 1-200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Gastroprotective	
Gram(+)icide	
Gram(-)icide	
Hepatotonic	
Herbicide IC50=78 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypotensive	
Inflammatory inj	
Insectifuge	
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Neurotoxic	
P450-Inducer	
Pediculicide 2.3 x pyrethrin	
Perfume	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Rubefacient	Martindale's 29th
Secretagogue	
Sedative	
Spasmogenic	
Surfactant	
Testosterone-Hydroxylase-Inducer	
Transdermal	
Trichomonicide LD100=1,000 ug/ml	

1-NONEN-3-OL	Plant	--	1.0	1.39	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
1-OCTEN-3-OL	Plant	--	2.5	-0.44	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
2-ETHYL-1-HEXANOL	Plant	--	1.5	-1.07	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
6-METHYL-3-HEPTANOL	Plant	--	1.0	-0.51	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
ALPHA-CADINOL	Plant	--	20.0	-0.55	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.

Activities (3)					
Acaricide					
Antimite					
Pesticide					
ALPHA-FARNESENE	Plant	--	7.0	-0.83	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
ALPHA-HIMACHALENE	Plant	--	7.0	-0.86	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
ALPHA-HUMULENE	Plant	--	10.0	-0.68	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
Activities (2)					
Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove ( <i>Eugenia caryophyllata</i> ) As Potential Anticarcinogenic Agents. <i>Journal of Natural Products</i> 55(7): 999-1003, 1992.				
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.				
ALPHA-MUUROLENE	Plant	--	2.0	-1.12	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
ALPHA-PINENE	Plant	--	1.0	-0.48	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
Activities (28)					
Allelochemic					
Allergenic					
Antiacne					
Antibacterial					
Antifeedant					
Antiflu					Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory 500 mg/kg					
Antipneumonic					
Antiseptic					
Antispasmodic					
Antistaphylococcic					
Antiviral					Economic & Medicinal Plant Research, 5: 195.
Cancer-Preventive					Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Coleoptophile					
Expectorant					Michael Castleman 1991. <i>The Healing Herbs.</i> Rodale Press, Emmaus, PA 436 pp.
Flavor FEMA 15-150					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 uM					Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.
Insecticide 0.82 uM/fly					
Insectifuge 50 ppm					
Insectiphile					<i>J. Stored. Prod. Res.</i> , 22:141, 1986.
Irritant					Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
P450-2B1-Inhibitor IC50=0.087 uM					
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide					
Sedative					Lawrence Review of Natural Products, Jun-90.
Spasmogenic					
Tranquilizer					Lawrence Review of Natural Products, Jun-90.
Transdermal					
ALPHA-TERPINENE	Plant	--	1.0	-0.5	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.

**Activities (13)**

ACE-Inhibitor 100 ug/ml (weak activity)	
Acaricide	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Antiacetylcholinesterase IC50=1.0 mM	
Antinitrosaminic	
Antispasmodic	
FLavor FEMA 1-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insecticide 0.86 uM/fly	
Insectifuge	
P450-2B1-Inhibitor IC50=0.76 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	

ALPHA-TERPINEOL Plant -- 4.0 -0.48 Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four *Origanum vulgare* Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.

**Activities (23)**

ACE-Inhibitor 100 ug/ml (weak activity)	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacne	
Antibacterial MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against <i>Streptococcus mutans</i> . J. Agric. Food Chem. 41: 1102-1105.
Anticancer	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.
Anticariogenic MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against <i>Streptococcus mutans</i> . J. Agric. Food Chem. 41: 1102-1105.
Antiinflammatory	
Antiproliferant	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Cicatrizant ED50=240 ug/g mus	
FLavor FEMA 5-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insecticide 1.29 uM/fly	
Interleukin-6-Inhibitor	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Termiticide IC100=5 mg/g	
Transdermal	
Vulnerary ED50=240 ug/g mus	

BETA-BISABOLENE Plant -- 20.0 -0.58 Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four *Origanum vulgare* Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.

Activities (6)					
Abortifacient					
Antirhinoviral IC50=1,800?					Denyer, C.V., Jackson, P., Loakes, D.M., Ellis, M.R., and Yound, D.A.B. Isolation of Antirhinoviral Sesquiterpenes From Ginger ( <i>Zingiber officinale</i> ). <i>Journal of Natural Products</i> , 57(5): 658-662, 1994.
Antiulcer IC57=100 mg/kg					Yamahara, J., et al. Stomachic principles in ginger. II. Pungent and anti-ulcer effects of low polar constituents isolated from ginger, the dried rhizoma of... <i>Yakugaku Zasshi</i> 112: 645-655 (1992).
Antiviral IC50=1,800?					Denyer, C.V., Jackson, P., Loakes, D.M., Ellis, M.R., and Yound, D.A.B. Isolation of Antirhinoviral Sesquiterpenes From Ginger ( <i>Zingiber officinale</i> ). <i>Journal of Natural Products</i> , 57(5): 658-662, 1994.
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Stomachic					

BETA-BOURBONENE	Plant	--	2.0	-0.51	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
BETA-CARYOPHYLLENE	Plant	--	35.0	-0.78	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
BETA-PHELLANDRENE	Plant	--	1.0	-0.82	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.

Activities (3)					
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.				
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. <i>Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D)</i> , 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Perfumery	Merck 11th Edition				

BETA-PINENE	Plant	--	1.0	-0.43	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
-------------	-------	----	-----	-------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Activities (13)					
Allergenic					
Antiinflammatory					
Antiseptic	Leung, A. Y. and Foster, S. 1995. <i>Encyclopedia of Common Natural Ingredients</i> 2nd Ed. John Wiley & Sons, New York. 649 pp.				
Antispasmodic					
Candidicide					
FLavor FEMA 15-600	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.				
Insectifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. <i>Compendium of Safety Data Sheets for Research and Industrial Chemicals</i> . VCH Publishers, New York. 3560-4253.				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Pesticide					
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. <i>Herbal Medicine - A Guide for Health-care Professionals</i> . The Pharmaceutical Press, London. 296pp.				
Transdermal					

CAMPHENE	Plant	--	1.0	-0.6	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
----------	-------	----	-----	------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Activities (9)					
Allelopathic	Wright, C.W. (Ed) 2002. <i>Medicinal &amp; Aromatic Plants - Industrial Profiles</i> . Artemisia. 344pp. Maffei, M. (Ed) 2002. <i>Vetiveria. The Genus Vetiveria</i> . Taylor & Francis. NY, NY. 191pp. Southwell, I., Lowe, R. (Eds) 1999. <i>Tea Tree. The Genus Melaleuca</i> . Harwood Acad. Pub. Amsterdam, Netherlands.				
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.				
Antioxidant	Jim Duke's personal files.				
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. <i>Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D)</i> , 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.				
Insectifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Pesticide					
Spasmogenic	Fitoterapia No.59-1984.				

CARVACROL	Plant	--	6.0	-0.87	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
-----------	-------	----	-----	-------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Activities (37)**

Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antialzheimeran?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antiatherosclerotic IC50=5.53 uM	
Antibacterial MIC 170-290	Chalchat, J.C. et Garry, R.P.*, Bastide, P., Fabre, F. et Malhuret, R. Correlation Composition Chimique/Activite Antimicrobienne: V - Contribution a la Comparaison de 2 Methodes de Determination Des Cml. Plantes medicinales et phytotherapie, 25: 184-193.
Antibacterial MIC=39-625	Russell, G. B., Phytochemical resources for crop protection, N. Z. J. Technol., 2, 1986, 127-134.
Anticholinesterase?	L. Gracza (1985) as cited by Buchbauer re antiacetylcholinesterase.
Antidiuretic	Lawrence Review of Natural Products, Mar-92.
Antiinflammatory IC50=4 uM	
Antimelanomic IC50=120 uM/l	
Antioxidant	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antioxidant (LDL) IC50=5.53 uM	
Anti plaque MIC=39-625 ug/ml	Osawa, K., Matsumoto, T., Maruyama, T., Takiguchi, T., Okuda, K., and Takazoe, I., Studies of the antibacterial activity of plant extracts and their constituents against periodontopathic bacteria, Bull Tokyo Dent. Coll., 31 (1), 1990, 17-21
Antiprostaglandin	
Antiradicular 600 x thymol	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Antiseptic 1.5 x phenol	
Antispasmodic	
Antistaphylococcic	
Antistreptococcic	
Antitussive	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Candidicide MIC<0.1 ug/ml	
Candidicide 100- 150 ug/ml	
Carminative	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Cyclooxygenase- Inhibitor #NAME?	
Enterorelaxant	J. Aromatherapy 4: 22.
Expectorant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Flavor FEMA 10- 125	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insectifuge	
Irritant	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Nematicide MLC=1 mg/ml	
Pesticide	
Prostaglandin- Inhibitor	
Tracheorelaxant	
Trichomonicide LD100=150 ug/ml	
Vermifuge	

CIS- DIHYDROCARVONE	Plant	--	--	-0.67	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
CIS-SABINENE- HYDRATE	Plant	--	0.5	-0.56	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
DELTA-3-CARENE	Plant	--	--	-0.72	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.

Activities (8)					
Allergenic?					
Antibacterial					Revista Itiliana Eppos, 12: 5, 1994.
Antiinflammatory ipr					Internat. J. Oriental Med. 15(4): 194, 1990+
Dermatitogenic					
FLavor FEMA					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insectifuge					Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant					
Pesticide					

DELTA-CADINENE	Plant	--	7.0	-0.52	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
----------------	-------	----	-----	-------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Activities (9)					
Aldose-Reductase-Inhibitor					
Antiacne					
Antibacterial MIC800 ug/ml					Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against <i>Streptococcus mutans</i> . J. Agric. Food Chem. 41: 1102-1105.
Anticariogenic MIC800 ug/ml					Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against <i>Streptococcus mutans</i> . J. Agric. Food Chem. 41: 1102-1105.
Antistreptococcic					
Cytochrome-P450-Inducer					
P450-Inducer					
Pesticide					
Testosterone-Inducer					

DELTA-CADINOL	Plant	--	5.0	0.34	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
---------------	-------	----	-----	------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Activities (1)					
Termiticide					Material und Organismen , 24: 1, 1989.

EO	Plant	--	400.0	-0.71	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
----	-------	----	-------	-------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

GAMMA-CADINENE	Plant	--	--	-0.68	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
----------------	-------	----	----	-------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

GAMMA-ELEMENE	Plant	--	--	-0.43	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
---------------	-------	----	----	-------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

GAMMA-TERPINENE	Plant	--	3.0	-0.53	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
-----------------	-------	----	-----	-------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Activities (11)					
ACE-Inhibitor 100 ug/ml (weak activity)					
Acaricide					
Aldose-Reductase-Inhibitor 100 ug/ml					Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Antiacylcholinesterase IC23=1.2 mM					
Antifeedant					Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Antioxidant					Jim Duke's personal files.
FLavor FEMA 1-40					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insectifuge					Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Irritant					Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery					Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide					

GERANIOL	Plant	--	0.5	-0.45	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
----------	-------	----	-----	-------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Activities (35)**

Allergenic	
Anthelmintic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antibacterial MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antibacterial MIC=64 ug/ml	
Antibacterial MBC=800 ug/ml	
Anticancer (Pancreas) IC50=265 uM	
Anticariogenic MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antimelanomic IC50=150 uM/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 7 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antiseptic MIC=64 ug/ml	
Antiseptic 400-800 ug/ml	
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (Flores Graminis, Graminis Flos) used in Aromatherapy. J. Ess. Oil Res., 2: 185-191, 1990.
Antitubercular MIC=64 ug/ml	
Antitumor	Yu, S.G., Anderson, P.J., and Elson, C.E. 1995. Efficacy of B-Ionone in the Chemoprevention of Rat Mammary Carcinogenesis. J. Agric. Food Chem. 43: 2144-2147.
Antitumor (Pancreas) IC50=265 uM	
Ascaricide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
CNS-Stimulant	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	
Embryotoxic	
Emetic 3 x ipecac	Lawrence Review of Natural Products, Sep-97.
Expectorant	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol., 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
FLavor FEMA 1-10	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide IC93=2 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC100-2,000 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge 50 ppm	
Insectiphile	Merck 11th Edition
Mycobactericide MIC=64 ug/ml	
Nematicide IC86=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Nematicide MLC=1,000 ug/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Sedative	
Trichomonicide LD100=300 ug/ml	

GERANYL-ACETATE Plant -- 7.0 -0.56 Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.

**Activities (5)**

Allergenic	
FLavor FEMA 1-20	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insectiphile	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Sedative	Jim Duke's personal files.

GERMACRENE-D Plant -- 50.0 -0.38 Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four Origanum vulgare Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.



**Activities (2)**

Pesticide  
Pheromone

ISOBORNEOL      Plant    --      1.0      -0.94      Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four *Origanum vulgare* Subspecies of Anatolian Origin. *J. Ess. Oil Res.*, 5: 425-431.

**Activities (7)**

Antiherpetic  
600 ppm  
Antiviral 600  
ppm  
Insectifuge  
Motor-  
Stimulant      Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H.  
Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC  
Nematicide  
MLC=1  
mg/ml      Shoyakugaku Zasshi, 44: 183.  
Pesticide  
Sedative

LIMONENE      Plant    --      2.0      -0.48      Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four *Origanum vulgare* Subspecies of Anatolian Origin. *J. Ess. Oil Res.*, 5: 425-431.

**Activities (60)**

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. &amp; Physiol.</i> , 23, 1985, 383-8.
Acaricide LC100=8 uM	
Allelochemic	
Allergenic 1/20th carene	
Antiacetylcholinesterase IC22-26=1.2 mM	
Antiadenomic	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. &amp; Physiol.</i> , 23, 1985, 383-8.
Antiasthmatic	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Anticancer	
Antiesophagitic	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	
Antilithic	
Antilymphomic	
Antimetastatic (Stomach)	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiobesity	
Antiseptic	
Antispasmodic ED50=0.197 mg/ml	Fitoterapia No.59-1984.
Antitumor	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Pancreas)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiviral	
Apoptotic	
Bronchoprotectant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidistat	
Chemopreventive	
Cholesterolytic	
Detoxicant	
Enterocontractant	J. Aromatherapy 4: 22.
Expectorant	
FLavor	
Fungiphilic	J. Agric. Food Chem. 43: 2283.
Fungistat	
GST-Inducer	
Herbicide IC50=45 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Histaminic	
Immunomodulator	
Insecticide 0.37 uM/fly	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Interleukin-6-Inhibitor	
Irritant	
Lipolytic	
Myorelaxant 50 mg/kg	
NO-Genic	
Nematicide IC=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Ornithine-Decarboxylase-Inhibitor ~750 mg/kg (diet)	
Ozone-Scavenger	
P450-Inducer	
Peristaltic	
Pesticide	
Photosensitizer	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Transdermal	

LINALOL	Plant	--	6.0	-0.43	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
---------	-------	----	-----	-------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

MYRCENE	Plant	--	6.0	-0.47	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
---------	-------	----	-----	-------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### Activities (22)

ACE-Inhibitor 100 ug/ml

Aldose-Reductase-Inhibitor 100 ug/ml Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. *Toyama-Ken Yakuji Kenkyusho Nenpo*, (20): 95-101.

Allergenic

Analgesic Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. *Environmental and Molecular Mutagenesis* 18: 28-34, 1991.

Antibacterial

Anticonvulsant

Antimutagenic Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. *Environmental and Molecular Mutagenesis* 18: 28-34, 1991.

Antinitrosaminic

Antinociceptive 10-20 mg/kg ipr mus Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. *J. Pharm. Pharmacol.* 42: 877-878, 1990.

Antinociceptive 20-40 mg/kg scu mus Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. *J. Pharm. Pharmacol.* 42: 877-878, 1990.

Antioxidant Jim Duke's personal files.

Antispasmodic Jim Duke's personal files.

Chemopreventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

FLavor FEMA 0.5-9 Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Fungicide Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Hypothermic

Insectifuge

Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Myorelaxant 100-200 mg/kg

P450-2B1-Inhibitor IC50=0.14 uM

Perfumery Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Pesticide

NONANE	Plant	--	1.0	-0.58	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
--------	-------	----	-----	-------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

NONANOL	Plant	--	1.0	-0.74	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
---------	-------	----	-----	-------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

P-CYMEN-8-OL	Plant	--	--	-0.8	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
--------------	-------	----	----	------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

P-CYMENE	Plant	--	1.0	-0.42	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
----------	-------	----	-----	-------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### Activities (16)

Analgesic Martindale's 28th

Antiacetylcholinesterase IC40=1.2 mM

Antibacillary

Antibacterial

Antiflu

Antirheumatalgic Martindale's 28th

Antiviral

FLavor FEMA 12-250 Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry

Fungicide Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Herbicide IC50=50 uM Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Insectifuge Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.

Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Laxative Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Pesticide

Sedative Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Trichomonidic LD100=50 ug/ml

PATCHOULANE	Plant	--	7.0	-0.7	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
-------------	-------	----	-----	------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SABINENE	Plant	--	7.0	-0.45	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
----------	-------	----	-----	-------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Activities (5)**

Antibacterial  
 Antihelicobacter  
 Antiseptic  
 Antiulcer  
 Perfumery  
 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

SPATHULENOL	Plant	--	2.5	-0.62	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
-------------	-------	----	-----	-------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

TERPINEN-4-OL	Plant	--	35.0	-0.27	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
---------------	-------	----	------	-------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Activities (23)**

Allelopathic  
 Wright, C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei, M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell, J.,Lowe, R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.

Antiacetylcholinesterase  
 IC21-24=1.2 mM

Antiacne  
 Antiallergic  
 Antiasthmatic  
 Chin. J. Tuber. Respir. Dis., 4:203, 1982.

Antibacterial  
 Antioxidant  
 Antiseptic  
 Flav. & Frag. J. 9: 129.

Antispasmodic  
 Antitussive  
 Chin. J. Tuber. Respir. Dis.

Antiulcer  
 Bacteriostatic  
 Chin. J. Tuber. Respir. Dis.

Diuretic 0.1 ml/rat  
 Fungicide  
 Herbicide IC50=200 mM  
 Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.

Herbicide IC50=22 uM  
 Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Insectifuge  
 Irritant  
 Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.

Nematicide MLC=1 mg/ml  
 Shoyakugaku Zasshi, 44: 183.

Pesticide  
 Renoirritant  
 Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.

Spermicide  
 ED100=0.015

Vulnerary  
 Lawrence Review of Natural Products, Jan-91.

TERPINOLENE	Plant	--	1.0	-0.73	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
-------------	-------	----	-----	-------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Activities (9)**

Allelochemic  
 Antifeedant  
 Antinitrosaminic  
 Antioxidant  
 Deodorant  
 Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

FLavor FEMA 15-60  
 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Fungicide  
 Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Perfumery  
 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticide

TORREYOL	Plant	--	4.0	-0.91	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
----------	-------	----	-----	-------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Activities (2)**

**Pesticide**

**Termiticide**

Material und Organismen , 24: 1, 1989.

TRANS-DIHYDROCARVONE	Plant	--	--	-0.75	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
TRANS-SABINENE-HYDRATE	Plant	--	2.5	-0.4	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
UNDECANE	Plant	--	1.0	-0.37	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.