

List of All Chemicals

Conium maculatum (Apiaceae)

Common name(s)

Spotted Parsley; Spotted Hemlock; Poison Hemlock; Fool's Parsley; Carrot Fern; Hemlock

How used

Medicinal

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part <input type="button" value="All"/>	Low PPM	High PPM	StdDev	*Reference
ALPHA-CONHYRDINE	Plant	--	--		*
ARABINO-4-O-METHYLGUCURONOXILAN	Plant	--	--		*
ARABINOSE	Plant	--	7000.0		*
CAFFEIC-ACID	Plant	--	--		*

Activities (102)

Aldose-Reductase-Inhibitor 4 ug/ml (weak activity)	Ichikawa, K., et al. 1991. Isolation and Structure Determination of Aldose Reductase Inhibitors from Traditional Thai Medicine, and Syntheses of Their Derivatives. Sankyo Kenkyusho Nempo, 43: 99-110.
Allergenic	
Analgesic	
AntiHIV EC50=200 ug/ml	
AntiLegionella	
Antiadenoviral	Economic & Medicinal Plant Research, 5: 207.
Antiaggregant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiaging	
Antiatherogenic	
Antibacterial	
Anticancer	
Anticarcinogenic	Economic & Medicinal Plant Research, 6: 189.
Antidepressant	
Antiedemic	Economic & Medicinal Plant Research, 6: 189.
Antielastase IC50=93 um/l	
Antielastase IC50=86 ug/ml (475 uM)	
Antiescherichic	
Antiflu	Economic & Medicinal Plant Research, 5: 207.
Antigonadotropic	Jim Duke's personal files.
Antihemolytic 25 uM	Ohnishi, M., Morishita, H., Iwahashi, H., Toda, S., Shirataki, Y., Kimura, M., and Kido, R. 1993. Inhibitory Effects of Chlorogenic Acids on Linoleic Acid Peroxidation and Haemolysis. Phytochemistry. 36(3): 579-583. 1994.
Antihepatoadenomic 200 ppm diet orl mus	
Antihepatotoxic	
Antiherpetic 50 ug/ml	
Antiherpetic EC50=>50 ug/ml	
Antihistaminic	
Antihypercholesterolemic	Economic & Medicinal Plant Research, 6: 189.
Antihyperthyroid	
Antiinflammatory	
Antileukemic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antileukotriene	
Antimelanogenic	
Antimutagenic	Ki Soon Rhee. Oilseed Food Ingredients Used To Minimize Oxidative Flavor Deterioration in Meat Products. Phenolic Compounds in Food and Their Effects on Health, Ch.18.
Antinitrosaminic	Ki Soon Rhee. Oilseed Food Ingredients Used To Minimize Oxidative Flavor Deterioration in Meat Products. Phenolic Compounds in Food and Their Effects on Health, Ch.18.
Antiphidic	
Antioxidant 50 uM	
Antioxidant IC57=30 ppm	

Antioxidant 1/3 quercetin	
Antioxidant 30 mM	
Antioxidant 1.3 x Vit. E	
Antioxidant 1/2 BHA	
Antiperoxidant IC50=44 uM	Planta Medica, 57: A54, 1991.
Antiperoxidant IC35=200 ug/ml	
Antiperoxidant IC85=100 ug/ml	
Antiproliferant	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antiprostaglandin	
Antiradicular 10 uM	Ohnishi, M., Morishita, H., Iwahashi, H., Toda, S., Shirataki, Y., Kimura, M., and Kido, R. 1993. Inhibitory Effects of Chlorogenic Acids on Linoleic Acid Peroxidation and Haemolysis. Phytochemistry. 36(3): 579-583. 1994.
Antiradicular 1/3 quercetin	
Antiradicular 30 mM	
Antiradicular IC50=32-35 uM	
Antiseptic	
Antispasmodic EC50=3.4-15 uM	Phytotherapy Research, 4: 73.
Antistaphylococcic	
Antistomatitic	Economic & Medicinal Plant Research, 5: 207.
Antisunburn	
Antithiamin	Phenolic Compounds in Food and Their Effects on Health, 69.
Antithyroid	Jim Duke's personal files.
Antitumor 200 ppm diet orl mus	
Antitumor (Skin)	
Antitumor-Promoter IC42=10 uM	Cancer Research, 48: 5941.
Antiulcerogenic	
Antivaccinia	Economic & Medicinal Plant Research, 5: 207.
Antiviral IC50=62.5 ug/ml	
Anxiolytic	
CNS-Active	Wichtl, M. 1984. Teedrogen. Ein Handbuch fur Apotheker und Arzte. Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
COX-2-Inhibitor IC32=100 uM	
Calcium-Antagonist IC50=1.2 uM rbt	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carcinogenic 2% (diet)	
Chemopreventive	
Cholagogue	Wichtl, M. 1984. Teedrogen. Ein Handbuch fur Apotheker und Arzte. Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
Choleretic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Clastogenic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Co-carcinogenic	
Collagen-Sparing	
Cytoprotective	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Cytotoxic TC50=200 ug/ml	
DNA-Active	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
DNA-Protective	
Diuretic	Wichtl, M. 1984. Teedrogen. Ein Handbuch fur Apotheker und Arzte. Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
Fungicide MIC=0.4 mg/ml	
Hepatocarcinogenic 400 ppm diet orl mus (in the absence of alcohol)	
Hepatoprotective	Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 210.
Hepatotropic	
Histamine-Inhibitor	
Immunostimulant	
Insectifuge	Tunon, H., Thorsell, W., and Bohlin, L. 1993. Mosquito Repelling Activity of Compounds Occurring in Achillea millefolium L. (Asteraceae). Economic Botany 48(2): 111-120, 1994.
Leukotriene-Inhibitor	
Lipoxygenase-Inhibitor IC27=5 mM	Oszmianski, J. and Lee, C.Y. 1990. Inhibitory Effect of Phenolics on Carotene Bleaching in Vegetables. J. Agric. Food Chem. 38: 688-690.
Lipoxygenase-Inhibitor IC50=62-148 uM	
Lyase-Inhibitor IC50=94-164 uM	
Metal-Chelator	McEvily, A.J., Iyengar, R., and Gross, A.T. Inhibition of Polyphenol Oxidase by Phenolic Compounds. Phenolic Compounds in Food and Their Effects on Health, Ch.25.
Ornithine-Decarboxylase-Inhibitor	Hagerman, A.E. Tannin-Protein Interactions. Phenolic Compounds in Food and Their Effects on Health, Ch.19.
Pesticide	
Prooxidant	
Prostaglandigenic	
Sedative 500 mg	

Sedative 500 mg	
Sunscreen IC50=2.5 mg/l	Lazarova*, G., Kostova, I., Neychev, H. 1992. Photodynamic damage prevention by some hydroxycoumarins. <i>Fitoterapia</i> 64(2): 134-136, 1993.
Sunscreen IC91=5 mg/l	Lazarova*, G., Kostova, I., Neychev, H. 1992. Photodynamic damage prevention by some hydroxycoumarins. <i>Fitoterapia</i> 64(2): 134-136, 1993.
Sunscreen IC98=25 mg/l	Lazarova*, G., Kostova, I., Neychev, H. 1992. Photodynamic damage prevention by some hydroxycoumarins. <i>Fitoterapia</i> 64(2): 134-136, 1993.
Tumorigenic	Jim Duke's personal files.
Vulnerary	
Xanthine-Oxidase-Inhibitor IC50=39.21 uM	Mills, Simon and Bone, Kerry. 2000. <i>Phytotherapy</i> . Churchill Livinston, Edinburgh.

CHLOROGENIC-ACID Plant -- -- *

Activities (77)

Aldose-Reductase-Inhibitor IC50=1.8 uM rat (strong activity)	Yoshikawa, M., et al. 1999. Medicinal Flowers. I. Aldose Reductase Inhibitors and Three New Eudesmane-Type Sesquiterpenes, Kikkanols A, B, and C, From the Flowers of <i>Chrysanthemum indicum</i> L. <i>Chem Pharm Bull</i> , 47(3): 340-345.
Allelochemic	
Allergenic	
Analgesic	
AntiEBV	Economic & Medicinal Plant Research, 6: 189.
AntiHIV	Economic & Medicinal Plant Research, 6: 189.
AntiLegionella	
Antiatherosclerotic	
Antibacterial	
Anticancer (Colon)	
Anticancer (Forestomach)	
Anticancer (Liver)	
Anticancer (Skin)	
Anticarcinogenic	
Antidiabetic	
Antifeedant	
Antigenotoxic	
Antigonadotropic	Jim Duke's personal files.
Antihemolytic 10 uM	Ohnishi, M., Morishita, H., Iwashashi, H., Toda, S., Shirataki, Y., Kimura, M., and Kido, R. 1993. Inhibitory Effects of Chlorogenic Acids on Linoleic Acid Peroxidation and Haemolysis. <i>Phytochemistry</i> . 36(3): 579-583. 1994.
Antihepatotoxic	
Antiherpetic	Economic & Medicinal Plant Research, 5: 194.
Antihistaminic	
Antihypercholesterolemic	Economic & Medicinal Plant Research, 6: 189.
Antihyperthyroid	
Antiinflammatory	Hagerman, A.E. Tannin-Protein Interactions. <i>Phenolic Compounds in Food and Their Effects on Health</i> , Ch.19.
Antileukotriene	
Antimelanogenic	
Antimutagenic	
Antinitrosaminic	
Antioxidant IC53=200 ppm	Huang, M-T., and Ferraro, T. Phenolic Compounds in Food and Cancer Prevention. <i>Phenolic Compounds in Food and Their Effects on Health</i> , Ch.2 p.21.
Antioxidant IC80=12 uM	
Antioxidant IC50=54.2 uM	
Antiperoxidant IC50=36 uM	<i>Planta Medica</i> , 57: A54, 1991.
Antipolio	Jim Duke's personal files.
Antiradicular 10 uM	Ohnishi, M., Morishita, H., Iwashashi, H., Toda, S., Shirataki, Y., Kimura, M., and Kido, R. 1993. Inhibitory Effects of Chlorogenic Acids on Linoleic Acid Peroxidation and Haemolysis. <i>Phytochemistry</i> . 36(3): 579-583. 1994.
Antiradicular 9 x quercetin	
Antiseptic	
Antisunburn	
Antithyroid	Jim Duke's personal files.
Antitumor	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Antitumor (Colon)	
Antitumor (Forestomach)	
Antitumor (Liver)	
Antitumor (Skin)	
Antitumor-Promoter IC25=10 uM	
Antiulcer	Economic & Medicinal Plant Research, 6: 189.
Antiviral	Vlietinck, A.J. and Dommissie, R.A. eds. 1985. <i>Advances in Medicinal Plant Research</i> . Wiss. Verlag. Stuttgart.
Autotoxic	
CNS-Active	Wichtl, M. 1984. <i>Teedrogen. Ein Handbuch fur Apotheker und Arzte</i> . Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
CNS-Stimulant 1/6 Caffeine	

Cancer-Preventive Cardioprotective Chemopreventive Cholagogue Choleretic Clastogenic Collagen-Sparing Diuretic Fungicide Hepatoprotective Histamine-Inhibitor Hypoglycemic Immunostimulant Insectifuge Interferonogenic Juvabional Larvostat Leukotriene-Inhibitor	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Lipoxigenase-Inhibitor IC23=5 mM	Oszmianski, J. and Lee, C.Y. 1990. Inhibitory Effect of Phenolics on Carotene Bleaching in Vegetables. J. Agric. Food Chem. 38: 688-690.
Metal-Chelator	McEvily, A.J., Iyengar, R., and Gross, A.T. Inhibition of Polyphenol Oxidase by Phenolic Compounds. Phenolic Compounds in Food and Their Effects on Health, Ch.25.
NO-Genic	
Ornithine-Decarboxylase-Inhibitor	Hagerman, A.E. Tannin-Protein Interactions. Phenolic Compounds in Food and Their Effects on Health, Ch.19.
Oviposition-Stimulant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide Sunscreen Sweetener Vulnerary	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.

CONHYDRINE	Plant	--	--	*
CONIINE	Plant	--	--	*

Activities (2)				
Emetic				Merck 11th Edition
Paralytic				Merck 11th Edition

CONIINE	Stem	--	--	Sadykov, Y. D., Khodzhimatov, M. 1983. Alkaloids of Conium maculatum L. Dokl Akad Nauk Tadzh SSR, 268: 511-515.
---------	------	----	----	---

Activities (2)				
Emetic				Merck 11th Edition
Paralytic				Merck 11th Edition

CONIINE	Leaf	--	--	Roberts, M. F. 1980. An Alkaloid from Conium maculatum. Planta Medica, 39: 216.
---------	------	----	----	---

Activities (2)				
Emetic				Merck 11th Edition
Paralytic				Merck 11th Edition

CONIINE	Fruit	--	--	*
---------	-------	----	----	---

Activities (2)				
Emetic				Merck 11th Edition
Paralytic				Merck 11th Edition

DIOSMIN	Plant	30000.0	40000.0	0.16	*
---------	-------	---------	---------	------	---

Activities (34)

AntiCVI	
Anticancer	
Anticapillary-Fragility 300 mg/2x/day/woman	Martindale's 28th
Anticarcinogenic	
Anticlastogen	
Anticytotoxic	
Antiedemic 600 mg/kg rat	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antiedemic 50-200 mg/kg/day	
Antihemorrhoidal 450 mg 2x/day x7days then 1x/day x2months	
Antihistaminic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antiinflammatory 600 mg/kg rat	
Antileukotriene	
Antimelanomic	
Antimetastatic	
Antimetrorrhagic	Fitoterapia No.55-1984.
Antioxidant	
Antiperoxidant	
Antiproliferant	
Antiprostaglandin	
Antiradicular	
Antithromboxane	
Antiulcer	
COMT-Inhibitor 200-400 mg/kg ip	
Chemopreventive	
Cyclooxygenase-Inhibitor	
Cytoprotective	
Diuretic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Hypoglycemic	
Lipoxygenase-Inhibitor	
MDR-Inhibitor 100 uM	Critchfield, J. W., Welsh, C. J., Phang, J. M., Yeh, G. C. 1994. Modulation of Adriamycin Accumulation and Efflux by Flavonoids in HCT-15 Colon Cells. Activation of P-Glycoprotein as a Putative Mechanism. Biochem Pharmacol, 48(7): 1437-1445.
P450-Inhibitor	
Radioprotective	
Venoprotective	
Venotonic	

EO	Plant	--	10000.0	0.02	*
----	-------	----	---------	------	---

ETHYL-PIPERIDINE	Plant	--	--		*
------------------	-------	----	----	--	---

FALCARINOL-ONE	Plant	--	--		*
----------------	-------	----	----	--	---

FALCARINONE	Plant	--	--		*
-------------	-------	----	----	--	---

Activities (3)

Fungicide	Wichtl, M. 1984. Teedrogen. Ein Handbuch fur Apotheker und Arzte. Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
Pesticide	
Phytoalexin	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

FAT	Seed	116000.0	179000.0	-0.46	*
-----	------	----------	----------	-------	---

GAMMA-CONICEINE	Plant	--	--		*
-----------------	-------	----	----	--	---

LIGNIN	Plant	--	320000.0	1.32	*
--------	-------	----	----------	------	---

Activities (13)

AntiHIV
 Antibacterial
 Anticancer
 Anticoronary
 Antidiarrheic
 Antinitrosaminic
 Antioxidant
 Antitumor
 Antiviral
 Chelator
 Hypocholesterolemic
 Laxative
 Pesticide

Martindale's 29th

METHYL-CONIINE	Leaf	--	140.0		*
N-ACETYL-(+)-CONIINE	Plant	--	--		*
N-ACETYL-(-)-CONIINE	Plant	--	--		*
N-METHYL-(+)-CONIINE	Plant	--	--		*
N-METHYL-(-)-CONIINE	Fruit	--	--		Fairbairn, J. W., Suwal, P. N. 1961. The Alkaloids of Hemlock (<i>Conium maculatum</i> L.). II. Evidence for a Rapid Turnover of the Major Alkaloids. <i>Phytochemistry</i> , 11: 38-46.
N-METHYL-(-)-CONIINE	Plant	--	--		Link, R. P. 1975. Toxic Plants, Rodenticides, Herbicides and Yellow Fat Disease. Diseases of Swine Dunne HW: Lemon Ad(eds) Iowa State Univ. Press, Ames Iowa, 4th ed.: 861.
PENTOSANS	Plant	--	66000.0	-1.16	*
PROTEIN	Seed	206000.0	249000.0	0.14	*
PSEUDOCONHYDRINE	Plant	--	--		*
URONIC-ACIDS	Plant	--	33000.0		*
XYLOSE	Plant	--	46000.0		*

Activities (3)

Antidiabetic
 Diagnostic
 Dye

Martindale's 28th
 Merck 11th Edition