

List of All Chemicals

P Diospyros montana (Ebenaceae)

How used

Medicinal

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part <input type="button" value="All"/>	Low PPM	High PPM	StdDev	*Reference
BETULIN	Stem Bark	--	10000.0	3.63	Jim Duke's personal files.
Activities (13)					
AntiHIV 6.1 uM					
Anticarcinomic					
Antifeedant					
Antiflu					
Antiinflammatory					Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from Diospyros leucomelas*. Planta Medica, 61: 9.
Antitumor					Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiviral 6.1 uM					
Aphidifuge					Lugemwa, F.N., Huang, F-Y., Bentley, M.D., Mendel, M.J., and Alford, A.R. 1990. A Heliothis zea Antifeedant from the Abundant Birchbark Triterpene Betulin. J. Agric. Food Chem. 38(2): 493-494.
Cytotoxic 600 ppm					
Cytotoxic 8.6 uM					
Hypolipemic					
Prostaglandin-Synthesis-Inhibitor IC50=119 uM					Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from Menyanthes trifoliata L. Yao Hsueh Hsueh Pao, 30(8): 621-626.
Topoisomerase-II-Inhibitor IC50=38.6 uM					
BETULIN	Leaf	--	--		Jim Duke's personal files.
Activities (13)					
AntiHIV 6.1 uM					
Anticarcinomic					
Antifeedant					
Antiflu					
Antiinflammatory					Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from Diospyros leucomelas*. Planta Medica, 61: 9.
Antitumor					Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiviral 6.1 uM					
Aphidifuge					Lugemwa, F.N., Huang, F-Y., Bentley, M.D., Mendel, M.J., and Alford, A.R. 1990. A Heliothis zea Antifeedant from the Abundant Birchbark Triterpene Betulin. J. Agric. Food Chem. 38(2): 493-494.
Cytotoxic 600 ppm					
Cytotoxic 8.6 uM					
Hypolipemic					
Prostaglandin-Synthesis-Inhibitor IC50=119 uM					Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from Menyanthes trifoliata L. Yao Hsueh Hsueh Pao, 30(8): 621-626.
Topoisomerase-II-Inhibitor IC50=38.6 uM					
BETULIN	Fruit	--	--		Jim Duke's personal files.

Activities (13)					
AntiHIV 6.1 uM					
Anticarcinomic					
Antifeedant					
Antiflu					
Antiinflammatory		Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from Diospyros leucomelas*. <i>Planta Medica</i> , 61: 9.			
Antitumor		Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.			
Antiviral 6.1 uM					
Aphidifuge		Lugemwa, F.N., Huang, F.-Y., Bentley, M.D., Mendel, M.J., and Alford, A.R. 1990. A <i>Heliothis zea</i> Antifeedant from the Abundant Birchbark Triterpene Betulin. <i>J. Agric. Food Chem.</i> 38(2): 493-494.			
Cytotoxic 600 ppm					
Cytotoxic 8.6 uM					
Hypolipemic					
Prostaglandin-Synthesis-Inhibitor IC50=119 uM		Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from <i>Menyanthes trifoliata</i> L. <i>Yao Hsueh Hsueh Pao</i> , 30(8): 621-626.			
Topoisomerase-II-Inhibitor IC50=38.6 uM					
BETULIN	Bark	--	190.0	-0.38	Jim Duke's personal files.

Activities (13)					
AntiHIV 6.1 uM					
Anticarcinomic					
Antifeedant					
Antiflu					
Antiinflammatory		Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from Diospyros leucomelas*. <i>Planta Medica</i> , 61: 9.			
Antitumor		Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.			
Antiviral 6.1 uM					
Aphidifuge		Lugemwa, F.N., Huang, F.-Y., Bentley, M.D., Mendel, M.J., and Alford, A.R. 1990. A <i>Heliothis zea</i> Antifeedant from the Abundant Birchbark Triterpene Betulin. <i>J. Agric. Food Chem.</i> 38(2): 493-494.			
Cytotoxic 600 ppm					
Cytotoxic 8.6 uM					
Hypolipemic					
Prostaglandin-Synthesis-Inhibitor IC50=119 uM		Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from <i>Menyanthes trifoliata</i> L. <i>Yao Hsueh Hsueh Pao</i> , 30(8): 621-626.			
Topoisomerase-II-Inhibitor IC50=38.6 uM					
BETULIN	Wood	--	300.0	-0.29	Jim Duke's personal files.

Activities (13)					
AntiHIV 6.1 uM					
Anticarcinomic					
Antifeedant					
Antiflu					
Antiinflammatory		Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from Diospyros leucomelas*. <i>Planta Medica</i> , 61: 9.			
Antitumor		Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.			
Antiviral 6.1 uM					
Aphidifuge		Lugemwa, F.N., Huang, F.-Y., Bentley, M.D., Mendel, M.J., and Alford, A.R. 1990. A <i>Heliothis zea</i> Antifeedant from the Abundant Birchbark Triterpene Betulin. <i>J. Agric. Food Chem.</i> 38(2): 493-494.			
Cytotoxic 600 ppm					
Cytotoxic 8.6 uM					
Hypolipemic					
Prostaglandin-Synthesis-Inhibitor IC50=119 uM		Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from <i>Menyanthes trifoliata</i> L. <i>Yao Hsueh Hsueh Pao</i> , 30(8): 621-626.			
Topoisomerase-II-Inhibitor IC50=38.6 uM					
BETULINIC-ACID	Seed	--	--		Jim Duke's personal files.

Activities (22)

Anthelmintic	
AntiHIV EC50=2.0 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
AntiHIV IC50=6.5 ug/ml	
AntiHIV 14.8 uM	
Antibacterial	
Anticancer	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Anticarcinomic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiedemic	
Antiinflammatory	Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from Diospyros leucomelas*. Planta Medica, 61: 9.
Antileukemic	
Antimalarial IC50=19-26 ug/ml	
Antimelanomic	New York Times, 3/28/95.
Antinociceptive	
Antiplasmodial IC50=19-26 ug/ml	
Antitumor	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiviral 14.8 uM	
Apoptotic	
Cytotoxic 50-100 ppm	Biosyn. Prod. Cancer Chemotherapy (Petit et al)
Cytotoxic 16.4 uM	
Phospholipase-A2-Inhibitor	
Prostaglandin-Synthesis-Inhibitor 200 ug/ml	Dunstan, C. A., Liu, B., Welch, C. J., Perera, P., Bohlin, L. 1998. Alphitol, a Phenolic Substance from Alphonis zizyphoides which Inhibits Prostaglandin Biosynthesis in vitro. Phytochemistry, 48(3): 495-497.
Prostaglandin-Synthesis-Inhibitor IC50=101 uM	Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from Menyanthes trifoliata L. Yao Hsueh Hsueh Pao, 30(8): 621-626.

BETULINIC-ACID Wood -- 945.0 0.04 Jim Duke's personal files.

Activities (22)

Anthelmintic	
AntiHIV EC50=2.0 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
AntiHIV IC50=6.5 ug/ml	
AntiHIV 14.8 uM	
Antibacterial	
Anticancer	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Anticarcinomic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiedemic	
Antiinflammatory	Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from Diospyros leucomelas*. Planta Medica, 61: 9.
Antileukemic	
Antimalarial IC50=19-26 ug/ml	
Antimelanomic	New York Times, 3/28/95.
Antinociceptive	
Antiplasmodial IC50=19-26 ug/ml	
Antitumor	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiviral 14.8 uM	
Apoptotic	
Cytotoxic 50-100 ppm	Biosyn. Prod. Cancer Chemotherapy (Petit et al)
Cytotoxic 16.4 uM	
Phospholipase-A2-Inhibitor	
Prostaglandin-Synthesis-Inhibitor 200 ug/ml	Dunstan, C. A., Liu, B., Welch, C. J., Perera, P., Bohlin, L. 1998. Alphitol, a Phenolic Substance from Alphonis zizyphoides which Inhibits Prostaglandin Biosynthesis in vitro. Phytochemistry, 48(3): 495-497.
Prostaglandin-Synthesis-Inhibitor IC50=101 uM	Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from Menyanthes trifoliata L. Yao Hsueh Hsueh Pao, 30(8): 621-626.

BETULINIC-ACID Stem Bark -- -- Jim Duke's personal files.

Activities (22)

Anthelmintic

AntiHIV EC50=2.0 ug/ml

Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. *J. Nat. Prod.*, 61 (9): 1090-1095.

AntiHIV IC50=6.5 ug/ml

AntiHIV 14.8 uM

Antibacterial

Anticancer

Jeffery B. Harborne and H. Baxter, eds. 1983. *Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.* Taylor & Frost, London. 791 pp.

Anticarcinomic

Jeffery B. Harborne and H. Baxter, eds. 1983. *Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.* Taylor & Frost, London. 791 pp.

Antiedemic

Antiinflammatory

Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from *Diospyros leucomelas**. *Planta Medica*, 61: 9.

Antileukemic

Antimalarial IC50=19-26 ug/ml

Antimelanomic

New York Times, 3/28/95.

Antinociceptive

Antiplasmodial IC50=19-26 ug/ml

Antitumor

Jeffery B. Harborne and H. Baxter, eds. 1983. *Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.* Taylor & Frost, London. 791 pp.

Antiviral 14.8 uM

Apoptotic

Cytotoxic 50-100 ppm

Biosyn. Prod. Cancer Chemotherapy (Petit et al)

Cytotoxic 16.4 uM

Phospholipase-A2-Inhibitor

Prostaglandin-Synthesis-Inhibitor 200 ug/ml

Dunstan, C. A., Liu, B., Welch, C. J., Perera, P., Bohlin, L. 1998. Alphitol, a Phenolic Substance from *Alphitonia zizyphoides* which Inhibits Prostaglandin Biosynthesis in vitro. *Phytochemistry*, 48(3): 495-497.

Prostaglandin-Synthesis-Inhibitor IC50=101 uM

Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from *Menyanthes trifoliata* L. *Yao Hsueh Hsueh Pao*, 30(8): 621-626.

BETULINIC-ACID

Leaf

--

--

Jim Duke's personal files.

Activities (22)

Anthelmintic

AntiHIV EC50=2.0 ug/ml

Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. *J. Nat. Prod.*, 61 (9): 1090-1095.

AntiHIV IC50=6.5 ug/ml

AntiHIV 14.8 uM

Antibacterial

Anticancer

Jeffery B. Harborne and H. Baxter, eds. 1983. *Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.* Taylor & Frost, London. 791 pp.

Anticarcinomic

Jeffery B. Harborne and H. Baxter, eds. 1983. *Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.* Taylor & Frost, London. 791 pp.

Antiedemic

Antiinflammatory

Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from *Diospyros leucomelas**. *Planta Medica*, 61: 9.

Antileukemic

Antimalarial IC50=19-26 ug/ml

Antimelanomic

New York Times, 3/28/95.

Antinociceptive

Antiplasmodial IC50=19-26 ug/ml

Antitumor

Jeffery B. Harborne and H. Baxter, eds. 1983. *Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.* Taylor & Frost, London. 791 pp.

Antiviral 14.8 uM

Apoptotic

Cytotoxic 50-100 ppm

Biosyn. Prod. Cancer Chemotherapy (Petit et al)

Cytotoxic 16.4 uM

Phospholipase-A2-Inhibitor

Prostaglandin-Synthesis-Inhibitor 200 ug/ml

Dunstan, C. A., Liu, B., Welch, C. J., Perera, P., Bohlin, L. 1998. Alphitol, a Phenolic Substance from *Alphitonia zizyphoides* which Inhibits Prostaglandin Biosynthesis in vitro. *Phytochemistry*, 48(3): 495-497.

Prostaglandin-Synthesis-Inhibitor IC50=101 uM

Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from *Menyanthes trifoliata* L. *Yao Hsueh Hsueh Pao*, 30(8): 621-626.

BETULINIC-ACID

Fruit

--

--

Jim Duke's personal files.

Activities (22)

Anthelmintic	
AntiHIV EC50=2.0 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
AntiHIV IC50=6.5 ug/ml	
AntiHIV 14.8 uM	
Antibacterial	
Anticancer	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Anticarcinomic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiedemic	
Antiinflammatory	Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from Diospyros leucomelas*. Planta Medica, 61: 9.
Antileukemic	
Antimalarial IC50=19-26 ug/ml	
Antimelanomic	New York Times, 3/28/95.
Antinociceptive	
Antiplasmodial IC50=19-26 ug/ml	
Antitumor	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiviral 14.8 uM	
Apoptotic	
Cytotoxic 50-100 ppm	Biosyn. Prod. Cancer Chemotherapy (Petit et al)
Cytotoxic 16.4 uM	
Phospholipase-A2-Inhibitor	
Prostaglandin-Synthesis-Inhibitor 200 ug/ml	Dunstan, C. A., Liu, B., Welch, C. J., Perera, P., Bohlin, L. 1998. Alphitol, a Phenolic Substance from Alphonis zizyphoides which Inhibits Prostaglandin Biosynthesis in vitro. Phytochemistry, 48(3): 495-497.
Prostaglandin-Synthesis-Inhibitor IC50=101 uM	Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from Menyanthes trifoliata L. Yao Hsueh Hsueh Pao, 30(8): 621-626.

BETULINIC-ACID Bark -- 15300.0 1.37 Jim Duke's personal files.

Activities (22)

Anthelmintic	
AntiHIV EC50=2.0 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
AntiHIV IC50=6.5 ug/ml	
AntiHIV 14.8 uM	
Antibacterial	
Anticancer	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Anticarcinomic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiedemic	
Antiinflammatory	Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from Diospyros leucomelas*. Planta Medica, 61: 9.
Antileukemic	
Antimalarial IC50=19-26 ug/ml	
Antimelanomic	New York Times, 3/28/95.
Antinociceptive	
Antiplasmodial IC50=19-26 ug/ml	
Antitumor	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiviral 14.8 uM	
Apoptotic	
Cytotoxic 50-100 ppm	Biosyn. Prod. Cancer Chemotherapy (Petit et al)
Cytotoxic 16.4 uM	
Phospholipase-A2-Inhibitor	
Prostaglandin-Synthesis-Inhibitor 200 ug/ml	Dunstan, C. A., Liu, B., Welch, C. J., Perera, P., Bohlin, L. 1998. Alphitol, a Phenolic Substance from Alphonis zizyphoides which Inhibits Prostaglandin Biosynthesis in vitro. Phytochemistry, 48(3): 495-497.
Prostaglandin-Synthesis-Inhibitor IC50=101 uM	Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from Menyanthes trifoliata L. Yao Hsueh Hsueh Pao, 30(8): 621-626.