

List of All Chemicals

P Eucalyptus behriana (Myrtaceae)

How used

Medicinal

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL: CRC Press.

Chemical	Part	Low PPM	High PPM	StdDev	*Reference
1,8-CINEOLE	Leaf	--	1960.0	-0.28	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section <i>Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
Activities (67)					
(-)Chronotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
(-)Inotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Acaricide LC100=6 uM					
Allelopathic					
Allergenic					
Anesthetic					
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antiacetylcholinesterase IC50=41 ug/ml					
Antiallergic	J. Food Hyg. Soc. Jap. 33(6): 569.				
Antibacterial 50 ppm					
Antibronchitic					
Anticariogenic					
Anticatarrh	Martindale's 29th				
Anticholinesterase IC50=50-70					
Antifatigue					
Antihalitotic	American Health, 12(4): 17, 1993.				
Antiinflammatory					
Antilaryngitic					
Antinociceptive					
Antipharyngitic					
Antiplaque					
Antirheumatic					
Antirhinitic					
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antisinusitic					
Antispasmodic					
Antistaphylococcic 50 ppm					
Antitussive					
Antiulcer					
CNS-Stimulant					
Candidicide					
Carcinogenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Choleretic					
Convulsant					
Counterirritant	Martindale's 29th				
Cytochrome-P450-Inducer					
Decongestant					
Degranulant 0.3 ul/ml					
Dentifrice	Martindale's 29th				
Edemagenic inj					
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
FLavor FEMA 1-200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Fungicide					

Gastroprotective					
Gram(+)icide					
Gram(-)icide					
Hepatotoxic					
Herbicide IC50=78 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.				
Hypotensive					
Inflammatory inj					
Insectifuge					
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.				
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.				
Nematicide	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.				
Neurotoxic					
P450-Inducer					
Pediculicide 2.3 x pyrethrin					
Perfume	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Pesticide					
Rubefacient	Martindale's 29th				
Secretogogue					
Sedative					
Spasmogenic					
Surfactant					
Testosterone-Hydroxylase-Inducer					
Transdermal					
Trichomonicide					
LD100=1,000 ug/ml					

A-MUUROLENE	Leaf	--	2.7	-0.71	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
ALLO-AROMADENDRENE	Leaf	--	10.0	-0.2	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
ALPHA-BULNESENE	Leaf	--	2.7	-0.82	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
ALPHA-CAMPHOLENIC-ALDEHYDE	Leaf	--	2.7	-0.71	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
ALPHA-COPAENE	Leaf	--	2.7	-0.34	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
ALPHA-CUBEBENE	Leaf	--	2.7	-0.4	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
ALPHA-EUDESOL	Leaf	--	15.0	-0.6	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
ALPHA-FENCHENE	Leaf	--	--	-0.46	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
ALPHA-GURJUNENE	Leaf	--	2.7	-0.6	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
ALPHA-P-DIMETHYL-STYRENE	Leaf	--	2.7	-0.58	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
ALPHA-PHELLANDRENE	Leaf	--	2.7	-0.31	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Activities (11)

Antibacterial	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antistaphylococcic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Dermal	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Emetic	
FLavor FEMA 10-130	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. <i>Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D)</i> , 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Insectiphile	Pakistan Encyclopedia Planta Medica. 1986.
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Laxative	
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Pesticide	

Activities (28)

ALPHA-PINENE	Leaf	--	65.0	-0.22	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. <i>Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
Allelochemic					
Allergenic					
Antiacne					
Antibacterial					
Antifeedant					
Antiflu	Economic & Medicinal Plant Research, 5: 195.				
Antiinflammatory	500 mg/kg				
Antipneumonic					
Antiseptic					
Antispasmodic					
Antistaphylococcic					
Antiviral	Economic & Medicinal Plant Research, 5: 195.				
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Coleoptophile					
Expectorant	Michael Castleman 1991. <i>The Healing Herbs</i> . Rodale Press, Emmaus, PA 436 pp.				
FLavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.				
Insecticide 0.82 uM/fly					
Insectifuge 50 ppm					
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.				
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.				
P450-2B1-Inhibitor IC50=0.087 uM					
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Pesticide					
Sedative	Lawrence Review of Natural Products, Jun-90.				
Spasmogenic					
Tranquilizer	Lawrence Review of Natural Products, Jun-90.				
Transdermal					

Activities (3)

Antimalarial IC50=>50 ug/ml	Rukunga, G. and Simons, A. J. 2006. <i>The Potential of Plants as a Source of Antimalarial Agents - A Review</i> . Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Antiplasmodial IC50=>50 ug/ml	Rukunga, G. and Simons, A. J. 2006. <i>The Potential of Plants as a Source of Antimalarial Agents - A Review</i> . Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

ALPHA-TERPINEOL

ALPHA-TERPINEOL	Leaf	--	2.7	-0.59	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. <i>Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria</i> . Flavour and Fragrance J. 10(6):359-364
-----------------	------	----	-----	-------	--

Activities (23)

ACE-Inhibitor 100 ug/ml (weak activity)	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacne	
Antibacterial MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticancer	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.
Anticariogenic MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antiinflammatory	
Antiproliferant	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Cicatrizant ED50=240 ug/g mus	
FLavor FEMA 5-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insecticide 1.29 uM/fly	
Interleukin-6-Inhibitor	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Butterly,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Butterly,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Termiticide IC100=5 mg/g	
Transdermal	
Vulnerary ED50=240 ug/g mus	

AROMADENDRENE

Leaf	--	135.0	-0.54	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
------	----	-------	-------	--

Activities (3)

Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Pesticide	

BETA-CARYOPHYLLENE

Leaf	--	2.7	-0.33	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
------	----	-----	-------	--

BETA-CIS-OCIMENE

Leaf	--	2.7	-0.38	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
------	----	-----	-------	--

BETA-CUBEBENE

Leaf	--	2.7	-0.31	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
------	----	-----	-------	--

BETA-ELEMENE

Leaf	--	2.7	-0.41	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
------	----	-----	-------	--

Activities (5)

Anticancer (Cervix)	Medicinal and Poisonous Plants of the Tropics. Leeuwenberg, A.J.M., ed. Pudoc, Wageningen. 1987.
Antigliomic	
Antiproliferant	
Antitumor (Cervix)	Medicinal and Poisonous Plants of the Tropics. Leeuwenberg, A.J.M., ed. Pudoc, Wageningen. 1987.
Apoptotic	

BETA-EUDESMOL	Leaf	--	1305.0	3.21	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
---------------	------	----	--------	------	--

Activities (13)

AntiEBV

Antianoxic ED60=300 µM mus Yamahara, J., Matsuda, H., Naitoh, Y., Fujimura, H., and Tamai, Y. 1990. Antianoxic Action and Active Constituents of Atractylodis Lanceae Rhizoma. Chem. Pharm. Bull. 38(7): 2033-2034, 1990.

Antimutagenic ID50=>50 uM/ml

Antipeptic Chem & Pharm. Bull., 34: 3854, 1986.

Antisalmonella >0.18 uM/ml

Antitumor-Promoter?

Antiulcer

CNS-Inhibitor

Calcium-Antagonist 40 µM mus

Hepatoprotective

Neurogenic

Pesticide

Sedative

BETA-PHELLANDRENE	Leaf	--	2.7	-0.46	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
-------------------	------	----	-----	-------	--

Activities (3)

Expectorant Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Fungicide Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Perfumery Merck 11th Edition

BETA-PHENYLETHYL-PROPIONATE	Leaf	--	2.7	-0.56	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
-----------------------------	------	----	-----	-------	--

BETA-PINENE	Leaf	--	2.7	-0.43	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
-------------	------	----	-----	-------	--

Activities (13)

Allergenic

Antiinflammatory

Antiseptic Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.

Antispasmodic

Candidicide

FLavor FEMA 15-600 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Herbicide Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Insectifuge Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.

Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticide

Spasmogenic Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.

Transdermal

BETA-SELINENE	Leaf	--	30.0	-0.22	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
---------------	------	----	------	-------	--

Activities (3)

Antimalarial IC50=>50 µg/ml Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.

Antiplasmodial IC50=>50 µg/ml Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.

Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

BETA-TRANS-OCIMENE	Leaf	--	--	-0.67	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
--------------------	------	----	----	-------	--

BICYCLOELEMENE	Leaf	--	2.7	-0.77	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
BICYCLOGERMACRENE	Leaf	--	2.7	-0.28	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
BORNEOL	Leaf	--	2.7	-0.47	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Activities (35)					
(-)Chronotropic 29 ug/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
(-)Inotropic 29 ug/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Allelochemical					
Analgesic					
Antiacetylcholine	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.				
Antibacterial MIC=125-250 ug/ml					
Antibronchitic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antiescherichic MIC=125 ug/ml					
Antifeedant					
Antiinflammatory					
Antitotic					
Antipyretic					
Antisalmonella MIC=125 ug/ml					
Antispasmodic ED50=0.008 mg/ml					
Antistaphylococcic MIC=250 ug/ml					
Antiyeast MIC=250 ug/ml					
CNS-Stimulant	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.				
CNS-Toxic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Candidicide MIC=250 ug/ml					
Choleretic					
FLavor FEMA<1	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Fungicide					
Hepatoprotective					
Herbicide IC50=470 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.				
Herbicide IC50=470 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.				
Inhalant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Insect-Repellent					
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.				
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.				
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.				
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Pesticide					
Sedative	Medline (post 1990 searches filed in my computer)				
Tranquilizer					
CADINA-1,4-DIENE	Leaf	--	2.7	-0.7	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
CALACORENE	Leaf	--	9.0	-0.6	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
CALAMENENE	Leaf	--	2.7	-0.59	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

CARVONE	Leaf	--	15.0	-0.28	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
---------	------	----	------	-------	--

Activities (19)

Allergenic					
Antiacyetylcholinesterase					
IC50=1.4-1.8 mM					
Antiproliferative					
Antiseptic 1.5 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)				
CNS-Stimulant					
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Candidstat					
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.				
FLavor FEMA 80-3,000	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Fungistat					
Insecticide	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC				
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.				
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Pesticide					
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC				
Trichomonicide LD100=300 ug/ml					
Vermicide					

CARYOPHYLLENE-OXIDE	Leaf	--	2.7	-0.44	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
---------------------	------	----	-----	-------	--

Activities (8)

Antiedemic	Shimizu,*M., et al. 1990. Anti-inflammatory Constituents of Topically Applied Crude Drugs. IV.1) Constituents and Anti-inflammatory Effect of Paraguayan Crude Drug 'Alhucema' (Lavandula latifolia Vill.)2). Chem. Pharm. Bull. 38(8): 2283-2284, 1990.				
Antifeedant	Bettarini, F., Borgonovi, G.E., et al. 1991. Antiparasitic Compounds from East African Plants: Isolation and Biological Activity of Anonaine, Matricarianol, Canthin-6-One and Caryophyllene Oxide. Insect Sci. Applic. 14(1): 93-99, 1993.				
Antiinflammatory	Shimizu,*M., et al. 1990. Anti-inflammatory Constituents of Topically Applied Crude Drugs. IV.1) Constituents and Anti-inflammatory Effect of Paraguayan Crude Drug 'Alhucema' (Lavandula latifolia Vill.)2). Chem. Pharm. Bull. 38(8): 2283-2284, 1990.				
Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove (<i>Eugenia caryophyllata</i>) As Potential Anticarcinogenic Agents. Journal of Natural Products 55(7): 999-1003, 1992.				
Calcium-Antagonist ED50=32 uM gpg					
Fungicide					
Insecticide	Bettarini, F., Borgonovi, G.E., et al. 1991. Antiparasitic Compounds from East African Plants: Isolation and Biological Activity of Anonaine, Matricarianol, Canthin-6-One and Caryophyllene Oxide. Insect Sci. Applic. 14(1): 93-99, 1993.				
Pesticide					

CIS-P-MENTH-2-EN-1-OL	Leaf	--	3.0	-0.52	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
-----------------------	------	----	-----	-------	--

CIS-P-MENTHA-1(7),8-DIEN-2-OL	Leaf	--	3.0	-0.76	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
-------------------------------	------	----	-----	-------	--

CIS-P-MENTHA-1,8-DIEN-6-OL	Leaf	--	2.7	-0.74	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
----------------------------	------	----	-----	-------	--

CIS-PIPERITOL	Leaf	--	2.7	-0.36	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
---------------	------	----	-----	-------	--

CRYPTONE	Leaf	--	37.0	-0.07	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
----------	------	----	------	-------	--

CUMINAL	Leaf	--	2.7	-0.32	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
---------	------	----	-----	-------	--

DELTA-CADINENE	Leaf	--	2.7	-0.45	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
----------------	------	----	-----	-------	--

Activities (9)

Aldose-Reductase-Inhibitor					
Antiacne					
Antibacterial MIC800 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against <i>Streptococcus mutans</i> . J. Agric. Food Chem. 41: 1102-1105.				
Anticariogenic MIC800 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against <i>Streptococcus mutans</i> . J. Agric. Food Chem. 41: 1102-1105.				
Antistreptococcic					
Cytochrome-P450-Inducer					
P450-Inducer					
Pesticide					
Testosterone-Inducer					

DELTA-CADINOL	Leaf	--	2.7	-0.61	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
---------------	------	----	-----	-------	--

Activities (1)

Termiticide	Material und Organismen , 24: 1, 1989.
-------------	--

DELTA-ELEMENE	Leaf	--	2.7	-0.68	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
---------------	------	----	-----	-------	--

DELTA-TERPINEOL	Leaf	--	2.7	-0.7	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
-----------------	------	----	-----	------	--

EO	Leaf	--	5400.0	-0.54	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
----	------	----	--------	-------	--

FENCHOL	Leaf	--	4.0	-0.69	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
---------	------	----	-----	-------	--

GAMMA-EUDESMOL	Leaf	--	2.7	-0.72	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
----------------	------	----	-----	-------	--

GAMMA-TERPINENE	Leaf	--	2.7	-0.37	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
-----------------	------	----	-----	-------	--

Activities (11)

ACE-Inhibitor 100 ug/ml (weak activity)	
--	--

Acaricide					
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.				
Antiacyetylcholinesterase IC23=1.2 mM					
Antifeedant	Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.				
Antioxidant	Jim Duke's personal files.				
FLavor FEMA 1-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Insectifuge	Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.				
Irritant	Zebowitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Pesticide					

GERANIOL	Leaf	--	--	-0.23	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
----------	------	----	----	-------	--

Activities (35)

Allergenic	
Anthelmintic	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol. 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antibacterial MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antibacterial MIC=64 ug/ml	
Antibacterial MBC=800 ug/ml	
Anticancer (Pancreas) IC50=265 uM	
Anticariogenic MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antimelanomic IC50=150 uM/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 7 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antiseptic MIC=64 ug/ml	
Antiseptic 400-800 ug/ml	
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (<i>Flores Graminis</i> , <i>Graminis Flos</i>) used in Aromatherapy. J. Ess. Oil Res., 2: 185-191, 1990.
Antitubercular MIC=64 ug/ml	
Antitumor	Yu, S.G., Anderson, P.J., and Elson, C.E. 1995. Efficacy of B-Ionone in the Chemoprevention of Rat Mammary Carcinogenesis. J. Agric. Food Chem. 43: 2144-2147.
Antitumor (Pancreas) IC50=265 uM	
Ascaricide	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol. 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
CNS-Stimulant	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	
Embryotoxic	
Emetic 3 x ipecac	Lawrence Review of Natural Products, Sep-97.
Expectorant	Madaus, G. 1976. Lehrbuch der Biologischen Hilfsmittel. Vol. 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
FLavor FEMA 1-10	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide IC93=2 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC100-2,000 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge 50 ppm	
Insectiphile	Merck 11th Edition
Mycobactericide MIC=64 ug/ml	
Nematicide IC86=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Nematicide MLC=1,000 ug/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Sedative	
Trichomonicide LD100=300 ug/ml	

GLOBULOL	Leaf	--	130.0	-0.37	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
ISOAMYL-ISOVALERATE	Leaf	--	--	-0.5	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
ISOBUTYL-ISOVALERATE	Leaf	--	2.7	-0.56	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
LIMONENE	Leaf	--	2.7	-0.44	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Activities (60)

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. & Physiol.</i> , 23, 1985, 383-8.
Acaricide LC100=8 uM	
Allelochemical	
Allergenic 1/20th carene	
Antiacetylcholinesterase IC22-26=1.2 mM	
Antiadenomic	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. & Physiol.</i> , 23, 1985, 383-8.
Antiasthmatic	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Anticancer	
Antiesophagitic	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	
Antilithic	
Antilymphomtic	
Antimetastatic (Stomach)	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiobesity	
Antiseptic	
Antispasmodic ED50=0.197 mg/ml	Fitoterapia No.59-1984.
Antitumor	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Pancreas)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiviral	
Apoptotic	
Bronchoprotectant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidstat	
Chemopreventive	
Cholesterolytic	
Detoxicant	
Enterococontractant	J. Aromatherapy 4: 22.
Expectorant	
FLavor	
Fungiphilic	J. Agric. Food Chem. 43: 2283.
Fungistat	
GST-Inducer	
Herbicide IC50=45 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Histaminic	
Immunomodulator	
Insecticide 0.37 uM/fly	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Interleukin-6-Inhibitor	
Irritant	
Lipolytic	
Myorelaxant 50 mg/kg	
NO-Genic	
Nematicide IC=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Ornithine-Decarboxylase-Inhibitor ~750 mg/kg (diet)	
Ozone-Scavenger	
P450-Inducer	
Peristaltic	
Pesticide	
Photosensitizer	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Transdermal	

LINALOL	Leaf	--	2.7	-0.44	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
MYRCENE	Leaf	--	2.7	-0.17	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Activities (22)

ACE-Inhibitor 100 ug/ml					
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpene from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.				
Allergenic					
Analgesic	Kauderer, B., Zamith, H., Paumgarten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.				
Antibacterial					
Anticonvulsant					
Antimutagenic	Kauderer, B., Zamith, H., Paumgarten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.				
Antinitrosaminic					
Antinociceptive 10-20 mg/kg ipr mus	Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.				
Antinociceptive 20-40 mg/kg scu mus	Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.				
Antioxidant	Jim Duke's personal files.				
Antispasmodic	Jim Duke's personal files.				
Chemopreventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
FLavor FEMA 0.5-9	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.				
Hypothermic					
Insectifuge					
Irritant	Zebowitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Myorelaxant 100-200 mg/kg					
P450-2B1-Inhibitor IC50=0.14 uM	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Perfumery					
Pesticide					

MYRTENAL

Leaf	--	2.7	-0.6	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
------	----	-----	------	--

Activities (5)

Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Pesticide					

MYRTENOL

Leaf	--	2.7	-0.43	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
------	----	-----	-------	--

Activities (2)

Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				

NEROL

Leaf	--	85.0	-0.0	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
------	----	------	------	--

Activities (10)

Antibacterial	HerbalGram No. 17.
Antihelicobacter	
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antiulcer	
Estrogenic	
FLavor FEMA 1-20	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Perfumery	Merck 11th Edition
Pesticide	
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Trichomonicide ED100=300 ug/ml	

P-CYMEN-8-OL

Leaf	--	2.7	-0.74	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
------	----	-----	-------	--

P-CYMENE

Leaf	--	575.0	0.08	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
------	----	-------	------	--

Activities (16)

Analgesic	Martindale's 28th
Antiacetylcholinesterase IC40=1.2 mM	
Antibacillary	
Antibacterial	
Antiflu	
Antirheumatalgic	Martindale's 28th
Antiviral	
FLavor FEMA 12-250	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=50 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Laxative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Pesticide	
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Trichomonicide LD100=50 ug/ml	

PALUSTROL

Leaf	--	2.7	-0.45	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
------	----	-----	-------	--

PINOCARVONE

Leaf	--	8.0	-0.56	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
------	----	-----	-------	--

Activities (1)

Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
-----------	---

PIPERITONE

Leaf	--	125.0	-0.29	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
------	----	-------	-------	--

Activities (7)

Antiasthmatic	
FLavor FEMA 1-2	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide IC50=30 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=75 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge (> DEET)	Bowers, W.S., Ortego, F., You, X., and Evans, P.H. Insect Repellents From The Chinese Prickly Ash <i>Zanthoxylum bungeanum</i> . Journal of Natural Products, 56(6): 935-938, 1993.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

SABINENE		Leaf	--	2.7	-0.26	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
----------	--	------	----	-----	-------	--

Activities (5)

Antibacterial	
Antihelicobacter	
Antiseptic	
Antiulcer	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

SPATHULENOL	Leaf	--	90.0	-0.29	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
-------------	------	----	------	-------	--

TERPINEN-4-OL	Leaf	--	2.7	-0.34	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
---------------	------	----	-----	-------	--

Activities (23)

Allelopathic		Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacetylcholinesterase IC21-24=1.2 mM		
Antiacne		
Antiallergic		
Antiasthmatic		Chin. J. Tuber. Respir. Dis., 4:203, 1982.
Antibacterial		
Antioxidant		
Antiseptic		Flav. & Frag. J. 9: 129.
Antispasmodic		
Antitussive		Chin. J. Tuber. Respir. Dis.
Antiulcer		
Bacteriostatic		Chin. J. Tuber. Respir. Dis.
Diuretic 0.1 ml/rat		
Fungicide		
Herbicide IC50=200 mM		Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=22 uM		Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge		
Irritant		Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide MLC=1 mg/ml		Shoyakugaku Zasshi, 44: 183.
Pesticide		
Renoirritant		Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Spermicide ED100=0.015		
Vulnerary		Lawrence Review of Natural Products, Jan-91.

TERPINOLENE	Leaf	--	2.7	-0.23	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
-------------	------	----	-----	-------	--

Activities (9)

Allelochemic	
Antifeedant	
Antinitrosaminic	
Antioxidant	
Deodorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 15-60	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

TORQUATONE	Leaf	--	18.0	-0.39	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
------------	------	----	------	-------	--

TRANS-P-MENTH-2-EN-1-OL	Leaf	--	2.7	-0.81	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
TRANS-P-MENTHA-1(7),8-DIEN-2-OL	Leaf	--	5.0	-0.69	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
TRANS-P-MENTHA-1,8-DIEN-6-OL	Leaf	--	2.7	-0.49	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
TRANS-PINOCARVEOL	Leaf	--	11.0	-0.63	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364

Activities (2)

Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.

TRANS-PIPERITOL	Leaf	--	2.7	-0.7	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
-----------------	------	----	-----	------	--

VERBENONE	Leaf	--	2.7	-0.36	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
-----------	------	----	-----	-------	--

Activities (5)

Allelochemic	
Coleopterifuge	
Insectifuge	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

VIRIDIFLORENE	Leaf	--	2.7	-0.67	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
---------------	------	----	-----	-------	--

VIRIDIFLOROL	Leaf	--	60.0	-0.44	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus <i>Sympyomyrtus</i> , Section Adnataria. Flavour and Fragrance J. 10(6):359-364
--------------	------	----	------	-------	--

Activities (1)

Antiacetylcholinesterase IC50=25 ug/ml	
--	--